



# **OMA Device Management Sessionless Reporting**

Candidate Version 1.3 – 06 Mar 2012

---

**Open Mobile Alliance**

OMA-TS-DM\_Sessionless Reporting-V1\_3-20120306-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

## Contents

|  |    |
|--|----|
| 1. SCOPE.....  | 4  |
| 2. REFERENCES .....  | 5  |
| 2.1 NORMATIVE REFERENCES .....                               | 5  |
| 2.2 INFORMATIVE REFERENCES .....                             | 5  |
| 3. TERMINOLOGY AND CONVENTIONS.....                          | 6  |
| 3.1 CONVENTIONS .....  | 6  |
| 3.2 DEFINITIONS.....   | 6  |
| 3.3 ABBREVIATIONS .....                                      | 6  |
| 4. INTRODUCTION .....  | 7  |
| 5. SESSIONLESS REPORTING FEATURE.....                        | 8  |
| 5.1 SESSIONLESS REPORT ALERT .....                           | 8  |
| 5.2 SESSIONLESS REPORT MESSAGE.....                          | 8  |
| 5.2.1 Authentication Credentials.....                        | 8  |
| 5.3 ILLUSTRATIVE EXAMPLE (INFORMATIVE).....                  | 8  |
| 5.4 BEST PRACTICES (INFORMATIVE) .....                       | 9  |
| 5.5 MESSAGE FLOW (INFORMATIVE) .....                         | 9  |
| APPENDIX A. CHANGE HISTORY (INFORMATIVE).....                | 11 |
| A.1 APPROVED VERSION HISTORY .....                           | 11 |
| A.2 DRAFT/CANDIDATE VERSION 1.3 HISTORY .....                | 11 |
| APPENDIX B. STATIC CONFORMANCE REQUIREMENTS (NORMATIVE)..... | 12 |
| B.1 SCR FOR DM CLIENT .....                                  | 12 |
| B.2 SCR FOR DM SERVER .....                                  | 12 |

## Figures

|   |    |
|---|----|
| Figure 1: DM Client issuing Sessionless Report Alerts ..... | 10 |
|---|----|

# 1. Scope

This document defines how an OMA DM Client can send a report (e.g. periodic measurement report) to a DM Server, outside the context of a DM session.

## 2. References

### 2.1 Normative References

- [DMDICT] "OMA Device Management Dictionary", Draft Version 1.0, Open Mobile Alliance™, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DMPROTO] "OMA Device Management Protocol, Version 1.3". Open Mobile Alliance™. OMA-TS-DM\_Protocol-V1\_3 [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org)
- [DMREPPRO] "OMA Device Management Representation Protocol, Version 1.3". Open Mobile Alliance™. OMA-TS-DM\_RepPro-V1\_3, [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org)
- [DMSEC] "OMA Device Management Security, Version 1.3". Open Mobile Alliance™. OMA-TS-DM\_Security-V1\_3. [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DMStdObj] "OMA Device Management Representation Protocol, Version 1.3". Open Mobile Alliance™, OMA-TS-DM\_StdObj-V1\_3, [URL:http://www.openmobilealliance.org](http://www.openmobilealliance.org)
- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

### 2.2 Informative References

None.

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

### 3.2 Definitions

Kindly consult [DMDICT] for all definitions used in this document.

### 3.3 Abbreviations

Kindly consult [DMDICT] for all abbreviations used in this document.

## 4. Introduction

The OMA-DM [DMPROTO] transaction model is a secure request/response protocol between a DM Server and a DM Client that runs within the context of a DM session. Once a session is established, the DM Server alternately sends commands to the Client and receives responses from the Client. The Client also informs the Server about events that have occurred on the device, via unsolicited alerts. All the reporting of alerts from the DM Client to the DM Server is normally done within the context of a DM Session, in either Package 1 or Package 3.

This specification describes a sessionless reporting mechanism, that can be employed by an OMA-DM Client, to send information such as periodic measurement results etc. to a previously bootstrapped DM Server, outside the context of a DM session.

## 5. Sessionless Reporting Feature

### 5.1 Sessionless Report Alert

Sessionless reporting by the DM Client is performed via a specially formatted alert, known as the Sessionless Report Alert. This alert conforms to the DTD for the SyncML element *Alert*, as defined in [DMREPPRO], with the following additional constraints:

1. The *Data* element immediately under the *Alert* element MUST be set to value 1230, which is the reserved value for the Sessionless Report Alert, as per [DMREPPRO].
2. Precisely one *Item* element MUST be present under the Alert element.
3. All the data associated with the Sessionless report MUST be CDATA escaped within the *<Item>/<Data>* block.
4. The *Meta* element MUST be specified.
5. The *Type* and *Format* meta tags MUST be present and their allowed values are as per the Generic Alert definition in [DMPROTO].
6. The *Mark* meta tag MAY be present and its allowed values are as per the Generic Alert definition in [DMPROTO].

### 5.2 Sessionless Report Message

Sessionless Report Alerts are sent from the DM Client to the DM Server in a Sessionless Report Message. This message conforms to the DTD for the SyncML elements *SyncHdr* and *SyncBody*, as defined in [DMREPPRO], with the following additional constraints.

1. The body of the Sessionless Report Message MUST NOT include anything other than Sessionless Report Alerts. In other words, the Sessionless Report Message MUST NOT be used to send Generic Alerts or DevInfo.
2. The header of the Sessionless Report Message MUST include the *Cred* element and the *SessionID* element MUST be set to zero (0).

#### 5.2.1 Authentication Credentials

When the transport to send the Sessionless Report Message is unable to provide authentication and integrity, HMAC-SHA256 authentication mechanism, which is defined in [DMSEC], MUST be used as transport neutral integrity. If the DM Server receives a Sessionless Report Message that the DM Server cannot authenticate, the DM Server MUST silently ignore the message.

### 5.3 Illustrative Example

(Informative)

The following is an example of a Sessionless Report Message that includes two Sessionless Report Alerts.

```
<SyncML xmlns='SYNCML:SYNCML1.2'>
  <SyncHdr>
    <VerDTD>1.2</VerDTD>
    <VerProto> DM/1.3</VerProto>
    <SessionID>0</SessionID>
    <MsgID>1</MsgID>
    <Target>
      <LocURI>http://www.syncml.org/mgmt-server</LocURI>
    </Target>
    <Source>
      <LocURI>IMEI:493005100592800</LocURI>
    </Source>
    </Cred>
```



```

</SyncHdr>
<SyncBody>
  <Alert> <!-- First Sessionless Report Alert -->
    <CmdID>1001</CmdID>
    <Data>1230</Data> <!-- Sessionless Report Alert code -->
    <Item>
      <Source><LocURI>./MOA/ExtA</LocURI></Source>
      <Meta>
        <Mark xmlns='syncml:metinf'>informational</Mark>
        <Type xmlns='syncml:metinf'>urn:oma:mo:samplealert1:1.0
          <!-- Sessionless Report Alert identifier -->
        </Type>
        <Format xmlns='syncml:metinf'>xml</Format>
      </Meta>
      <Data>
<![CDATA[
<!-- Sessionless Report Alert data goes here -->
]]>
      </Data>
    </Item>
  </Alert>
  <Alert> <!-- Second Sessionless Report Alert -->
    <CmdID>1002</CmdID>
    <Data>1230</Data> <!-- Sessionless Report Alert code -->
    <Item>
      <Source><LocURI>./MOB/ExtB</LocURI></Source>
      <Meta>
        <Mark xmlns='syncml:metinf'>critical</Mark>
        <Type xmlns='syncml:metinf'>urn:oma:mo:samplealert2:1.0
          <!-- Sessionless Report Alert identifier -->
        </Type>
        <Format xmlns='syncml:metinf'>xml</Format>
      </Meta>
      <Data>
<![CDATA[
<!-- Sessionless Report Alert data goes here -->
]]>
      </Data>
    </Item>
  </Alert>
</SyncBody>
</SyncML>

```

## 5.4 Best Practices

(Informative)

Sessionless Reporting is an optional feature for both DM Server and DM Client.

From the point of view of DM Server, SessionlessRpt node under DevDetail MO (see [DMStdObj]) can be read in order to verify if the DM Client supports this feature.

From the DM Client point of view, it is RECOMMENDED that the MO requiring this feature will provide a placeholder which can be used by DM Server to enable the feature and configure the necessary parameters (for example, target DM Server URL).

## 5.5 Message Flow

(Informative)

The following message flow illustrates the sessionless reporting feature. As shown in Figure 1, a DM Client issues two Sessionless Report Alerts at time instants  $t_1$  and  $t_2$ . The DM Client does not expect any acknowledgement from the DM Server.



Figure 1: DM Client issuing Sessionless Report Alerts

## Appendix A. Change History (Informative)

### A.1 Approved Version History

| Reference | Date | Description      |
|-----------|------|------------------|
| N/A       | N/A  | No prior version |

### A.2 Draft/Candidate Version 1.3 History

| Document Identifier                                 | Date   | Sections      | Description   |
|---|--|---------------|---|
| Draft Versions<br>OMA-TS-Sessionless Reporting-V1_3 | 02 Dec 2011  | All           | Initial version as agreed in "OMA-DM-DM13-2011-0114R05-INP_Sessionless_Reporting_TS_Baseline"   |
|   | 07 Dec 2011  | App B         | Applied<br>OMA-DM-DM13-2011-0122-CR_Sessionless_Reporting_SCR   |
|   | 13 Jan 2012  | 2, 3, 5.1     | Applied<br>OMA-DM-DM13-2011-0137R02-CR_CONR_Sessionless_Reporting   |
|   | 30 Jan 2012  | 2, 4, App B   | Added reference to SCRRULES and added cross-references in the whole document<br>Applied 2012 template to introduction section.<br>Restored format of section 3.3 header according to Action Item DM-2012-A017 |
|   | 16 Feb 2012  | 5.2, 5.3, 5.4 | Applied<br>OMA-DM-DM13-2012-0042-CR_Sessionless_Reporting_fix (according to comment raised in R&A DM13-12-010)  |
|   | 22 Feb 2012  | 5.2.1, 5.3    | Applied<br>OMA-DM-DM13-2012-0066-CR_Auth_SessionlessReporting   |
|   | 23 Feb 2012  | 2.1, 4.1      | Added normative reference to [DMSEC]<br>Header removed by DSO according to Action Item DM-2012-A030   |
|   | Candidate Version<br>OMA-TS-Sessionless Reporting-V1_3 | 06 Mar 2012   | N/A   |

## Appendix B. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCRRULES].

### B.1 SCR for DM Client

| Item          | Function  | Reference   | Requirement |
|---------------|---|-------------|-------------|
| DM-SR-C-001-M | Support for OMA Sessionless Reporting.  | Section 5.1 |             |
| DM-SR-C-002-M | Alert Code MUST be 1230.  | Section 5.1 |             |
| DM-SR-C-003-M | Alert MUST contain only one Item.   | Section 5.1 |             |
| DM-SR-C-004-M | Data MUST be CDATA escaped in Item/Data element.  | Section 5.1 |             |
| DM-SR-C-005-M | Meta, Type and Format MUST be specified.  | Section 5.1 |             |
| DM-SR-C-006-M | Sessionless Report Message MUST include Cred element.   | Section 5.1 |             |
| DM-SR-C-007-M | Sessionless Report Message body MUST contain only Sessionless Report Alerts.                    | Section 5.1 |             |
| DM-SR-C-008-M | If authentication scheme requires a nonce, the last nonce used with the DM Server MUST be used. | Section 5.1 |             |

### B.2 SCR for DM Server

| Item          | Function  | Reference   | Requirement |
|---------------|---|-------------|-------------|
| DM-SR-S-001-M | Support for OMA Sessionless Reporting.  | Section 5.1 |             |
| DM-SR-S-003-M | If server is not able to authenticate Sessionless Reporting Message, it MUST ignore the message silently. | Section 5.2 |             |