



Enabler Test Specification for FUMO

Candidate Version 1.0 – 24 Aug 2006

Open Mobile Alliance
OMA-ETS-FUMO-V1_0-20060824-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2006 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES	5
2.2 INFORMATIVE REFERENCES	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS	6
3.2 DEFINITIONS	6
3.3 ABBREVIATIONS	6
4. INTRODUCTION	7
5. CONFORMANCE TEST CASES	8
6. INTEROPERABILITY TEST CASES	9
6.1 FUMO SUPPORT - VERIFICATION OF TREE STRUCTURE FOR ../x*	9
6.2 FUMO SUPPORT - VERIFICATION OF TREE STRUCTURE FOR ../x*/DOWNLOAD	10
6.3 FUMO SUPPORT - VERIFICATION OF TREE STRUCTURE FOR ../x*/UPDATE	11
6.4 FUMO SUPPORT - VERIFICATION OF TREE STRUCTURE FOR ../x*/DOWNLOADANDUPDATE	12
6.5 FUMO SUPPORT - VERIFICATION OF GET ACCESS ON ../x*/STATE	13
6.6 SUCCESSFUL FIRMWARE UPDATE USING OMA-DM LARGE OBJECT AND EXEC ON ../x*/UPDATE NODE	13
6.7 SUCCESSFUL FIRMWARE UPDATE USING ALTERNATIVE DOWNLOAD MECHANISM AND EXEC ON ../x*/UPDATE NODE 15	
6.8 SUCCESSFUL FIRMWARE UPDATE USING ALTERNATIVE DOWNLOAD MECHANISM AND EXEC ON ../x*/DOWNLOADANDUPDATE NODE	16
6.9 DOWNLOADING AN UPDATE PACKAGE USING OMA-DM LARGE OBJECT AND EXEC ON ../x*/UPDATE NODE ..	18
6.10 DOWNLOADING AN UPDATE PACKAGE USING OMA-DM LARGE OBJECT AND EXEC ON ../x*/DOWNLOADANDUPDATE NODE	19
6.11 REPLACING AN UPDATE PACKAGE USING ALTERNATIVE DOWNLOAD MECHANISM AND EXEC ON ../x*/UPDATE NODE 21	
6.12 REPLACING AN UPDATE PACKAGE USING ALTERNATIVE DOWNLOAD MECHANISM AND EXEC ON ../x*/DOWNLOADANDUPDATE NODE	23
6.13 FAILED DOWNLOAD DUE TO MALFORMED OR BAD URL	24
6.14 FAILED DOWNLOAD DUE TO MISSING UPDATE PACKAGES	25
6.15 FAILURE DUE TO INCOMPLETE DOWNLOAD – OMA-DM PROTOCOL	27
6.16 FAILURE DUE TO INCOMPLETE DOWNLOAD – ALTERNATE DOWNLOAD	28
6.17 FAILURE DUE TO CORRUPTED UPDATE PACKAGE DOWNLOADED	29
6.18 CLIENT INITIATED FIRMWARE UPDATE – DEVICE INITIATED ALERT	30
6.19 CLIENT INITIATED FIRMWARE UPDATE – USER INITIATED ALERT	31
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	33
A.1 APPROVED VERSION HISTORY	33
A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY	33
APPENDIX B. SCR MAPPING TO TEST CASE	34
B.1 SCR FOR FUMO TREE STRUCTURE	34
B.2 SCR FOR FUMO CLIENT	34
B.3 SCR FOR FUMO SERVER	37

1. Scope

This document describes the enabler test cases for FUMO 1.0 enabler. The test cases are aimed to verify that implementations are compliant to the FUMO 1.0 specifications.

2. References

2.1 Normative References

- [IOPPROC] “OMA Interoperability Policy and Process”, Version 1.3, Open Mobile Alliance™, OMA-IOP-Process, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [FUMO ERELD] “Enabler Release Definition for Firmware Update Management Object “, Open Mobile Alliance™, OMA-ERELEDFUMO-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [FUMO] “Firmware Update Management Object“, Open Mobile Alliance™, OMA-TS-DM-FUMO-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [DM-V1_2 ETS] “Enabler Test Specification for Device Management”, Open Mobile Alliance™, OMA-ETS-DM-V1_2, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

none

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, are normative, unless they are explicitly indicated to be informative.

The following numbering scheme is used:

xxx-y.z-con-number where:

xxx	Name of enabler, e.g. MMS or Browsing
y.z	Version of enabler release, e.g. 1.2 or 1.2.1
'con'	Indicating this test is a conformance test case
number	Leap number for the test case

Or

xxx-y.z-int-number where:

xxx	Name of enabler, e.g. MMS or Browsing
y.z	Version of enabler release, e.g. 1.2 or 1.2.1
'int'	Indicating this test is a interoperability test case
number	Leap number for the test case

3.2 Definitions

Firmware Update	The process of transferring an update package to a mobile device and subsequently invoking an update agent to conduct firmware update in the device.
Alternate Download	The mechanism, alternative to OMA DM protocol, by which the update package can be downloaded to the device. For example, the OMA OTA v1.0 and later versions developed by the BAC-DLOTA working group is considered to be an alternative download mechanism.
Final Notification	An Alert 1226 based notification message sent to the DM server from the mobile device to indicate the successful or unsuccessful completion of some activity in the mobile device.

3.3 Abbreviations

OMA	Open Mobile Alliance
DDF	Device Description Framework
DL	Download
DLOTA	Download Over-The-Air
DM	Device Management
FW	Firmware
FUMO	Firmware Update Management Object
MO	Management Object
OTA	Over The Air

4. Introduction

The purpose of this document is to provide test cases for the FUMO 1.0 Enabler Release [FUMO]. Test cases maybe executed with test tools like the SCTS.

The following items are needed at a high level to adequately execute the FUMO IOP test cases.

A device management client in the mobile device that is configured to interact with a device management server

- A Device Management (DM) client in the mobile device that is configured to interact with a DM server
- A DM server capable of accessing and setting firmware update management objects in a mobile device, if necessary
- A download mechanism, such as OMA-DM or DLOTA, for supporting download of update packages
- Client vendor must have sample firmware update packages available for the server to use. In addition, “corrupt” update packages will be needed to induce error flow behaviour.

5. Conformance Test Cases

There are no conformance cases identified for the Client and Server at this time. Mandatory SCR items will be covered in the interoperability test cases.

6. Interoperability Test Cases

6.1 FUMO Support - Verification of Tree structure for ../x*

Test Case Id	FUMO-1.0-int-001	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client supports the required FUMO elements and the required nodes in the DM tree 2. The client can set and retrieve the optional elements of FUMO, if the optional elements are supported by the client 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-T-001 FWUPDATE-T-002 FWUPDATE-T-003 FWUPDATE-T-004 FWUPDATE-T-005	FWUPDATE-T-006 FWUPDATE-T-007 FWUPDATE-T-008 FWUPDATE-S-001 FWUPDATE-C-017
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support firmware update 2. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform a GET on node ../x**, to verify that ../x* was added and to determine whether sub-nodes are added automatically 3. If the child node names returned in step (2) include all of the required and optional nodes for which client support is indicated in the ICS, skip remaining test steps 4. Perform an ADD on the node ../x*/State. 5. If the client supports the node ../x*/PkgName, perform an ADD on that node 6. If the client supports the node ../x*/PkgVersion, perform an ADD on that node 7. If the client supports the node ../x*/Download, perform an ADD on that node. 8. If the client supports the node ../x*/Update, perform an ADD on that node 9. If the client supports the node ../x*/DownloadAndUpdate, perform an ADD on that node 10. If the client supports the node ../x*/Ext, perform an ADD on that node 11. Perform a GET on node ../x* to verify presence of sub-nodes 	

<p>Pass-Criteria</p>	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. Verify that the GET command on node ../x* returns a response of 200 3. Verify the metatype is the Management Object identifier: “urn:oma:mo:fumo:1.0” 4. Verify the GET performed on ../x* in either step (2) or step (11) indicates the presence of all required nodes and all optional nodes listed as supported in the Client ICS (as follows) but no other nodes: Required: State Optional: PkgName / PkgVersion / Download / Update / DownloadAndUpdate / Ext
----------------------	--

6.2 FUMO Support - Verification of Tree structure for ../x*/Download

<p>Test Case Id</p>	<p>FUMO-1.0-int-002</p>	
<p>Test Object</p>	<p>Client & Server device</p>	
<p>Test Case Description</p>	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client supports the required FUMO elements and the required nodes in the DM tree 2. GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful 	
<p>Specification Reference</p>	<p>[FUMO]</p>	
<p>SCR Reference</p>	<p>FWUPDATE-T-001 FWUPDATE-T-002 FWUPDATE-T-010</p>	<p>FWUPDATE-C-017 FWUPDATE-S-001</p>
<p>Preconditions</p>	<ol style="list-style-type: none"> 1. The DM client must support firmware update 2. The DM client must be configured to work with a DM server 3. The Client ICS states that the MO supports the ../x*/Download node 	
<p>Test Procedure</p>	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform a GET on node ../x* to verify that ../x* was added and to determine whether sub-nodes are added automatically 3. If the child node names returned in step (2) include all of the required and optional nodes for which client support is indicated in the ICS, go to test step 6 4. Perform an ADD to create the ../x*/Download node 	

	<ol style="list-style-type: none"> 5. Perform an ADD to create the ../x*/Download/PkgURL node. 6. Perform a GET on node ../x*/Download
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. Verify that the GET command on node ../x*/Download returns a response of 200 3. Verify that the GET command on node ../x*/Download returns a response of 200 4. Verify that the PkgURL element was returned for the GET on node../x*/Download

6.3 FUMO Support - Verification of Tree structure for ../x*/Update

Test Case Id	FUMO-1.0-int-003	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client supports the required FUMO elements and the required nodes in the DM tree 2. GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-T-001 FWUPDATE-T-004 FWUPDATE-T-011	FWUPDATE-C-017 FWUPDATE-S-001
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support firmware update 2. The DM client must be configured to work with a DM server 3. The Client ICS states that the MO supports the ../x*/Update node 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform a GET on node ../x* to verify that ../x* was added and to determine whether sub-nodes are added automatically 3. If the child node names returned in step (2) include all of the required and optional nodes for which client support is indicated in the ICS, go to test step 6 4. Perform an ADD to create the ../x*/Update node 5. Perform an ADD to create the ../x*/Update/PkgData node. 6. Perform a GET on node ../x*/Update 	

Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. Verify that the GET command on node ../x*/Update returns a response of 200 3. Verify that the GET command on node ../x*/Update returns a response of 200 4. Verify that the PkgData element was returned for the GET on node ../x*/Update
---------------	--

6.4 FUMO Support - Verification of Tree structure for ../x*/DownloadAndUpdate

Test Case Id	FUMO-1.0-int-004	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client supports the required FUMO elements and the required nodes in the DM tree 2. GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-T-001 FWUPDATE-T-003 FWUPDATE-T-009	FWUPDATE-C-017 FWUPDATE-S-001
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support firmware update 2. The DM client must be configured to work with a DM server 3. The Client ICS states that the MO supports the node ../x*/DownloadAndUpdate 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform a GET on node ../x* to verify that ../x* was added and to determine whether sub-nodes are added automatically 3. If the child node names returned in step (2) include all of the required and optional nodes for which client support is indicated in the ICS, go to test step 6 4. Perform an ADD to create the ../x*/DownloadAndUpdate node 5. Perform an ADD to create the ../x*/DownloadAndUpdate/PkgURL node 6. Perform a GET on node ../x*/DownloadAndUpdate 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 	

	<ol style="list-style-type: none"> 2. Verify that the GET command on node ../x*/DownloadAndUpdate returns a response of 200 3. Verify that the PkgURL element was returned for the GET on node ../x*/DownloadAndUpdate
--	---

6.5 FUMO Support - Verification of GET access on ../x*/State

Test Case Id	FUMO-1.0-int-005	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. GET commands on the mandatory FUMO objects in the DM tree are successful 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-T-008 FWUPDATE-S-001	FWUPDATE-C-017
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support firmware update 2. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD on node ../x*/State if it does not already exist 3. Perform a GET on node ../x*/State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. Verify that the GET command on node ../x*/State returns a response of 200 3. Verify that the State returned is one of the valid ones. The valid State values are enumerated in the Section Node:x/State in [FUMO]. 	

6.6 Successful Firmware Update using OMA-DM Large Object and EXEC on ../x*/Update Node

Test Case Id	FUMO-1.0-int-006	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol 2. The client device performs a successful firmware update on the client 	

	device 3. The client device reports the State value successfully to the DM server	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-010 FWUPDATE-C-011	FWUPDATE-C-012 FWUPDATE-C-013 FWUPDATE-C-014 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	1. The client device must support FUMO 2. The DM client must support download of an update package from a DM server using OMA-DM protocol 3. The DM client must support Exec on ../x*/Update node 4. The DM client must be configured to work with a DM server	
Test Procedure	1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData. This is ADD/REPLACE with LargeObject. Expected result is 200. 3. Perform an EXEC on node ../x*/Update, optionally specifying the Correlator if supported by the server 4. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node../x*/State to verify that the State is set to a valid State	
Pass-Criteria	1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE on node ../x*/Update/PkgData returns a response of 200 3. EXEC command on node ../x*/Update returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 4. Generic Alert 1226 returned by the client with : <ul style="list-style-type: none"> a. Result code 200 for success of update b. URI equal to FUMO URI ../x* c. Alert type of "org.openmobilealliance.dm.firmwareupdate.update" d. If the correlator was supplied on EXEC, the correct correlator 5. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section Node:x/State in [FUMO]. 6. The client device successfully performs the firmware update inline with the expectations of the update package	

6.7 Successful Firmware Update using Alternative Download Mechanism and EXEC on ../x*/Update node

Test Case Id	FUMO-1.0-int-007	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, downloads an update package from a DM server using Alternative Download mechanism (e.g. DLOTA) 2. The client device performs a successful firmware update on the client device using Exec on Update node 3. The client device reports the State value successfully to the DM Server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-004 FWUPDATE-C-005 FWUPDATE-C-006	FWUPDATE-C-011 FWUPDATE-C-012 FWUPDATE-C-013 FWUPDATE-C-014 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support download of an update package from a DM server using Alternative Download mechanism (e.g. DLOTA) 3. The DM client must support Exec on ../x*/Update node 4. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD – to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Download/PkgURL 3. Perform an EXEC on node ../x*/Download, optionally specifying the Correlator if supported by the server 4. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 5. Perform an EXEC on node ../x*/Update, optionally specifying the Correlator if supported by the server 6. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 	

	<ol style="list-style-type: none"> 2. ADD/REPLACE command on node ../x*/Download/PkgURL returns a response of 200 3. EXEC command on node ../x*/Download returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 4. Generic Alert 1226 returned by the client with : <ol style="list-style-type: none"> a. Result code 200 for success of download b. URI equal to FUMO URI ../x* c. Alert type of "org.openmobilealliance.dm.firmwareupdate.download" d. If the correlator was supplied on EXEC, the correct correlator 5. The ../x*/State is one of the valid states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 6. EXEC command on node ../x*/Update returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 7. Generic Alert 1226 returned by the client with : <ol style="list-style-type: none"> a. Result code 200 for success of update b. URI equal to FUMO URI ../x* c. Alert type of "org.openmobilealliance.dm.firmwareupdate.update" d. If the correlator was supplied on EXEC, the correct correlator 8. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 9. The client device successfully performs the update inline with the expectations of the update package.
--	---

6.8 Successful Firmware Update using Alternative Download Mechanism and EXEC on ../x*/DownloadAndUpdate node

Test Case Id	FUMO-1.0-int-008
Test Object	Client & Server device
Test Case Description	<p>The purpose of this test is to verify that -</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, downloads an update package from a DM server using Alternative Download mechanism (e.g. DLOTA). 2. The client device performs a successful firmware update on the client device using Exec on DownloadAndUpdate node 3. The client device Reports the State value successfully to the DM server

Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-004	FWUPDATE-C-007 FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support download of an update package from a DM server using Alternative Download mechanism (e.g. DLOTA) 3. The DM client must support Exec on ../x*/DownloadAndUpdate node 4. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD – to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 3. Perform an EXEC on node ../x*/DownloadAndUpdate, optionally specifying the Correlator if supported by the server 4. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 3. EXEC command on node ../x*/DownloadAndUpdate returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 4. Update package is downloaded to the device during the Exec of the DownloadAndUpdate node. 5. Generic Alert 1226 returned by the client with: <ol style="list-style-type: none"> a. Result code 200 for success b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 7. The client device successfully performs the update inline with the 	

	expectations of the update package
--	------------------------------------

6.9 Downloading an Update Package using OMA-DM Large Object and EXEC on ../x*/Update Node

Test Case Id	FUMO-1.0-int-009	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol 2. When an EXEC command is performed on the ../x*/Update, the client uses the existing update package on the client for the firmware update and does NOT download a new package even though a ADD/REPLACE has been performed on the x*/Download/PkgURL node. 3. The client device performs a successful firmware update on the client device 4. The client device reports the State value successfully to the DM server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-010 FWUPDATE-C-011	FWUPDATE-C-012 FWUPDATE-C-013 FWUPDATE-C-014 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The client device must support FUMO 2. The DM client must support download of an update package from a DM server using OMA-DM protocol 3. The DM client must support Exec on ../x*/Update node 4. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD – to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData. This is ADD/REPLACE with LargeObject. Verify if the command succeeded. Expected result is 200. 3. Perform an ADD/REPLACE on node ../x*/Download/PkgURL 4. Perform an EXEC on node ../x*/Update Node, optionally specifying the Correlator if supported by the server 5. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	

<p>Pass-Criteria</p>	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The Update package is downloaded to the device i.e. ADD/REPLACE on node ../x*/Update/PkgData returns a response of 200 3. ADD/REPLACE command on node ../x*/Download/PkgURL returns 200 4. EXEC command on node ../x*/Update returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 5. Generic Alert 1226 returned by the client with : <ol style="list-style-type: none"> a. Result code 200 for success b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.update” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section Node:x/State in [FUMO]. 7. The client device successfully performs the firmWare update inline with the expectations of the update package
----------------------	---

6.10 Downloading an Update Package using OMA-DM Large Object and EXEC on ../x*/DownloadAndUpdate Node

<p>Test Case Id</p>	<p>FUMO-1.0-int-010</p>
<p>Test Object</p>	<p>Client & Server device</p>
<p>Test Case Description</p>	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. The client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol 2. ADD/REPLACE is executed on the x*/DownloadAndUpdate/PkgURL 3. When an EXEC command is performed on the ../x*/DownloadAndUpdate, the client ignores the existing update package on the client for the firmware update and downloads a new update package from the URL specified in ../x*/DownloadAndUpdate/PkgURL. 4. The client device performs a successful firmware update on the client device using newly downloaded update package 5. The client device reports the State value successfully to the DM server
<p>Specification Reference</p>	<p>[FUMO]</p>

SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-004	FWUPDATE-C-007 FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The client device must support FUMO 2. The DM client must support download of an update package from a DM server using OMA-DM protocol 3. The DM client must support Exec on ../x*/DownloadAndUpdate node 4. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD – to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData node. This is ADD/REPLACE with LargeObject. Verify if the command succeeded. Expected result is 200. 3. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 4. Perform an EXEC on node ../x*/DownloadAndUpdate, optionally specifying the Correlator if supported by the server 5. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The Update package is downloaded to the device i.e. ADD/REPLACE on node ../x*/Update/PkgData returns a response of 200 3. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns 200 4. EXEC command on node ../x*/DownloadAndUpdate returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 5. Generic Alert 1226 returned by the client with : <ol style="list-style-type: none"> a. Result code 200 for success b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section Node:x/State in [FUMO]. 	

	7. The client device successfully performs the firmware update inline with the expectations of the update package
--	---

6.11 Replacing an Update Package using Alternative Download Mechanism and EXEC on ../x*/Update node

Test Case Id	FUMO-1.0-int-011	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol and Alternative Download mechanism (e.g. DLOTA) 2. The client device performs a successful firmware update on the client device using Exec on Update node 3. The client device reports the State value successfully to the DM Server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-004 FWUPDATE-C-005 FWUPDATE-C-006	FWUPDATE-C-010 FWUPDATE-C-011 FWUPDATE-C-012 FWUPDATE-C-013 FWUPDATE-C-014 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support download of an update package from a DM server using OMA-DM protocol and Alternative Download mechanism (e.g. DLOTA) 3. The DM client must support Exec on ../x*/Update node 4. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData under node ../x*/Update. This is ADD/REPLACE with LargeObject. Expected result is 200. 3. Perform an ADD/REPLACE on node ../x*/Download/PkgURL 4. Perform an EXEC on node ../x*/Download, optionally specifying the Correlator if supported by the server 5. Upon successful receipt of Generic Alert 1226 from the client,, perform 	

	<p>a GET on node ../x*/State to verify that the State is set to a valid State</p> <ol style="list-style-type: none"> 6. Perform an EXEC on node ../x*/Update, optionally specifying the Correlator if supported by the server 7. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on ../x*/State to verify that the State is set to a valid State
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The Update package is downloaded to the device via Large Object Download i.e. ADD/REPLACE on node ../x*/Update/PkgData returns a response of 200. 3. ADD/REPLACE command on node ../x*/Download/PkgURL returns a response of 200 4. EXEC command on node ../x*/Download returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 5. The new update package is downloaded successfully and a GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Result code 200 for success b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.download” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 7. EXEC command on ../x*/Update returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 8. The update is completed successfully and GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Result code 200 for success, b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.update” d. If the correlator was supplied on EXEC, the correct correlator 9. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 10. The client device successfully performs the update inline with the expectations of the update package downloaded from ../x*/Download/PkgURL

6.12 Replacing an Update Package using Alternative Download Mechanism and EXEC on ../x*/DownloadAndUpdate node

Test Case Id	FUMO-1.0-int-012	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol and Alternative Download mechanism (e.g. DLOTA) 2. The client device performs a successful firmware update on the client device using the correct update package provided at ../x*/DownloadAndUpdate/PkgURL 3. The client device reports the State value successfully to the DM server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-007 FWUPDATE-C-008	FWUPDATE-C-009 FWUPDATE-C-010 FWUPDATE-C-011 FWUPDATE-C-012 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support download of an update package from a DM server using OMA-DM protocol and Alternative Download mechanism (e.g. DLOTA) 3. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData under node ../x*/Update. This is ADD/REPLACE with LargeObject. Expected result is 200. 3. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 4. Perform an EXEC on node ../x*/DownloadAndUpdate, optionally specifying the Correlator if supported by the server 5. Upon successful receipt of Generic Alert 1226 from the client,, perform a GET on node ../x*/State to verify that the State is set to a valid State 	

<p>Pass-Criteria</p>	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The Update package is downloaded to the device via Large Object Download i.e. ADD/REPLACE on node ../x*/Update/PkgData returns a response of 200. 3. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 4. EXEC command on node ../x*/DownloadAndUpdate returns a response of 200 or 202 (asynchronous) if the command is accepted for later processing. 5. The new update package is downloaded and installed successfully and a GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Result code 200 for success b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 7. The client device successfully performs the update inline with the expectations of the update package downloaded from ../x*/DownloadAndUpdate/PkgURL
----------------------	--

6.13 Failed Download due to Malformed or Bad URL

<p>Test Case Id</p>	<p>FUMO-1.0-int-013</p>	
<p>Test Object</p>	<p>Client & Server device</p>	
<p>Test Case Description</p>	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, fails to download an update package due to Malformed or Bad URL 2. The client device reports the appropriate Result Code successfully to the DM server 	
<p>Specification Reference</p>	<p>[FUMO]</p>	
<p>SCR Reference</p>	<p>FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003</p>	<p>FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019</p>

	FWUPDATE-C-007
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support downloading of an update package for firmware update based on Alternate Download Mechanism (e.g. DLOTA) 3. The DM client must be configured to work with a DM server.
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL to show a blank PkgURL 3. Perform an EXEC on node ../x*/DownloadAndUpdate, optionally specifying the Correlator if supported by the server 4. Verify that the client fails to download the Update package 5. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 3. EXEC command on node ../x*/DownloadAndUpdate returns status code 202 or an error 4. The client fails to download the Update package and a GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Result code 411 b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 5. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO].

6.14 Failed download due to missing Update packages

Test Case Id	FUMO-1.0-int-014
Test Object	Client & Server device
Test Case Description	<p>The purpose of this test is to verify that-</p> <ol style="list-style-type: none"> 1. A client device supporting FUMO, fails to download an update package due to missing Update packages i.e. The URI provided by the download descriptor is wrong.

	2. The client device reports the Result Code successfully to the DM server	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-007	FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client must support downloading of an update package for firmware update based on Alternate Download Mechanism (e.g. DLOTA) 3. The DM client must be configured to work with a DM server 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 3. Ensure that the Update package does not exist at the PkgURL provided 4. Perform an EXEC on node ../x*/DownloadAndUpdate, optionally specifying the Correlator if supported by the server 5. Verify that the client fails to download the Update package 6. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 3. EXEC command on node ../x*/DownloadAndUpdate returns status code 202 or an error 4. The client fails to download the Update package and a GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Appropriate Result Code b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.download” or “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 5. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 	

6.15 Failure due to Incomplete Download – OMA-DM protocol

Test Case Id	FUMO-1.0-int-015	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify-</p> <ol style="list-style-type: none"> 1. Client behaviour when the download of an Update package using OMA-DM protocol is interrupted. 2. The client device reports the appropriate Result Code successfully to the DM server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-010 FWUPDATE-C-011	FWUPDATE-C-012 FWUPDATE-C-013 FWUPDATE-C-014 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client supports OMA-DM protocol for downloading the update package. 3. The DM client must be configured to work with a DM server 4. The DM client supports a mechanism to stop download of an Update package 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/Update/PkgData 3. Stop the download before the entire package is received. This step assumes that there exists a mechanism to stop downloads prematurely – such as a management screen that displays active downloads. 4. Verify that the client aborts the download 5. Perform a GET on node ../x*/State to verify that the State is set to a valid State 	
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/Update/PkgData returns an error 3. The client fails to download the Update package 4. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO]. 	

6.16 Failure due to Incomplete Download – Alternate Download

Test Case Id	FUMO-1.0-int-016	
Test Object	Client & Server device	
Test Case Description	<p>The purpose of this test is to verify-</p> <ol style="list-style-type: none"> 1. Client behaviour when the download of an Update package using Alternate Download Mechanism (e.g. DLOTA) is interrupted. 2. The client device reports the appropriate Result Code successfully to the DM server 	
Specification Reference	[FUMO]	
SCR Reference	FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-007	FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019
Preconditions	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client supports an Alternate Download Mechanism (e.g. DLOTA) for downloading the update package 3. The DM client must be configured to work with a DM server 4. The DM client supports a mechanism to stop download of an Update package 	
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 3. Perform an EXEC on node ../x*/DownloadAndUpdate 4. Stop the download before the entire package is received. This step assumes that there exists a mechanism to stop downloads prematurely – such as a management screen that displays active downloads. 5. Verify that the client aborts the download and sends an appropriate Result Code to the server 6. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State 	

<p>Pass-Criteria</p>	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 3. EXEC command on node ../x*/DownloadAndUpdate returns status code 202 or an error 4. The client fails to download the Update package and a GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Appropriate Result Code b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 5. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO].
----------------------	--

6.17 Failure due to Corrupted Update Package Downloaded

<p>Test Case Id</p>	<p>FUMO-1.0-int-017</p>	
<p>Test Object</p>	<p>Client & Server device</p>	
<p>Test Case Description</p>	<p>The purpose of this test is to verify-</p> <ol style="list-style-type: none"> 1. Client behaviour when Update package is corrupted 2. The client device reports the appropriate Result Code successfully to the DM server 	
<p>Specification Reference</p>	<p>[FUMO]</p>	
<p>SCR Reference</p>	<p>FWUPDATE-S-001 FWUPDATE-S-002 FWUPDATE-S-003 FWUPDATE-S-004 FWUPDATE-C-001 FWUPDATE-C-002 FWUPDATE-C-003 FWUPDATE-C-007</p>	<p>FWUPDATE-C-008 FWUPDATE-C-009 FWUPDATE-C-015 FWUPDATE-C-016 FWUPDATE-C-017 FWUPDATE-C-018 FWUPDATE-C-019</p>
<p>Preconditions</p>	<ol style="list-style-type: none"> 1. The DM client must support FUMO 2. The DM client supports an Alternate Download Mechanism (e.g. DLOTA) for downloading the update package 3. The DM client must be configured to work with a DM server 4. A corrupted update package is available from the client implementor or OEM 	

<p>Test Procedure</p>	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Perform an ADD/REPLACE on node ../x*/DownloadAndUpdate/PkgURL 3. Ensure that the update package available at the PkgURL provided is corrupted. For example, a few bytes may be changed in the update package before it is downloaded 4. Perform an EXEC on node ../x*/DownloadAndUpdate 5. Verify that the Update package is downloaded successfully but the Update itself fails. 6. Verify that the client sends the appropriate Result Code to the DM server 7. Upon successful receipt of Generic Alert 1226 from the client, perform a GET on node ../x*/State to verify that the State is set to a valid State
<p>Pass-Criteria</p>	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. ADD/REPLACE command on node ../x*/DownloadAndUpdate/PkgURL returns a response of 200 3. EXEC command on node ../x*/DownloadAndUpdate returns status code 202 or an error 4. The client successfully downloads the Update package but the Update fails because of the package being corrupted. 5. GenericAlert 1226 is returned by the client with: <ol style="list-style-type: none"> a. Appropriate Result Code (402) b. URI equal to FUMO URI ../x* c. Alert type of “org.openmobilealliance.dm.firmwareupdate.downloadandupdate” d. If the correlator was supplied on EXEC, the correct correlator 6. The ../x*/State is one of the valid terminating states. The valid State values are enumerated in the Section for Node:x/State in [FUMO].

6.18 Client Initiated Firmware Update – Device Initiated Alert

<p>Test Case Id</p>	<p>FUMO-1.0-int-018</p>
<p>Test Object</p>	<p>Client & Server device</p>
<p>Test Case Description</p>	<p>The purpose of this test is to verify -</p> <ol style="list-style-type: none"> 1. A client can schedule a query to the server to check if a firmware update is available 2. A client device sends a Generic Alert to the server with appropriate

	fields and information
	3. A server device responds to a Generic Alert with correct Status code
Specification Reference	[FUMO]
SCR Reference	FWUPDATE-C-021 FWUPDATE-C-022 FWUPDATE-C-023
	FWUPDATE-C-024 FWUPDATE-C-025
Preconditions	<ol style="list-style-type: none"> 1. The client device must support FUMO 2. The client must support querying the server for a firmware update 3. The DM client must support sending Generic Alert 4. The DM client must be configured to work with a DM server
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Using appropriate methods in the client, query the server for a firmware update for the device.
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The device initiates a query to the server for a firmware update using Generic Alert message with the alert type: <i>“org.openmobilealliance.dm.firmwareupdate.devicerequest”</i> 3. Verify the URI, if specified, in the Generic Alert points to the ../x* node, representing a single firmware update management object in the tree. 4. Verify Data element is used and set to 1226 in the Alert 5. Verify the Server responds with Status 200 or 202 to the Generic Alert

6.19 Client Initiated Firmware Update – User Initiated Alert

Test Case Id	FUMO-1.0-int-019
Test Object	Client & Server device
Test Case Description	<p>The purpose of this test is to verify -</p> <ol style="list-style-type: none"> 1. A user can initiate a query to check if a firmware update is available 2. A client device sends a Generic Alert to the server with appropriate fields and information. 3. A server device responds to a Generic Alert with correct Status code
Specification Reference	[FUMO]
SCR Reference	FWUPDATE-C-021 FWUPDATE-C-022 FWUPDATE-C-023
	FWUPDATE-C-024 FWUPDATE-C-025
Preconditions	<ol style="list-style-type: none"> 1. The client device must support FUMO

	<ol style="list-style-type: none"> 2. The client must support user initiation of a firmware update 3. The DM client must support sending Generic Alert 4. The DM client must be configured to work with a DM server
Test Procedure	<ol style="list-style-type: none"> 1. Perform an ADD to create the ../x* node in the management tree, if one does not exist 2. Using appropriate methods in the client, user shall initiate a query to the server for a firmware update for the device
Pass-Criteria	<ol style="list-style-type: none"> 1. The client created a FUMO ../x* when requested by the server. ADD command returns a response of 200. 2. The device initiates a query to the server for a firmware update using Generic Alert message with the alert type: <i>“org.openmobilealliance.dm.firmwareupdate.userrequest”</i>. 3. Verify the URI, if specified, in the Generic Alert points to the ../x* node, representing a single firmware update management object in the tree. 4. Verify Data element is used and set to 1226 in the Alert. 5. Verify the Server responds with Status 200 or 202 to the Generic Alert

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ETS-FUMO-V1_0	01 Feb 2006	N/A	Baseline created based on OMA-IOP-PRC-2006-0004R01-FUMO-Draft-ETS
	08 Feb 2006	Section 6	Class 0 change: Document re-formatted to delete Comments previously noted and resolved.
	26 Apr 2006	Section 6	Added Client Initiated Firmware Update test cases
	14 Jun 2006	All	Updates based on FUMO Consistency Review (OMA-CONRR-FUMO-V1_0-20060605-I)
	12 Jul 2006	Sections 6.1, 6.2, 6.3 and Appendix B	Removed “Location of DDF” test case as there is no requirement for the server to Changed MO identifier to urn:oma:mo:fumo:1.0 in Sections 6.2, 6.3 and 6.4 Updated SCR table to reflect TS Updated TestCase numbers Updated TestCase column in Appendix B Removed version number for IOPPROC in References
	13 Jul 2006	n/a	Agreed in IOP
Candidate Versions OMA-ETS-FUMO-V1_0	01 Aug 2006	n/a	Status changed to Candidate, TP R&A 2006-07-19 to 2006-08-01 OMA-TP-2006-0280-INP-OMA-ETS-FUMO-V1_0_for_Candidate_Approval
	24 Aug 2006	All	Incorporated CRs: OMA-IOP-PRC-2006-0100 OMA-IOP-PRC-2006-0102 as per OMA-IOP-PRC-2006-104-Minutes Notice sent to TP of minor update OMA-TP-2006-0302-INP_OMA_ETS_FUMO_V1_0_for_Notification

Appendix B. SCR mapping to Test Case

B.1 SCR for FUMO Tree Structure

Item	Function	Reference	Status	Requirement	Test Case
FWUPDATE-T-001	Use of urn:oma:mo:fumo:1.0 for the node type for the <x> node	Section 5	M		FUMO-1.0-int-001 FUMO-1.0-int-002 FUMO-1.0-int-003 FUMO-1.0-int-004
FWUPDATE-T-002	Support for x/Download	Section 5.1.4	O	FWUPDATE-T-010	FUMO-1.0-int-001 FUMO-1.0-int-002
FWUPDATE-T-003	Support for x/DownloadAndUpdate	Section 5.1.8	O	FWUPDATE-T-009	FUMO-1.0-int-001 FUMO-1.0-int-004
FWUPDATE-T-004	Support for x/Update	Section 5.1.6	O		FUMO-1.0-int-001 FUMO-1.0-int-003
FWUPDATE-T-005	Support for PkgName	Section 5.1.2	O		FUMO-1.0-int-001
FWUPDATE-T-006	Support for PkgVersion	Section 5.1.3	O		FUMO-1.0-int-001
FWUPDATE-T-007	Support for Ext	Section 5.1.11	O		FUMO-1.0-int-001
FWUPDATE-T-008	Support for State	Section 5.1.10	M		FUMO-1.0-int-001 FUMO-1.0-int-005
FWUPDATE-T-009	Support for x/DownloadAndUpdate/PkgURL	Section 5.1.9	O		FUMO-1.0-int-004
FWUPDATE-T-010	Support for x/Download/PkgURL	Section 5.1.5	O		FUMO-1.0-int-002
FWUPDATE-T-011	Support for x/Update/PkgData	Section 5.1.7	O		FUMO-1.0-int-003

B.2 SCR for FUMO Client

Item	Function	Reference	Status	Requirement	TestCase
FWUPDATE-C-001	Support for Package Download Operation	Section 6.3	M	FWUPDATE-C-003 OR FWUPDATE-C-010	FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-002	Support for Exec	Section 6.3	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015

Item	Function	Reference	Status	Requirement	TestCase
					FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-003	Support for Alternative Download of Update Package	Section 6.3	O	FWUPDATE-C-004 OR FWUPDATE-C-007	FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-004	Support for Exec on x/Download	Section 6.1.1	O	FWUPDATE-T-002 AND (FWUPDATE-C-005 OR FWUPDATE-C-006)	FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-010 FUMO-1.0-int-011
FWUPDATE-C-005	Support for Add of x/Download/PkgURL	Section 5.1.5	O		FUMO-1.0-int-007 FUMO-1.0-int-011
FWUPDATE-C-006	Support for Replace of x/Download/PkgURL	Section 5.1.5	O		FUMO-1.0-int-007 FUMO-1.0-int-011
FWUPDATE-C-007	Support for Exec on x/DownloadAndUpdate	Section 5.1.8	O	FWUPDATE-T-003 AND (FWUPDATE-C-008 OR FWUPDATE-C-009)	FUMO-1.0-int-008 FUMO-1.0-int-010 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-008	Support for Add of x/DownloadAndUpdate/PkgURL	Section 5.1.9	O		FUMO-1.0-int-008 FUMO-1.0-int-010 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-009	Support for Replace of x/DownloadAndUpdate/PkgURL	Section 5.1.9	O		FUMO-1.0-int-008 FUMO-1.0-int-010 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-010	Support for OMA DM Based Package Download (large object transfer)	Section 6.3	O	FWUPDATE-T-004 AND (FWUPDATE-C-011 OR FWUPDATE-C-012)	FUMO-1.0-int-006 FUMO-1.0-int-009 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-015
FWUPDATE-C-011	Support for Add of x/Update/PkgData	Section 5.1.7	O		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-009 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-015
FWUPDATE-C-012	Support for Replace of x/Update/PkgData	Section 5.1.7	O		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-009 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-015

Item	Function	Reference	Status	Requirement	TestCase
FWUPDATE-C-013	Support for Update Operation	Section 6.1.2, 5.1.6	M	FWUPDATE-C-007 OR FWUPDATE-C-014	FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-009 FUMO-1.0-int-011 FUMO-1.0-int-015
FWUPDATE-C-014	Support for Exec on x/Update	Section 5.1.6	O	FWUPDATE-C-004 OR FWUPDATE-C-010	FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-009 FUMO-1.0-int-011 FUMO-1.0-int-015
FWUPDATE-C-015	Support for Generic Alert for result reporting	Section 6.2	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-016	Use FUMO URI for result reporting	Section 6.2.1	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-017	Use predefined result codes for result reporting	Section 6.2.4	M		FUMO-1.0-int-001 FUMO-1.0-int-002 FUMO-1.0-int-003 FUMO-1.0-int-004 FUMO-1.0-int-005 FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-018	Use predefined alert types for result reporting	Section 6.2.2	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011

Item	Function	Reference	Status	Requirement	TestCase
					FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-019	Support for Correlator	Section 6.2.3	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-C-020	Use alert severities for result reporting	Section 6.2	O		
FWUPDATE-C-021	Support for Client Initiated Firmware Update	Section 7	O	FWUPDATE-C-022 AND FWUPDATE-C-023 AND FWUPDATE-C-025 AND FWUPDATE-C-026	FUMO-1.0-int-018 FUMO-1.0-int-019
FWUPDATE-C-022	Support for Generic Alert for Client Initiated Firmware Update	Section 7.1.1	O		FUMO-1.0-int-018 FUMO-1.0-int-019
FWUPDATE-C-023	Use of the predefined Alert Types for Client Initiated Firmware Update	Section 7.1.2	O		FUMO-1.0-int-018 FUMO-1.0-int-019
FWUPDATE-C-024	Use of the FUMO URI	Section 7.1.3	O		FUMO-1.0-int-018 FUMO-1.0-int-019
FWUPDATE-C-025	Use of String as Data Type	Section 7.1.4	O		FUMO-1.0-int-018 FUMO-1.0-int-019
FWUPDATE-C-026	Use of User Interaction Alert prior to update	Section 6.1	O		DeviceManagement-v1.2-int-021 DeviceManagement-v1.2-int-022 DeviceManagement-v1.2-int-023 DeviceManagement-v1.2-int-024 DeviceManagement-v1.2-int-025

B.3 SCR for FUMO Server

Item	Function	Reference	Status	Requirement	Test Case
FWUPDATE-S-001	Support for the Firmware Update Management Object	Section 5	M		FUMO-1.0-int-001 FUMO-1.0-int-002 FUMO-1.0-int-003 FUMO-1.0-int-004 FUMO-1.0-int-005 FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010

Item	Function	Reference	Status	Requirement	Test Case
					FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-S-002	Support for receiving Generic Alert	Section 6.2	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-S-003	Support for Correlator	Section 6.2.3	O		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017
FWUPDATE-S-004	Support for Exec	Section 6.3	M		FUMO-1.0-int-006 FUMO-1.0-int-007 FUMO-1.0-int-008 FUMO-1.0-int-009 FUMO-1.0-int-010 FUMO-1.0-int-011 FUMO-1.0-int-012 FUMO-1.0-int-013 FUMO-1.0-int-014 FUMO-1.0-int-015 FUMO-1.0-int-016 FUMO-1.0-int-017