



WV-030 Presence Attribute DTD and Examples Version 1.1

Draft Version 01-10-2002

Open Mobile Alliance
OMA-WV-PA_DTD-V1_1-20021001-A

Continues the Technical Activities
Originated in the Wireless Village Initiative



This document is considered confidential and may not be disclosed in any manner to any non-member of the Open Mobile Alliance™, unless there has been prior explicit Board approval.

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2002, Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>.

Document History	
OMA-WV-PA_DTD-V1_1-20021001-A	Current

Contents

1. SCOPE	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES	5
2.2 INFORMATIVE REFERENCES	5
3. TERMINOLOGY AND CONVENTIONS	7
3.1 CONVENTIONS	7
3.2 DEFINITIONS	7
3.3 ABBREVIATIONS	7
4. INTRODUCTION	8
5. PRESENCESUBLIST	9
5.1 NAMESPACE DEFINITION	9
5.2 EXAMPLES OF PRESENCE INFORMATION	10
5.2.1 Using PresenceSubList as reference to presence attributes	10
5.2.2 OnlineStatus.....	11
5.2.3 Registration	11
5.2.4 ClientInfo	11
5.2.5 TimeZone	11
5.2.6 GeoLocation.....	12
5.2.7 Address	12
5.2.8 FreeTextLocation	12
5.2.9 PLMN.....	12
5.2.10 CommCap.....	12
5.2.11 UserAvailability	13
5.2.12 PreferredContacts	13
5.2.13 PreferredLanguage.....	14
5.2.14 StatusText	14
5.2.15 StatusMood.....	14
5.2.16 Alias.....	14
5.2.17 StatusContent.....	14
5.2.18 ContactInfo.....	15
5.3 EXTENDING THE WV DTD	15
6. EXTENDED PRESENCE INFORMATION	16
6.1 EXAMPLE FOR EXTENDING ATTRIBUTES WITH NEW FIELDS	16
APPENDIX A. STATIC CONFORMANCE REQUIREMENTS (NORMATIVE)	17
APPENDIX B. CHANGE HISTORY (INFORMATIVE)	18

1. Scope

The Wireless Village Instant Messaging and Presence Service (IMPS) includes four primary features:

- Presence
- Instant Messaging
- Groups
- Shared Content

Presence is the key enabling technology for IMPS. It includes client device availability (my phone is on/off, in a call), user status (available, unavailable, in a meeting), location, client device capabilities (voice, text, GPRS, multimedia) and searchable personal statuses such as mood (happy, angry) and hobbies (football, fishing, computing, dancing). Since presence information is personal, it is only made available according to the user's wishes - access control features put the control of the user presence information in the users' hands.

Instant Messaging (IM) is a familiar concept in both the mobile and desktop worlds. Desktop IM clients, two-way SMS and two-way paging are all forms of Instant Messaging. Wireless Village IM will enable interoperable mobile IM in concert with other innovative features to provide an enhanced user experience.

Groups or chat are a fun and familiar concept on the Internet. Both operators and end-users are able to create and manage groups. Users can invite their friends and family to chat in group discussions. Operators can build common interest groups where end-users can meet each other online.

Shared Content allows users and operators to setup their own storage area where they can post pictures, music and other multimedia content while enabling the sharing with other individuals and groups in an IM or chat session.

These features, taken in part or as a whole, provide the basis for innovative new services that build upon a common interoperable framework.

2. References

2.1 Normative References

- [CREQ] "Specification of WAP Conformance Requirements". Open Mobile Alliance™. WAP-221-CREQ. [URL:http://www.wapforum.org/](http://www.wapforum.org/) <to be replaced by an OMA ref when available>
- [CSP DTD] "WV-023 Client-Server Protocol DTD and Examples Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_DTD-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_DTD-V1_1-20021001-A)
- [CSP SCR] "WV-028 Client-Server Protocol Static Conformance Requirement Version 1.1". Wireless Village initiative. October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_SCR-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_SCR-V1_1-20021001-A)
- [PA] "WV-029 Presence Attributes Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-PA-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-PA-V1_1-20021001-A)
- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels". S. Bradner. March 1997. [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [RFC2234] "Augmented BNF for Syntax Specifications: ABNF". D. Crocker, Ed., P. Overell. November 1997. [URL:http://www.ietf.org/rfc/rfc2234.txt](http://www.ietf.org/rfc/rfc2234.txt)
- [SSP SCR] "WV-035 SSP – Server-Server Protocol Static Conformance Requirement Version 1.1". Wireless Village initiative. October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP_SCR-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP_SCR-V1_1-20021001-A)

2.2 Informative References

- [Arch] "WV-020 System Architecture Model Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-Arch-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-Arch-V1_1-20021001-A)
- [FeaFun] "WV-021 Features and Functions Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-Features_Functions-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-Features_Functions-V1_1-20021001-A)
- [CSP] "WV-022 Client-Server Protocol Session and Transactions Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP-V1_1-20021001-A)
- [CSP DTD] "WV-023 Client-Server Protocol DTD and Examples Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_DTD-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_DTD-V1_1-20021001-A)
- [CSP Trans] "WV-024 Client-Server Protocol Transport Bindings Version 1.1". October 2002. [URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_Transport-V1_1-20021001-A](http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_Transport-V1_1-20021001-A)
- [CSP DataType] "WV-025 Client-Server Protocol Data Types ". October 2002.

	URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_DataTypes-V1_1-20021001-A
[CSP SMS]	"WV-026 Client-Server Protocol SMS Binding Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_SMS-V1_1-20021001-A
[CSP WBXML]	"WV-027 Client-Server Protocol Binary definition and Examples Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_WBXML-V1_1-20021001-A
[CSP SCR]	"WV-028 Client-Server Protocol Static Conformance Requirement Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CSP_SCR-V1_1-20021001-A
[PA]	"WV-029 Presence Attributes Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-PA-V1_1-20021001-A
[PA DTD]	"WV-030 Presence Attribute DTD and Examples Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-PA_DTD-V1_1-20021001-A
[CLP]	"WV-031 Command Line Protocol Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-CLP-V1_1-20021001-A
[SSP]	"WV-032 SSP - Server-Server Protocol Semantics Document Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP-V1_1-20021001-A
[SSP Syntax]	"WV-033 Server-Server Protocol XML Syntax Document Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP_Syntax-V1_1-20021001-A
[SSP Trans]	"WV-034 SSP - Transport Binding Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP_Transport-V1_1-20021001-A
[SSP SCR]	"WV-035 SSP – Server-Server Protocol Static Conformance Requirement Version 1.1". October 2002. URL:http://www.openmobilealliance.org/member/technicalPlenary/imps/docs/OMA-WV-SSP_SCR-V1_1-20021001-A
[WAPARCH]	"WAP Architecture". Open Mobile Alliance™. WAP-210-WAPArch. URL:http://www.wapforum.org/

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

None

3.3 Abbreviations

None

4. Introduction

This document defines the DTDs for the presence attributes. The DTD for CSP transactions [WV-CSP-DTD] defines the terminator for presence information to be PresenceSubList. The PresenceSubList defined in this document contains all the presence attributes defined in [WVPA] and is identified by the following namespace:

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
```


5. PresenceSubList

5.1 Namespace definition

```

<!--
WV PA (WV-PA) V1.1 Document Type Definition

Copyright Open Mobile Alliance Ltd., 2002
All rights reserved

WV-PA is an XML language. Typical usage:
  <?xml version="1.0"?>
    <!DOCTYPE WV-PA PUBLIC "-//OMA//DTD WV-PA 1.1//EN"
      "http://www.openmobilealliance.org/DTD/WV-PA.XML"
      [<?oma-wvpa-ver supported-versions="1.1"?>]>
    <WV-PA>
      ...
    </WV-PA>

```

Terms and conditions of use are available from the Open Mobile Alliance Ltd. web site at <http://www.openmobilealliance.org/useterms.html>

```

-->

<?xml version="1.0" encoding="UTF-8"?>
<!ELEMENT PresenceSubList (OnlineStatus?,Registration?, ClientInfo?,
  TimeZone?,
  GeoLocation?,Address?,FreeTextLocation?,PLMN?,CommCap?,UserAvailabi
  lity?, PreferredContacts?,PreferredLanguage?,StatusText?,
  StatusMood?, Alias?, StatusContent?, ContactInfo?)>

<!ELEMENT Qualifier (#PCDATA)>
<!ELEMENT PresenceValue (#PCDATA)>

<!ELEMENT OnlineStatus (Qualifier?, PresenceValue?)>
<!ELEMENT Registration (Qualifier?, PresenceValue?)>
<!ELEMENT FreeTextLocation (Qualifier?, PresenceValue?)>
<!ELEMENT PLMN (Qualifier?, PresenceValue?)>
<!ELEMENT UserAvailability (Qualifier?, PresenceValue?)>
<!ELEMENT PreferredLanguage (Qualifier?, PresenceValue?)>
<!ELEMENT StatusText (Qualifier?, PresenceValue?)>
<!ELEMENT StatusMood (Qualifier?, PresenceValue?)>
<!ELEMENT Alias (Qualifier?, PresenceValue?)>

<!ELEMENT ClientInfo (Qualifier?, ClientType?, DevManufacturer?,
  ClientProducer?, Model?, ClientVersion?, Language?)>
<!ELEMENT ClientType (#PCDATA)>
<!ELEMENT DevManufacturer (#PCDATA)>
<!ELEMENT ClientProducer (#PCDATA)>
<!ELEMENT Model (#PCDATA)>
<!ELEMENT ClientVersion (#PCDATA)>
<!ELEMENT Language (#PCDATA)>

```

```

<!ELEMENT TimeZone (Qualifier?, Zone?)>
<!ELEMENT Zone (#PCDATA)>

<!ELEMENT GeoLocation (Qualifier?, Longitude?, Latitude?, Altitude?,
  Accuracy?)>
<!ELEMENT Longitude (#PCDATA)>
<!ELEMENT Latitude (#PCDATA)>
<!ELEMENT Altitude (#PCDATA)>
<!ELEMENT Accuracy (#PCDATA)>

<!ELEMENT Address (Qualifier?, Country?, City?, Street?, Crossing1?,
  Crossing2?, Building?, NamedArea?, Accuracy?)>
<!ELEMENT Country (#PCDATA)>
<!ELEMENT City (#PCDATA)>
<!ELEMENT Street (#PCDATA)>
<!ELEMENT Crossing1 (#PCDATA)>
<!ELEMENT Crossing2 (#PCDATA)>
<!ELEMENT Building (#PCDATA)>
<!ELEMENT NamedArea (#PCDATA)>

<!ELEMENT CommCap (Qualifier?, CommC*)>
<!ELEMENT CommC (Cap, Status, Contact?, Note?)>
<!ELEMENT Cap (#PCDATA)>
<!ELEMENT Status (#PCDATA)>
<!ELEMENT Contact (#PCDATA)>
<!ELEMENT Note (#PCDATA)>

<!ELEMENT PreferredContacts (Qualifier?, AddrPref*)>
<!ELEMENT AddrPref (PrefC, Caddr, Cstatus, Cname?, Cpriority?)>
<!ELEMENT PrefC (#PCDATA)>
<!ELEMENT Caddr (#PCDATA)>
<!ELEMENT Cstatus (#PCDATA)>
<!ELEMENT Cname (#PCDATA)>
<!ELEMENT Cpriority (#PCDATA)>

<!ELEMENT StatusContent (Qualifier?, DirectContent?,
  ReferredContent?)>
<!ELEMENT DirectContent (#PCDATA)>
<!ELEMENT ReferredContent (#PCDATA)>

<!ELEMENT ContactInfo (Qualifier?, ContainedvCard?, ReferredvCard?)>
<!ELEMENT ContainedvCard (#PCDATA)>
<!ELEMENT ReferredvCard (#PCDATA)>

```

5.2 Examples of presence information

5.2.1 Using PresenceSubList as reference to presence attributes

All the attributes have semantics defined to allow an empty value. Therefore it is possible to create a list that contains the names of the attributes only. This type of list can be used for attribute referencing when requesting/subscribing presence attributes.

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <OnlineStatus/>
  <Registration/>
  <ClientInfo/>
  <TimeZone/>
  <GeoLocation/>
  <Address/>
  <FreeTextLocation/>
  <PLMN/>
  <CommCap/>
  <UserAvailability/>
  <PreferredContacts/>
  <PreferredLanguage/>
  <StatusText/>
  <StatusMood/>
  <Alias/>
  <StatusContent/>
  <ContactInfo/>
</PresenceSubList>
```

5.2.2 OnlineStatus

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <OnlineStatus>
    <Qualifier>T</Qualifier>
    <PresenceValue>T</PresenceValue>
  </OnlineStatus>
</PresenceSubList>
```

5.2.3 Registration

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <Registration>
    <Qualifier>T</Qualifier>
    <PresenceValue>T</PresenceValue>
  </Registration>
</PresenceSubList>
```

5.2.4 ClientInfo

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <ClientInfo>
    <Qualifier>T</Qualifier>
    <ClientType>MOBILE_PHONE</ClientType>
    <DevManufacturer>ABC Company</DevManufacturer>
    <Model>xyz200</Model>
    <Language>fin</Language>
  </ClientInfo>
</PresenceSubList>
```

5.2.5 TimeZone

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
```

```
<TimeZone>
<Qualifier>T</Qualifier>
<Zone>+02</Zone>
</TimeZone>
</PresenceSubList>
```

5.2.6 GeoLocation

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <GeoLocation>
    <Qualifier>T</Qualifier>
    <Longitude>35 24 15.652W</Longitude>
    <Latitude>12 36 22.5N</Latitude>
    <Accuracy>200</Accuracy>
  </GeoLocation>
</PresenceSubList>
```

5.2.7 Address

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <Address>
    <Qualifier>T</Qualifier>
    <Country>GB</Country>
    <City>London</City>
  </Address>
</PresenceSubList>
```

5.2.8 FreeTextLocation

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <FreeTextLocation>
    <Qualifier>T</Qualifier>
    <PresenceValue>At home</PresenceValue>
  </FreeTextLocation>
</PresenceSubList>
```

5.2.9 PLMN

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <PLMN>
    <Qualifier>T</Qualifier>
    <PresenceValue>Sonera</PresenceValue>
  </PLMN>
</PresenceSubList>
```

5.2.10 CommCap

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <CommCap>
    <Qualifier>T</Qualifier>
    <CommC>
      <Cap>CALL</Cap>
    </CommC>
  </CommCap>
</PresenceSubList>
```

```

    <Status>OPEN</Status>
    <Contact>+35804123123</Contact>
    <Note>I am using this phone during office hours</Note>
  </CommC>
  <CommC>
    <Cap>CALL</Cap>
    <Status>CLOSED</Status>
    <Contact>+35805456456</Contact>
    <Note>I am using this phone outside office hours</Note>
  </CommC>
  <CommC>
    <Cap>IM</Cap>
    <Status>OPEN</Status>
    <Contact>ari@im.com</Contact>
    <Note>My IM-application is now online</Note>
  </CommC>
</CommCap>
</PresenceSubList>

```

5.2.11 UserAvailability

```

<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <UserAvailability>
    <Qualifier>T</Qualifier>
    <PresenceValue>AVAILABLE</PresenceValue>
  </UserAvailability>
</PresenceSubList>

```

5.2.12 PreferredContacts

```

<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <PreferredContacts>
    <Qualifier>T</Qualifier>
    <AddrPref>
      <PrefC>CALL</PrefC>
      <Caddr>+35804123123</Caddr>
      <Cstatus>OPEN</Cstatus>
      <Cname>Home Phone</Cname>
      <Cpriority>10</Cpriority>
    </AddrPref>
    <AddrPref>
      <PrefC>SMS</PrefC>
      <Caddr>+35804123123</Caddr>
      <Cstatus>CLOSED</Cstatus>
      <Cpriority>20</Cpriority>
    </AddrPref>
    <AddrPref>
      <PrefC>IM</PrefC>
      <Caddr>ari@im.com</Caddr>
      <Cstatus>OPEN</Cstatus>
      <Cname>My IM</Cname>
      <Cpriority>30</Cpriority>
    </AddrPref>
  </PreferredContacts>
</PresenceSubList>

```

```
</PreferredContacts>
</PresenceSubList>
```

5.2.13 PreferredLanguage

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <PreferredLanguage>
    <Qualifier>T</Qualifier>
    <PresenceValue>fin</PresenceValue>
  </PreferredLanguage>
</PresenceSubList>
```

5.2.14 StatusText

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <StatusText>
    <Qualifier>T</Qualifier>
    <PresenceValue>Busy editing a document</PresenceValue>
  </StatusText>
</PresenceSubList>
```

5.2.15 StatusMood

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <StatusMood>
    <Qualifier>T</Qualifier>
    <PresenceValue>SLEEPY</PresenceValue>
  </StatusMood>
</PresenceSubList>
```

5.2.16 Alias

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <Alias>
    <Qualifier>T</Qualifier>
    <PresenceValue>ASa</PresenceValue>
  </Alias>
</PresenceSubList>
```

5.2.17 StatusContent

5.2.17.1 Referred

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <StatusContent>
    <Qualifier>T</Qualifier>
    <ReferredContent>http://www.foo.com/MMS/Pictures/MyLogo</ReferredContent>
  </StatusContent>
</PresenceSubList>
```

5.2.17.2 Direct

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <StatusContent>
    <Qualifier>T</Qualifier>
    <DirectContent>BASE64EncodedDataHere</DirectContent>
  </StatusContent>
</PresenceSubList>
```

5.2.18 ContactInfo

5.2.18.1 Referred

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <ContactInfo>
    <Qualifier>T</Qualifier>
    <ReferredvCard>http://www.foo.com/Contacts/vCards/MyCard</ReferredvCard>
  </ContactInfo>
</PresenceSubList>
```

5.2.18.2 Contained

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
  <ContactInfo>
    <Qualifier>T</Qualifier>
    <ContainedvCard>vCardDataHere</ContainedvCard>
  </ContactInfo>
</PresenceSubList>
```

5.3 Extending the WV DTD

In future versions of the [WV-PA] new attributes may be introduced or old ones may be modified. The following principles in the DTD definition should be observed:

- Attributes that remain unmodified are to be kept in the original namespace.
- Modified and new attributes are defined by a new namespace (for PresenceSubList).
- The namespace itself (for PresenceSubList) refers to the [WV-PA] version where these attributes are defined.

6. Extended presence information

The stakeholder defining an extension attribute also defines the namespace for the `PresenceSubList`. The stakeholder must define the format of each basic type. The namespace for the `PresenceSubList` is defined by the stakeholder and must be unique. The stakeholder defining an extension field also defines the namespace for the `Ext` prefix.

6.1 Example for extending attributes with new fields

```
<PresenceSubList xmlns="http://www.wireless-village.org/PA1.1"
    xmlns:Ext="http://www.foo.com/PAExt1.0">
  <UserAvailability>
    <Qualifier>T</Qualifier>
    <Ext:Origin>IM-application</Ext:Origin>
    <PresenceValue>AVAILABLE</PresenceValue>
  </UserAvailability>
</PresenceSubList>
```


Appendix A. Static Conformance Requirements (Normative)

The static conformance requirements for this specification is specified in [CSP SCR] and [SSP SCR].

Appendix B. Change History

(Informative)

Type of Change	Date	Section	Description
Class 0	2002-10-25		The initial version of this document.