

# Enabler Release Definition for Navigation Service Framework (NavSe)

Approved Version 1.0 – 13 Feb 2020

---

**Open Mobile Alliance**  
OMA-ERELD-NavSe-V1\_0-20200213-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <https://www.omaspecworks.org/about/policies-and-terms-of-use/>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <https://www.omaspecworks.org/about/intellectual-property-rights/>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

**NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.**

**THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.**

**THIS DOCUMENT IS PROVIDED ON AN "AS IS" "AS AVAILABLE" AND "WITH ALL FAULTS" BASIS.**

© 2020 Open Mobile Alliance.

Used with the permission of the Open Mobile Alliance under the terms set forth above.

# Contents

- 1. SCOPE.....4
- 2. REFERENCES .....5
  - 2.1 NORMATIVE REFERENCES.....5
  - 2.2 INFORMATIVE REFERENCES.....5
- 3. TERMINOLOGY AND CONVENTIONS .....6
  - 3.1 CONVENTIONS .....6
  - 3.2 DEFINITIONS.....6
  - 3.3 ABBREVIATIONS .....6
- 4. RELEASE VERSION OVERVIEW .....7
  - 4.1 VERSION 1.0 FUNCTIONALITY .....7
- 5. DOCUMENT LISTING FOR NAVSE V1.0 .....8
- 6. OMNA CONSIDERATIONS .....9
- 7. API CONSIDERATIONS .....10
- 8. CONFORMANCE REQUIREMENTS NOTATION DETAILS .....11
- 9. ERDEF FOR NAVSE V1.0 - CLIENT REQUIREMENTS .....12
- 10. ERDEF FOR NAVSE V1.0 - SERVER REQUIREMENTS .....13
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....14
  - A.1 APPROVED VERSION HISTORY .....14

# Tables

- Table 1: Listing of Documents in NavSe V1.0 Enabler .....8
- Table 2: OMNA Namespaces .....9
- Table 3: API Information.....10

# 1. Scope

The scope of this document is limited to the Enabler Release Definition of NavSe Enabler v1.0 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

## 2. References

### 2.1 Normative References

- [ISO TTI] “Traffic and Travel Information (TTI)” ISO/TS 24530,  
[URL:http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_tc\\_browse.htm?commid=54706](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_tc_browse.htm?commid=54706)
- [NavSe\_ER] “OMA Navigation Service Framework”, Open Mobile Alliance™, OMA-ER-NavSe-V1\_0,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [NAVSE TS] “RESTful Network API for Navigation Service Framework”, Version 1.0, Open Mobile Alliance™,  
OMA-TS-REST\_NetAPI\_NavSe-V1\_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [REST\_SUP\_NAVSE] “XML schema for the RESTful Network API for NavSe”, Open Mobile Alliance™, OMA-SUP-  
XSD\_rest\_netapi\_NavSe-V1\_0, URL: <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997,  
[URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures,  
[URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

### 2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.9, Open Mobile Alliance™,  
OMA-ORG-Dictionary-V2\_9, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, “Release Version Overview” and “Conformance Requirements Notation Details”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 9 and 10 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

### 3.2 Definitions

<b>Enabler Release</b>	Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.
<b>Navigation Device</b>	An entity that, using GNSS service, assists the driver showing correct route to reach the final destination. This entity may process real-time and predicted traffic information and dynamically estimates the optimal route, according to user preferences.
<b>NavSe Client</b>	An entity that is in charge of interacting with a NavSe Server to get route information and/or real-time and forecast traffic information.
<b>NavSe Server</b>	An entity that is in charge of providing the NavSe Client with route information or real-time and forecast traffic information.
<b>Network Performance Parameter</b>	Information regarding the performances (i.e. speed, delay and travel time) of road segments related to an area or a route.
<b>Route Information</b>	Sequence of road segments, each of them defined with end points coordinates and road name, from an origin to a destination.
<b>Traffic Event</b>	Information regarding events related to an area or a route that are either imposed or planned by the road network operator (i.e. roadwork leading to lane closures) or events that occur outside the control of the network operator (i.e. accidents).
<b>Traffic Information</b>	Information which consists of traffic events and network performance parameters related to an area or a route.

### 3.3 Abbreviations

<b>API</b>	Application Programming Interface
<b>ERDEF</b>	Enabler Requirement Definition
<b>ERELD</b>	Enabler Release Definition
<b>ND</b>	Navigation Device
<b>OMA</b>	Open Mobile Alliance
<b>OMNA</b>	Open Mobile Naming Authority
<b>REST</b>	REpresentational State Transfer
<b>SCR</b>	Static Conformance Requirements
<b>TPEG</b>	Transport Protocol Expert Group
<b>TS</b>	Technical Specification
<b>XML</b>	eXtensible Markup Language
<b>XSD</b>	XML Schema Definition

## 4. Release Version Overview

The NavSe Enabler provides an overall framework (mechanisms, functionalities, APIs, and etc.) to enable providing dynamic route information based on real time and forecast information.

The following areas will be covered as part of the scope of the enabler:

- Delivering traffic information and/or route information to the Navigation Device (ND);

NavSe Enabler will reuse as much as possible existing technologies. In particular, with respect to interface specification, it is in the scope of this Enabler:

- to reuse traffic information data formats defined by TPEG in [ISO TTI]

### 4.1 Version 1.0 Functionality

The version 1.0 of the NavSe Enabler defines an overall framework that enables dynamic navigation service based on traffic information over a mobile network.

The core functionalities exposed by the NavSe Enabler include the following operations:

- Request and provide a set of routes based on the journey parameters defined by the user
- Request and provide traffic information related to the route and an area defined by the ND
- Request and provide route information for a public safety usage
- Request and provide unusable route information related to an emergency area
- Request and provide shared route information for a public safety usage
- Manage subscriptions to notification services for receiving updates on information and alternative route proposal

## 5. Document Listing for NavSe V1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description
<b>Combined Enabler Release</b>		
[NavSe ER]	OMA-ER-NavSe-V1_0-20200213-A	Requirements and Architecture Document for NavSe V1.0 Enabler
<b>Technical Specification</b>		
[NavSe TS]	OMA-TS-REST_NetAPI_NavSe-V1_0-20200213-A	Technical Specification for NavSe V1.0 Enabler
<b>Supporting File</b>		
[REST_SUP_NAVSE]	OMA-SUP-XSD_rest_NavSe-V1_0-20200213-A	XSD schema for XML data structure definition Working file in Schema directory: File: rest_navse-V1_0.xsd Path: <a href="http://www.openmobilealliance.org/tech/profiles">http://www.openmobilealliance.org/tech/profiles</a>

**Table 1: Listing of Documents in NavSe V1.0 Enabler**



## 6. OMNA Considerations

The REST\_NetAPI\_NavSe enabler introduces the following namespaces.

Note that in order to maintain compatibility between minor versions of the same major version, only the major version is reflected in the namespace identifier. Further note that subsequent minor versions of the same XML schema (e.g. 1.1) will be registered against the same namespace identifier.

Description	Registered URN	Schema Links
Navigation Service Framework	urn:oma:xml:rest:netapi:navse:1	<a href="http://www.openmobilealliance.org/tech/profiles/rest_navse-V1_0.xsd">http://www.openmobilealliance.org/tech/profiles/rest_navse-V1_0.xsd</a>

Table 2: OMNA Namespaces

## 7. API Considerations

API Name	Protocol Binding
Navigation Service Framework	RESTful http

**Table 3: API Information**

## 8. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

## 9. ERDEF for NavSe v1.0 - Client Requirements

Not Applicable in RESTful\_NetAPI interface definition.

## 10.ERDEF for NavSe v1.0 - Server Requirements

Static Conformance Requirements for a NavSe Server are specified in Appendix B.2 of [NavSe TS].

## Appendix A. Change History

(Informative)

### A.1 Approved Version History

Reference	Date	Description
OMA-ERELED-NavSe-V1_0-20200213-A	13 Feb 2020	Status changed to Approved by LOC WG Ref LOC WG Doc# OMA-LOC-2020-0001R01- INP_NavSe_V1_0_ERP_for_Final_Approval