

# **Enabler Release Definition for Presence Access Layer**

Candidate Version 1.0 – 17 Aug 2010

Open Mobile Alliance OMA-ERELD-PAL-V1\_0-20100817-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <a href="http://www.openmobilealliance.org/UseAgreement.html">http://www.openmobilealliance.org/UseAgreement.html</a>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance $^{TM}$  specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/ipr.html">http://www.openmobilealliance.org/ipr.html</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2010 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

### **Contents**

1.	SCO	OPE	4
2.	RE	FERENCES	5
2	2.1	NORMATIVE REFERENCES	5
2	2.2	INFORMATIVE REFERENCES	
3.	TE	RMINOLOGY AND CONVENTIONS	6
3	3.1	CONVENTIONS	6
_	3.2	DEFINITIONS	
_	3.3	ABBREVIATIONS	
4.	RE	LEASE VERSION OVERVIEW	
	1.1	VERSION 1.0 FUNCTIONALITY	
5.	DO	CUMENT LISTING FOR PRESENCE ACCESS LAYER	8
6.	OM	INA CONSIDERATIONS	9
7.	CO	NFORMANCE REQUIREMENTS NOTATION DETAILS	10
		·	
8.		DEF FOR PAL - CLIENT REQUIREMENTS	
9.	ER	DEF FOR PAL - SERVER REQUIREMENTS	.12
AP	PENI	DIX A. CHANGE HISTORY (INFORMATIVE)	.13
A	4.1	APPROVED VERSION HISTORY	
A	4.2	DRAFT/CANDIDATE VERSION 1.0 HISTORY	
	igu	ires	
	abl		
Ta	ble 1	: Listing of Documents in PAL Enabler	8
Tal	ble 2:	ERDEF for PAL Client-side Requirements	,11
Tal	hle 3·	ERDEF for PAL Server-side Requirements	12

# 1. Scope

The scope of this document is limited to the Enabler Release Definition of Presence Access Layer Version 1.0 according to OMA Release process and the Enabler Release specification baseline listed in section 5.

### 2. References

### 2.1 Normative References

[PAL\_AD] "Presence Access Layer Architecure" Version 1.0, Open Mobile Alliance™,

OMA-AD-PAL-V1\_0,

URL:http://www.openmobilealliance.org/

[PAL\_RD] "Presence Access Layer Requirements" Version 1.0, Open Mobile Alliance™,

OMA-RD-PAL-V1\_0,

URL:http://www.openmobilealliance.org/

[PRS\_RD] "Presence SIMPLE Requirements", Version 2.0, Open Mobile Alliance™, OMA-RD-

Presence\_SIMPLE-V2\_0,

URL: http://www.openmobilealliance.org

[PAL\_TS] "Presence Access Layer Specification" Version 1.0, Open Mobile Alliance™,

OMA-TS-PAL-V1\_0,

URL:http://www.openmobilealliance.org/

[PAL\_XDM\_TS] "Presence Access Layer XDM Specification" Version 1.0, Open Mobile Alliance<sup>TM</sup>,

OMA-TS-PAL\_XDM -V1\_0,

URL:http://www.openmobilealliance.org/

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures,

URL:http://www.openmobilealliance.org/

[XSD\_palProfile] "XML Schema Definition: PAL Profile XDM" Version 1.0, Open Mobile Alliance™,

OMA-SUP-XSD\_xdm\_palProfile-V1\_0, URL:http://www.openmobilealliance.org/

 $\textbf{[XSD\_palMessagePayload]} \qquad \text{``XML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Alliance} \\ \textbf{``AML Schema Definition: PAL Message Payloads'' Version 1.0, Open Mobile Payloads'' Version 1.0,$ 

OMA-SUP-XSD\_pal\_messagePayloads-V1\_0, URL:http://www.openmobilealliance.org/

### 2.2 Informative References

[OMADICT] "Dictionary for OMA Specifications", Version 2.8, Open Mobile Alliance™,

OMA-ORG-Dictionary-V2\_8, <u>URL:http://www.openmobilealliance.org/</u>

## 3. Terminology and Conventions

### 3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope", "Release Version Overview" and "Conformance Requirements Notation Details", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

### 3.2 Definitions

Class of Service Use definition from [PAL\_AD].

**Enabler Release** Collection of specifications that combined together form an enabler for a service area, e.g. a download

enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are

forming an enabler should combined fulfil a number of related market requirements.

**Minimum Functionality** 

Description

Description of the guaranteed features and functionality that will be enabled by implementing the

minimum mandatory part of the Enabler Release.

PAL Client
Use definition from [PAL\_RD].
PAL Profile
Use definition from [PAL\_RD].
PAL Service
Use definition from [PAL\_RD].
Presence Aspect
Use definition from [PAL\_RD].
Presence Aware Service
Use definition from [PAL\_RD].

Presence Aware Service Use definition from [PAL\_RD].

Presence Context Use definition from [PAL\_RD].

Presence Information Use definition from [PRS\_RD].

Presence Information

Elements

Use definition from [PRS\_RD].

**Presence Triggers** Use definition from [PAL\_RD].

#### 3.3 Abbreviations

ERDEF Enabler Requirement Definition

ERELD Enabler Release Definition

OMA Open Mobile Alliance

OMNA Open Mobile Naming Authority

PAL Presence Access Layer

### 4. Release Version Overview

### 4.1 Version 1.0 Functionality

The Presence Access Layer (PAL) Enabler complements OMA Presence SIMPLE. PAL specifies logically interoperable abstractions known as Presence Aspects. Presence Aspects consolidate Presence Information based on one or more Presence Information Elements. Presence Aspects are based on underlying rules that fully align with OMA Presence SIMPLE and Implementation Guidelines for OMA Presence SIMPLE. Further, Presence Triggers provide a mechanism for a Presence Aware Service to execute a specified action (also specified by rules) when a change is detected for a corresponding Presence Aspect.

Presence Context associates applicable Presence Aspects required to fulfill service function points with a Presence Aware Service. This provides PAL Client's with a consolidated and determinate view of Presence Information. That is, a PAL Client need only interact with a specific subset of interoperable Presence Aspects and/or Presence Triggers as specified by the resolved Presence Context, for a given Presence Aware Service or Class of Service.

The PAL Enabler includes the following features:

- PAL Client interraction including common interoperable Presence Aspects, and Presence Triggers based on consolidated Presence Information;
- Establish and resolve Presence Context associated with a Presence Aware Service;
- Interworking with information owning enablers (e.g. OMA Presence SIMPLE);
- Privacy and security of information sources, and clients; and
- Configuration and administration based on PAL Profiles.

# 5. Document Listing for Presence Access Layer

This section is normative.

Doc Ref	Permanent Document Reference	Description		
Requirement Documen	Requirement Document			
[PAL_RD]	OMA-RD-PAL-V1_0-20100817-C	Requirement Document for PAL Enabler		
Architecture Document	i			
[PAL_AD] OMA-AD-PAL-V1_0-20100817-C		Architecture Document for PAL Enabler		
<b>Technical Specification</b>	Technical Specifications			
[PAL_XDM_TS] OMA-TS-PAL_XDM-V1_0-20100817-C		Technical Specification for PAL XDMS		
[PAL_TS] OMA-TS-PAL-V1_0-20100817-C		Technical Specification for PAL Enabler		
Supporting Files				
[XSD_palProfile]	OMA-SUP-XSD_xdm_palProfile-V1_0-20100817-C	PAL XDMS XML Schema file for PAL Profile app-usage		
[XSD_palMsgPayload] OMA-SUP-XSD_pal_messagePayloads-V1_0-20100817-C		PAL Enabler XML Schema file for PAL message payloads		

**Table 1: Listing of Documents in PAL Enabler** 

## 6. OMNA Considerations

## 7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item: Entry in this column MUST be a valid ScrItem according to [SCRRULES].

**Feature/Application:** Entry in this column SHOULD be a short descriptive label to the **Item** in question.

**Requirement:** Expression in the column MUST be a valid TerminalExpression according to [SCRRULES] and it

MUST accurately reflect the architectural requirement of the **Item** in question.

# 8. ERDEF for PAL - Client Requirements

This section is normative.

Item	Feature / Application	Requirement

**Table 2: ERDEF for PAL Client-side Requirements** 

Page 11 (13)

# 9. ERDEF for PAL - Server Requirements

This section is normative.

Item	Feature / Application	Requirement

Table 3: ERDEF for PAL Server-side Requirements

# Appendix A. Change History

## (Informative)

## A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version

## A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ERELD-PAL-V1 0	05 May 2009	n/a	Baseline document (OMA-PAG-PAL-2009-0030R02- INP_PAL1_0_ERELD_Intro)
			Replaces OMA-ERELD-PAL-V1_0-20090504-D
			Documents listing updated
	30 Jun 2009	5	Changes to OMA-RD-PAL-V1_0
			Section 5 updated to reflect this.
	01 Jul 2009	5, 6, App A	Changes to OMA-RD-PAL-V1_0
			Section 5 updated to reflect this.
			Editorial clean-up.
	09 Jul 2009	5	Changes to OMA-RD-PAL-V1_0
			Section 5 updated to reflect this.
Candidate Version	28 Jul 2009	n/a	Status changed to Candidate by TP:
OMA-ERELD-PAL-V1_0			TP ref# OMA-TP-2009-0328-
			INP_PAL_V1_0_RD_for_Candidate_Approval
Draft Versions	29 Sep 2009	2.1, 5	Added AD to normative references and list of documents
OMA-ERELD-PAL-V1_0	30 Nov 2009	5	Changes to OMA-RD-PAL-V1_0
			Section 5 updated to reflect this.
	22 Dec 2009	5	Changes to OMA-AD-PAL-V1_0
			Section 5 updated to reflect this.
Candidate Version	26 Jan 2010	n/a	Status changed to Candidate by TP:
OMA-ERELD-PAL-V1_0			TP ref# OMA-TP-2009-0569-
			INP_PAL_V1.0_AD_for_Candidate_Approval
Draft Version	16 Mar 2010	2.1, 3.2, 4.1	Incorporated
OMA-ERELD-PAL-V1_0			OMA-MWG-PRS-2010-0028R01-
			CR_PAL_V1_0_ERELD_MinorEditorials
Draft Version	7 Apr 2010	All	Incorporated CRs:
OMA-ERELD-PAL-V1_0			OMA-COM-PRS-2010-0046 and other minor edits.
	19 Jul 2010	5	Updated document list
Candidate Version	17 Aug 2010	N/A	Status changed to Candidate by TP:
OMA-ERELD-PAL-V1_0			TP ref# OMA-TP-2010-0333- INP_PAL_V1_0_ERP_and_ETR_for_Candidate_approval