



# **Enabler Release Definition for Rich Communication Centre**

Candidate Version 1.0 – 13 Mar 2012

---

**Open Mobile Alliance**  
OMA-ERELD-RCC-V1\_0-20120313-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

1. SCOPE .....	4
2. REFERENCES .....	5
2.1 NORMATIVE REFERENCES .....	5
2.2 INFORMATIVE REFERENCES .....	6
3. TERMINOLOGY AND CONVENTIONS .....	7
3.1 CONVENTIONS .....	7
3.2 DEFINITIONS .....	7
3.3 ABBREVIATIONS .....	7
4. RELEASE VERSION OVERVIEW .....	8
4.1 VERSION 1.0 FUNCTIONALITY .....	8
5. DOCUMENT LISTING FOR RCC V1.0 .....	9
6. OMNA CONSIDERATIONS .....	10
7. CONFORMANCE REQUIREMENTS NOTATION DETAILS .....	11
8. ERDEF FOR RCC - CLIENT REQUIREMENTS .....	12
9. ERDEF FOR RCC - SERVER REQUIREMENTS .....	13
APPENDIX A. CHANGE HISTORY (INFORMATIVE) .....	14
A.1 APPROVED VERSION HISTORY .....	14
A.2 DRAFT/CANDIDATE VERSION 1.1 HISTORY .....	14

# 1. Scope

The scope of this document is limited to the Enabler Release Definition of Rich Communication Centre (RCC) Enabler according to OMA Release process and the Enabler Release specification baseline listed in section 5.

The RCC Enabler defines an overall framework that enables rich communication centre service.

## 2. References

### 2.1 Normative References

- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR\_Rules\_and\_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RCC\_RD] "Converged Personal Network Service Requirements", Open Mobile Alliance™, OMA-RD-RCC-V1\_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

## 2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2\_8, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

### 3.2 Definitions

<b>Agent</b>	A RCC user associated with one or more RCC devices and authenticated and authorized to provide RCC services including performing communication control operations, such as holding or transferring communications, etc.
<b>Context Information</b>	Any volatile or persistent information, which describes a state of a RCC Agents or RCC Customers. Context Information can be manually set by humans, inferred from other information, or requested from databases.  Note: the context model may include information such as: location, presence, profile, subscriptions.
<b>Enterprise Customer</b>	An Enterprise Customer refers to a RCC customer who contracts with RCC provider and acquires services including aggregation of certain messages from Web 2.0 sites.
<b>Master Agent</b>	A Master Agent refers to the RCC Agent who creates and manages a group of Agents to provide RCC services.
<b>Multitenancy</b>	Multitenancy refers to a principle in software architecture where a single instance of the software (multi-Tenant application) runs on a server, and lets customers (Tenants) share the same hardware resources, by offering them one shared application and database instance, while allowing them to configure the application to fit their needs as if it runs on a dedicated environmentTenant.
<b>Sub-agent</b>	A Sub-agent refers to the RCC Agent who is created and managed by Master Agent.
<b>Tenant</b>	A Tenant is the organizational entity which rents a multi-Tenant SaaS solution. Typically, a Tenant groups a number of users, which are the stakeholders in the organization.
<b>Virtualization</b>	Virtualization (or Multi-Instance) refers to a principle in software architecture where each customer gets his own instance of the application (and possibly also of the database)
<b>Web 2.0</b>	The term Web 2.0 is associated with web applications that facilitate participatory information sharing, interoperability, user-centered design, and collaboration on the World Wide Web.

### 3.3 Abbreviations

<b>CSTA</b>	Computer Supported Telecommunications Applications
<b>CTI</b>	Computer Telephony Integration
<b>IVR</b>	Interactive Voice Response
<b>MCC</b>	Multimedia Communication Centre
<b>MRS</b>	Multimedia Resource Service
<b>NGN</b>	Next Generation Network
<b>OMA</b>	Open Mobile Alliance
<b>SaaS</b>	Software as a Service

## 4. Release Version Overview

This document outlines the Enabler Release Definition for Rich Communication Centre (RCC) Enabler and the respective conformance requirements for clients and servers claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

The goal of the OMA Rich Communication Centre (RCC) Enabler is to provide capability support for providing rich and intelligent services for customer relationship caring and maintaining and is an extension to traditional contact/call centre, features in RCC include:

- Customer includes both individuals and enterprises
- Agent includes both fixed and mobile agents
- Rich communication centre includes web2.0-based services support, mobile internet-based services support, etc.

### 4.1 Version 1.0 Functionality

This enabler considers the interfaces and interactions between the key entities of the RCC Enabler.

The version 1.0 of the RCC Enabler defines an overall framework that enables rich communication centre service. Additionally, relevant interfaces and APIs are also defined as needed.



## 5. Document Listing for RCC V1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description
<b>Requirement Document</b>		
[RCC_RD]	OMA-RD-RCC-V1_0_20120313-C	Requirements for Rich Communication Centre (RCC) Enabler Version 1.0
<b>Architecture Document</b>		
<b>Technical Specifications</b>		
<b>Supporting Files</b>		

## 6. OMNA Considerations

## 7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

## 8. ERDEF for RCC - Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-RCC-C-001-<<M/O>>	RCC Client	

**Table 1: ERDEF for RCC Client-side Requirements**

## 9. ERDEF for RCC - Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-RCC-S-001-<<M/O>>	RCC Server	

**Table 2: ERDEF for RCC Server-side Requirements**

## Appendix A. Change History (Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

### A.2 Draft/Candidate Version 1.1 History

Document Identifier	Date	Sections	Description
Draft Version: OMA-ERELD-RCC-V1_0	13 Jan 2012		Initial baseline for ERELD
	21 Feb 2012	3.2, 3.3, 5	Updated accordingly to OMA-REQ-RCC-2012-0011-INP_RD_revised_online_at_F2F.
Candidate Version OMA-ERELD-RCC-V1_0	13 Mar 2012	All	Status changed to Candidate via TP TP ref#: OMA-TP-2012-0089- INP_RCC_V1_0_RD_for_Candidate_Approval