



Enabler Release Definition for Service User Profile Management

Approved Version 1.0 – 29 May 2012

Open Mobile Alliance

OMA-ERELD-Service_User_Profile_Management-V1_0-20120529-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES5
 - 2.2 INFORMATIVE REFERENCES5
- 3. TERMINOLOGY AND CONVENTIONS6
 - 3.1 CONVENTIONS6
 - 3.2 DEFINITIONS.....6
 - 3.3 ABBREVIATIONS6
- 4. RELEASE VERSION OVERVIEW7
 - 4.1 VERSION 1.0 FUNCTIONALITY7
- 5. DOCUMENT LISTING FOR SERVICE USER PROFILE MANAGEMENT V1.08
- 6. OMNA CONSIDERATIONS9
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS10
- 8. ERDEF FOR SUPM – CLIENT REQUIREMENTS11
- 9. ERDEF FOR SUPM– SERVER REQUIREMENTS12
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....13
 - A.1 APPROVED VERSION HISTORY13

Tables

- Table 1: Listing of Documents in Service User Profile Management Enabler8
- Table 2: OMNA Namespaces in the “rest” XML SchemaDomain9
- Table 3: OMNA Namespaces in the “SOAP” XML SchemaDomain.....9
- Table 4: ERDEF for SUPM Server12

1. Scope

The scope of this document is limited to the Enabler Release Definition of Service User Profile Management (SUPM) enabler according to OMA Release process and the Enabler Release specification baseline listed in section 5.

The Service User Profile Management (SUPM) enabler provides a standardized interface to access and manage the data related to Service User Profile, with which applications and/or enablers can create, read, update and delete those data in order to support contextualization and personalization of the User's services.

2. References

2.1 Normative References

- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [SUPM_RD] "Service User Profile Management Requirements", Open Mobile Alliance™, OMA-RD-Service_User_Profile_Management-V1_0, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

2.2 Informative References

- [OMADICT] "Dictionary for OMA Specifications", Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [**Error! Reference source not found.**].

3.2 Definitions

Enabler Release	Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.
Minimum Functionality Description	Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release
Service Provider	See [OMADICT]
Service User Profile	A Service Provider managed set of information related to a User that may be used to create personalized and contextualized services. The set of information may include both static and dynamic information available for example from the User Profile, User’s Characteristic Description information and User Context.
Service User Profile Model	The abstract model defining the structure of the Service User Profile composed of individual data element definitions.
SUPM Data View	SUPM Data View is a set of Service User Profile data elements that are accessible through SUPM-1 interface.
User	See [OMADICT]
User Context	A set of information which describes the current state of the User (e.g. location, presence, current device capabilities, body temperature).
User Preferences	User’s related data used for contextualization and personalization of the service.
User Profile	See [OMADICT]
User’s Characteristic Description Information	User’s characteristic description information permits to describe user characterisation (e.g. user’s interest and hobbies), generally as an analysis result from user’s related data (user’s basic information, extended information, historical behaviour data, etc.).

3.3 Abbreviations

ERDEF	Enabler Requirement Definition
ERELD	Enabler Release Definition
OMA	Open Mobile Alliance
OMNA	Open Mobile Naming Authority
SUPM	Service User Profile Management

4. Release Version Overview

This document outlines the Enabler Release Definition for Service User Profile Management (SUPM) enabler and the respective conformance requirements for clients and servers implementing and claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

4.1 Version 1.0 Functionality

The SUPM enabler V1.0 covers following features:

- The definition of common SUPM Data Views and data elements of the Service User Profile for SUPM 1.0
- The functional description of SUPM Component
- The interface definitions: the message flows, and message exchange patterns used for message exchanges between SUPM Component and Data Consumer

5. Document Listing for Service User Profile Management V1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description
Requirement Document		
[SUPM_RD]	OMA-RD-Service_User_Profile_Management-V1_0-20120529-A	Requirements for Service User Profile Management enabler
Architecture Document		
[SUPM_AD]	OMA-AD-Service_User_Profile_Management-V1_0-20120529-A	Architecture for Service User Profile Management enabler
Technical Specifications		
[SUPM-TS]	OMA-TS-Service_User_Profile_Management-V1_0-20120529-A	Technical specification for the abstract definition of the SUPM-1 interface for Service User Profile Management enabler
[SUPM-TS-LDAP]	OMA-TS-Service_User_Profile_Management_LDAP_Binding-V1_0-20120529-A	Technical Specification LDAP binding for SUPM-1 interface
[SUPM-TS-REST]	OMA-TS-Service_User_Profile_Management_RESTful_Binding-V1_0-20120529-A	Technical Specification RESTful binding for SUPM-1 interface
[SUPM-TS-SOAP]	OMA-TS-Service_User_Profile_Management_SOAP_Binding-V1_0-20120529-A	Technical Specification SOAP binding for SUPM-1 interface
Supporting Files		
[SUPM_SUP_SOAP_XSD]	OMA-SUP-XSD_supm_soap-V1_0-20120529-A	XML schema for SUPM– SOAP-Binding Working file in Schema directory: file: supm_soap-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/
[SUPM_SUP_SOAP_WSDL]	OMA-SUP-WSDL_supm_soap-V1_0-20120529-A	WSDL file for SOAP binding of Service User Profile Management SUPM-1 interface Working file in Schema directory: file: supm_soap-v1_0.wsdl path: http://www.openmobilealliance.org/tech/wSDL
[SUPM_SUP_REST]	OMA-SUP-XSD_rest_supm-V1_0-20120529-A	XML schema for SUPM– REST-Binding Working file in Schema directory: file: rest_supm-v1_0.xsd path: http://www.openmobilealliance.org/tech/profiles/

Table 1: Listing of Documents in Service User Profile Management Enabler

6. OMNA Considerations

The SUPM enabler introduces the following namespaces in the “rest” domain.

Note that in order to maintain compatibility between minor versions of the same major version, only the major version is reflected in the namespace identifier. Further note that subsequent minor versions of the same XML schema (e.g. 1.1) will be registered against the same namespace identifier.

Description	Registered URN	Schema Links
SUPM-1 interface	urn:oma:xml:rest:supm:1	http://www.openmobilealliance.org/tech/profiles/rest_supm-v1_0.xsd

Table 2: OMNA Namespaces in the “rest” XML SchemaDomain

The SUPM enabler introduces the following namespaces in the “soap” domain.

Note that in order to maintain compatibility between minor versions of the same major version, only the major version is reflected in the namespace identifier. Further note that subsequent minor versions of the same XML schema (e.g. 1.1) will be registered against the same namespace identifier.

Description	Registered URN	Schema Links
SUPM-1 interface	urn:oma:xml:supm:soap:1	http://www.openmobilealliance.org/tech/profiles/supm_soap-v1_0.xsd

Table 3: OMNA Namespaces in the “SOAP” XML SchemaDomain

7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

8. ERDEF for SUPM – Client Requirements

SUPM Data Consumer is out of scope of the SUPM enabler. There are no client requirements defined.

9. ERDEF for SUPM– Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-SUPM-S-002-M	SUPM-1 interface[SUPM-TS]	OMA-ERDEF-SUPM-S-009-O OR OMA-ERDEF-SUPM-S-010-O OR OMA-ERDEF-SUPM-S-011-O
OMA-ERDEF-SUPM-S-007-M	SUPM Data Elements	[SUPM-TS]
OMA-ERDEF-SUPM-S-008-O	SUPM Data Views	[SUPM-TS]
OMA-ERDEF-SUPM-S-009-O	LDAP Binding	[SUPM-TS-LDAP]
OMA-ERDEF-SUPM-S-010-O	Web Services / SOAP Binding	[SUPM-TS-SOAP]
OMA-ERDEF-SUPM-S-011-O	REST / HTTP Binding	[SUPM-TS-REST]

Table 4: ERDEF for SUPM Server

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-ERELD-Service_User_Profile_Management-V1_0-20120529-A	29 May 2012	Status changed to Approved by TP Ref TP Doc # OMA-TP-2012-0204-INP_SUPM_V1_0_for_Final_Approval