



SyncML Implementation Conformance Statement

Nokia 9210 Communicator – SyncML Client



1 Product Information

Product Name & Version	Nokia 9210 Communicator
Company	NOKIA
Contact Name	Ari Sutinen
Contact Phone	+358 50 589 9401
Contact Email	ari.sutinen@nokia.com
Transports supported	OBEX <input type="checkbox"/> WSP <input type="checkbox"/> HTTP <input checked="" type="checkbox"/>
Product is	Client <input checked="" type="checkbox"/> Server <input type="checkbox"/>
Datatypes product uses	vCard 2.1 and vCalendar 1.0



2 Client Conformance Tables

2.1 Representation Common Use Elements

Command	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
Archive	MAY	MAY	No	No
Chal	MAY	MUST	No	Yes
Cmd	MUST	MUST	Yes	Yes
CmdID	MUST	MUST	Yes	Yes
CmdRef	MUST	MUST	Yes	Yes
Cred	MUST	MUST	Yes	Yes
Final	MUST	MUST	Yes	Yes
Lang	MAY	MAY	No	No
LocName	MAY	MAY	No	No
LocURI	MUST	MUST	Yes	Yes
MsgID	MUST	MUST	Yes	Yes
MsgRef	MUST	MUST	Yes	Yes
NoResp	SHOULD	MUST	No	Yes
NoResults	MAY	MAY	No	No
RespURI	MAY	MUST	No	Yes
SessionID	MUST	MUST	Yes	Yes
SftDel	MAY	MAY	No	No
Source	MUST	MUST	Yes	Yes
SourceRef	MUST	MUST	Yes	Yes
Target	MUST	MUST	Yes	Yes
TargetRef	MUST	MUST	Yes	Yes
VerDTD	MUST	MUST	Yes	Yes
VerProto	MUST	MUST	Yes	Yes

2.2 Representation Message container elements

Command	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
SyncML	MUST	MUST	Yes	Yes
SyncHdr	MUST	MUST	Yes	Yes
SyncBody	MUST	MUST	Yes	Yes

2.3 Data description elements

Command	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
Data	MUST	MUST	Yes	Yes
Item	MUST	MUST	Yes	Yes
Meta	MUST	MUST	Yes	Yes



2.4 Representation Protocol command elements

Command	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
Add	SHOULD	MUST	No	Yes
Alert	MUST	MUST	Yes	Yes
Atomic	MAY	MAY	No	No
Copy	MAY	MAY	No	No
Delete	MUST	MUST	Yes	Yes
Exec	MAY	MAY	No	No
Get	SHOULD	MUST	Yes	Yes
Map	MUST	MAY	Yes	No
MapItem	MUST	MAY	Yes	No
Put	MUST	MUST	Yes	Yes
Replace	MUST	MUST	Yes	Yes
Result	MUST	SHOULD	Yes	Yes
Search	MAY	MAY	No	No
Sequence	MAY	MAY	No	No
Status	MUST	MUST	Yes	Yes
Sync	MUST	MUST	Yes	Yes

2.5 Device Info

Element Type	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
CTCap	MUST	SHOULD	Yes	Yes
CTType	MUST	MUST	Yes	Yes
DataStore	MUST	MUST	Yes	Yes
DataType	MAY	MAY	No	No
DevId	MUST	MUST	Yes	Yes
DevInf	MUST	MUST	Yes	Yes
DevTyp	MUST	MUST	Yes	Yes
DisplayName	MAY	MAY	No	No
DSMem	SHOULD	MAY	No	No
Ext	MAY	MAY	No	No
FwV	SHOULD	MAY	No	No
HwV	SHOULD	MAY	Yes	No
Man	SHOULD	MAY	Yes	No
MaxGUIDSize	MUST	MUST NOT	Yes	No
MaxID	SHOULD	MAY	No	No
MaxMem	SHOULD	MAY	No	No
Mod	MAY	MAY	Yes	No
OEM	MAY	MAY	No	No
ParamName	SHOULD	SHOULD	No	No
PropName	MUST	SHOULD	Yes	Yes
Rx	MAY	MUST	Yes	Yes
Rx-Pref	MUST	MUST	Yes	Yes
SharedMem	SHOULD	MAY	No	No
Size	MAY	MAY	No	No



SourceRef	MUST	MUST	Yes	Yes
SwV	SHOULD	MAY	Yes	No
SyncCap	MUST	MUST	Yes	Yes
SyncType	MUST	MUST	Yes	Yes
Tx	MAY	MUST	No	Yes
Tx-Pref	MUST	MUST	Yes	Yes
ValEnum	MUST	SHOULD	Yes	Yes
VerCT	MUST	MUST	Yes	Yes
Xnam	MAY	MAY	No	No
Xval	MAY	MAY	No	No

Please note: FreeID and FreeMem moved to MetInf table. SharedMem corrected.

2.6 Meta Info

Element Type	Required of Client		Implemented in Client	
	Sending	Receiving	Sending	Receiving
Anchor	MUST	MUST	Yes	Yes
Format	MUST	MUST	Yes	Yes
Last	MUST	MUST	Yes	Yes
Mark	MAY	MAY	No	No
MaxMsgSize	MAY	MUST	Yes	Yes
MetInf	MUST	MUST	Yes	Yes
Next	MUST	MUST	Yes	Yes
NextNonce	MUST 1)	MUST	No	Yes
Size	MAY	MAY	No	No
Type	MUST	MUST	Yes	Yes
Version	MAY	MAY	No	No
FreeID	SHOULD	MAY	Yes	No
FreeMem	SHOULD	MAY	Yes	No

1) This should be MAY, because it is optional for a client to send the Chal element, and this information is carried within Chal element.

2.7 Protocol

Element Type	Client Requirements	
	Required	Implemented
Support of 'two-way sync'	MUST	Yes
Support of 'slow two-way sync'	MUST	Yes
Support of 'one-way sync from client only'	MAY	No
Support of 'refresh sync from client only'	MAY	No
Support of 'one-way sync from server only'	MAY	No
Support of 'refresh sync from server only'	MAY	No
Support of 'sync alert'	MAY	No
Support of multiple messages per package	MUST	Yes
Support of combined package 1 and 3	MAY	No



2.8 Authentication

Note that authentication is only required for SyncHdr, optional for datastore.

TODO: build this up to have separate levels (SyncHdr, datastore, etc).

Authentication Type	Client Requirements	
	Required	Implemented
Basic (name and password)	MUST	Yes
MD5	MUST	Yes

2.9 MIME header types

NOTE: the client MUST support one of the two MIME header types.

MIME Header Type	Client Requirements	
	Required	Implemented
"application/vnd.syncml+xml"	MUST if no wbxml	No
"application/vnd.syncml+wbxml"	MUST if no xml	Yes



3 Transport Conformance

3.1 HTTP Transport

Vendors should fill this section out ONLY if their product uses the HTTP Transport. The specification for HTTP Transport is fully described in **Error! Reference source not found.**

NOTE that the tables only indicate the required data.

Method	Requirements	
	Required	Implemented
POST	MUST	Yes

General Headers	Requirements	
	Required	Implemented
Cache-Control: no-store, private	MUST	Yes
Transfer-Encoding: chunked	MUST	Yes

Request Headers	Requirements	
	Required	Implemented
Accept	MUST	Yes
Accept-Charset	MUST	Yes
Authorization	MUST	Yes
Proxy-Authorization	MUST if a proxy client	Yes
User-Agent	MUST	Yes

Response Headers	Requirements	
	Required	Implemented
Authentication-Info	MUST	Yes
Proxy-Authenticate	MUST if proxy client	Yes
WWW-Authenticate	MUST	Yes