



Client-Server Protocol

DTD and Examples

Version 1.1

WV Internal Tracking Number: WV-023

Notice

Copyright © 2001-2002 Ericsson, Motorola and Nokia. All Rights Reserved.

Implementation of all or part of any Specification may require licenses under third party intellectual property rights, including without limitation, patent rights (such a third party may or may not be a Supporter). The Sponsors of the Specification are not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND AND ERICSSON, MOTOROLA and NOKIA DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ERICSSON, MOTOROLA or NOKIA BE LIABLE TO ANY PARTY FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. The above notice and this paragraph must be included on all copies of this document that are made.

Intellectual Property Rights have been asserted or conveyed in some manner toward these Wireless Village specifications. The Wireless Village initiatives' intellectual property rights guidelines are defined in Section 5.1 of the Wireless Village Specification Supporter Agreement. The Wireless Village initiative takes no position regarding the validity or scope of any intellectual property right or other rights that might be claimed to pertain to the implementation or use of the technology, or the extent to which any license under such rights might or might not be available. A public listing of all claims against the Wireless Village specifications, as well as an excerpt of Section 5.1 of the Wireless Village Specification Supporter Agreement, can be found at:

<http://www.wireless-village.org/ipr.html>

Table of contents

1.	Revision History	1
2.	References.....	2
3.	Overview.....	3
4.	The DTD	4
5.	The TransactionContent namespace.....	5
6.	XML Binding Examples	12
6.1	Status primitive with details	12
6.2	Polling-Request primitive.....	12
6.3	2-way Login transaction.....	13
6.3.1	Login-Request primitive.....	13
6.3.2	Login-Response primitive	13
6.4	4-way Login transaction.....	14
6.4.1	Login-Request primitive.....	14
6.4.2	Login-Response primitive	14
6.4.3	Login-Request primitive.....	15
6.4.4	Login-Response primitive	16
6.5	Service negotiation transaction	16
6.5.1	Service-Request primitive.....	16
6.5.2	Service-Response primitive	17
6.6	Client capability negotiation transaction	18
6.6.1	ClientCapability-Request primitive.....	18
6.6.2	ClientCapability-Response primitive	19
6.7	Logout transaction.....	20
6.7.1	Logout-Request primitive.....	20
6.7.2	Disconnect primitive	20
6.8	Server initiated logout transaction	21
6.8.1	Disconnect primitive	21
6.9	Time-out reset transaction.....	21
6.9.1	KeepAlive-Request primitive.....	21
6.9.2	KeepAlive-Response primitive.....	22
6.10	Get service provider info transaction	22
6.10.1	GetSPInfo-Request primitive	22
6.10.2	GetSPInfo-Response primitive	23
6.11	General search transaction	23
6.11.1	Search-Request (1 st) primitive	23
6.11.2	Search-Response (1 st) primitive	24
6.11.3	Search-Request (continued) primitive.....	25
6.11.4	Search-Response (continued) primitive.....	25
6.11.5	StopSearch-Request primitive	26
6.11.6	Status primitive.....	26
6.12	General invitation transaction	27
6.12.1	Invite-Request primitive	27
6.12.2	Status primitive.....	27
6.12.3	InviteUser-Request primitive.....	28
6.12.4	Status primitive.....	29
6.12.5	InviteUser-Response primitive.....	29
6.12.6	Status primitive.....	30
6.12.7	Invite-Response primitive	30
6.12.8	Status primitive.....	31
6.13	Recall invitation transaction.....	31

6.13.1	CancelInvite-Request primitive	31
6.13.2	Status primitive.....	32
6.13.3	CancelInviteUser-Request primitive.....	32
6.13.4	Status primitive.....	33
6.14	Subscribe/unsubscribe presence transaction	34
6.14.1	SubscribePresence-Request primitive.....	34
6.14.2	Status primitive.....	34
6.14.3	PresenceNotification-Request primitive	35
6.14.4	Status primitive.....	38
6.14.5	UnsubscribePresence-Request primitive.....	38
6.14.6	Status primitive.....	39
6.15	Get watcher list transaction	39
6.15.1	GetWatcherList-Request primitive	39
6.15.2	GetWatcherList-Response primitive	39
6.16	Get presence transaction	40
6.16.1	GetPresence-Request primitive.....	40
6.16.2	GetPresence-Response primitive	41
6.17	Reactive presence authorization transaction	46
6.17.1	PresenceAuth-Request primitive	46
6.17.2	Status primitive.....	47
6.17.3	PresenceAuth-User primitive	47
6.17.4	Status primitive.....	48
6.18	Cancel presence authorization transaction.....	48
6.18.1	CancelAuth-Request primitive	48
6.18.2	Status primitive.....	49
6.19	Update presence transaction.....	49
6.19.1	UpdatePresence-Request primitive	49
6.19.2	Status primitive.....	50
6.20	Send message transaction	50
6.20.1	SendMessage-Request primitive.....	50
6.20.2	SendMessage-Response primitive	51
6.21	Set delivery method transaction	52
6.21.1	SetDeliveryMethod-Request primitive.....	52
6.21.2	Status primitive.....	52
6.22	Get list of undelivered messages transaction	53
6.22.1	GetMessageList-Request primitive	53
6.22.2	GetMessageList-Response primitive	53
6.23	Rejecting a message (notify/get method only) transaction.....	55
6.23.1	RejectMessage-Request primitive	55
6.23.2	Status primitive.....	55
6.24	Message notification (notify/get method only) transaction.....	56
6.24.1	MessageNotification primitive	56
6.24.2	Status primitive.....	57
6.25	Retrieving a message (get/notify method) transaction	57
6.25.1	GetMessage-Request primitive	57
6.25.2	GetMessage-Response primitive	58
6.25.3	MessageDelivered primitive.....	58
6.25.4	Status primitive.....	59
6.26	Delivering a message (push method) transaction	59
6.26.1	NewMessage primitive	59
6.26.2	MessageDelivered primitive.....	60
6.27	Delivery Report transaction	61

6.27.1	DeliveryReport-Request primitive	61
6.27.2	Status primitive	62
6.28	Forward undelivered message transaction	62
6.28.1	ForwardMessage-Request primitive	62
6.28.2	Status primitive	63
6.29	Get blocked user list transaction	63
6.29.1	GetBlockedList-Request primitive	63
6.29.2	GetBlockedList-Response primitive	64
6.30	Block entity transaction	65
6.30.1	BlockEntity-Request primitive	65
6.30.2	Status primitive	65
6.31	Get list of contact list(s) transaction	66
6.31.1	GetList-Request primitive	66
6.31.2	GetList-Response primitive	66
6.32	Create contact list transaction	67
6.32.1	CreateList-Request primitive	67
6.32.2	Status primitive	68
6.33	Delete contact list transaction	68
6.33.1	DeleteList-Request primitive	68
6.33.2	Status primitive	69
6.34	Retrieve contact list transaction	69
6.34.1	ListManage-Request primitive	69
6.34.2	ListManage-Response primitive	70
6.35	Add users to contact list transaction	71
6.35.1	ListManage-Request primitive	71
6.35.2	ListManage-Response primitive	71
6.36	Remove users from contact list transaction	72
6.36.1	ListManage-Request primitive	72
6.36.2	ListManage-Response primitive	73
6.37	Modify properties of contact list transaction	73
6.37.1	ListManage-Request primitive	73
6.37.2	ListManage-Response primitive	74
6.38	Create Attribute list transaction	74
6.38.1	CreateAttributeList-Request primitive	74
6.38.2	Status primitive	75
6.39	Delete Attribute list transaction	76
6.39.1	DeleteAttributeList-Request primitive	76
6.39.2	Status primitive	76
6.40	Get Attribute list transaction	77
6.40.1	GetAttributeList-Request primitive	77
6.40.2	GetAttributeList-Response primitive	77
6.41	Create group transaction	78
6.41.1	CreateGroup-Request primitive	78
6.41.2	Status primitive	80
6.42	Delete group transaction	80
6.42.1	DeleteGroup-Request primitive	80
6.42.2	Status primitive	81
6.43	Join group transaction	81
6.43.1	JoinGroup-Request primitive	81
6.43.2	JoinGroup-Response primitive	82
6.44	User initiated leave group transaction	82
6.44.1	LeaveGroup-Request primitive	82
6.44.2	LeaveGroup-Response primitive	83
6.45	Server initiated leave group transaction	83

6.45.1	LeaveGroup-Response primitive	83
6.45.2	Status primitive.....	84
6.46	Get group member list transaction.....	85
6.46.1	GetGroupMembers-Request primitive	85
6.46.2	GetGroupMembers-Response primitive.....	85
6.47	Add group members to a group transaction.....	86
6.47.1	AddGroupMembers-Request primitive.....	86
6.47.2	Status primitive.....	86
6.48	Remove group members from a group transaction.....	87
6.48.1	RemoveGroupMembers-Request primitive.....	87
6.48.2	Status primitive.....	87
6.49	Changing access rights in a group transaction	88
6.49.1	MemberAccess-Request primitive	88
6.49.2	Status primitive.....	89
6.50	Modify group properties transaction.....	89
6.50.1	GetGroupProps-Request primitive.....	89
6.50.2	GetGroupProps-Response primitive	90
6.50.3	SetGroupProps-Request primitive	91
6.50.4	Status primitive.....	92
6.51	Reject user from group transaction.....	92
6.51.1	RejectList-Request primitive.....	92
6.51.2	RejectList-Response primitive	93
6.52	Subscribe group change notification transaction	93
6.52.1	SubscribeGroupNotice-Request primitive (get).....	93
6.52.2	SubscribeGroupNotice-Response primitive	94
6.52.3	SubscribeGroupNotice-Request primitive (set).....	94
6.52.4	Status primitive.....	95
6.52.5	GroupChangeNotice primitive.....	95
6.52.6	Status primitive.....	96

1. REVISION HISTORY

Date	Issue	Description	Author
February 13 th	TBD	Initial release	WV TechComm
July 31, 2002	V 1.1	Version 1.1	WV TechComm

2. REFERENCES

- [E.164] ITU-T Recommendation E.164 (05/97) The international public telecommunication numbering plan
- [FIPS 180-1] "Secure Hash Standard", April 1995
- [RFC1321] "The MD5 Message-Digest Algorithm", April 1992.
- [RFC2045] "Multipurpose Internet Mail Extensions (MIME) Part one: Format of Internet Message Bodies". Section 6.8 "Base64 Content-Transfer-Encoding".
- [RFC2046] Borenstein N., and N. Freed, "MIME (Multipurpose Internet Mail Extensions) Part Two: Media Types", November 1996.
- [RFC2119] "Keywords for using RFCs to Indicate Requirements levels", Bradner, S.
- [RFC2396] Uniform Resource Identifiers (URI): Generic Syntax
- [RFC2426] vCard MIME Directory Profile
- [RFC2445] Internet Calendaring and Scheduling Core Object Specification (iCalendar)
- [RFC2778] "A Model for Presence and Instant Messaging", February 2000
- [RFC822] "Standard for the Format of ARPA Internet Text Messages", August 1982.
- [UUID] Steven Miller, "DEC/HP Network Computing Architecture Remote Procedure Call Run-Time Extension Specification Version OSF TX1.0.11", July 23, 1992
- [VCAL10] "vCalendar - The Electronic Calendaring and Scheduling Format", version 1.0, The Internet Mail Consortium (IMC), September 18, 1996, <http://www.imc.org/pdi/vcal-10.doc>
- [VCARD21] "vCard - The Electronic Business Card", version 2.1, The Internet Mail Consortium (IMC), September 18, 1996, <http://www.imc.org/pdi/vcard-21.doc>
- [WAPMMS] Wireless Application Protocol - MMS Encapsulation Protocol
- [WV-CSP] Wireless Village – Client-Server Protocol, Session And Transactions specification
- [WV-FF] Wireless Village – Features and Functions specification.
- [WV-PA] Wireless Village – Presence Attributes specification.
- [XML] "Extensible Markup Language 1.0 (Second Edition)", W3C recommendation, 6-October-2000

3. OVERVIEW

This document describes how XML is utilized to carry Wireless Village primitives and the information elements within.

The document provides the DTD and the TransactionContent namespace as well as examples of each transaction.

Binary content cannot be included in the XML document directly, because it may invalidate the document. Thus, the binary content must be encoded with the BASE64 encoding algorithm, as defined in [RFC2045].

If an optional informational element, or a conditional information element where the condition is false, is omitted in the CSP primitive, it should be omitted from XML representation as well where applicable

4. THE DTD

```
<?xml version="1.0" encoding="UTF-8"?>
<!ELEMENT WV-CSP-Message (Session)>
<!ATTLIST WV-CSP-Message xmlns CDATA #REQUIRED>

<!ELEMENT Session (SessionDescriptor, Transaction+)>

<!ELEMENT SessionDescriptor (SessionType, SessionID?)>
<!ELEMENT SessionType (#PCDATA)>
<!ELEMENT SessionID (#PCDATA)>

<!ELEMENT Transaction (TransactionDescriptor,
    TransactionContent)>
<!ELEMENT TransactionDescriptor (TransactionMode, TransactionID?,
    Poll?)>
<!ELEMENT TransactionMode (#PCDATA)>
<!ELEMENT TransactionID (#PCDATA)>
<!ELEMENT Poll (#PCDATA)>

<!ELEMENT TransactionContent (#PCDATA)>
<!ATTLIST TransactionContent xmlns CDATA #REQUIRED>
```

5. THE TRANSACTIONCONTENT NAMESPACE

```
<?xml version="1.0" encoding="UTF-8"?>
<!ELEMENT TransactionContent (Status | Polling-Request | Login-
  Request | Login-Response | Service-Request | Service-Response |
  ClientCapability-Request | ClientCapability-Response | Logout-
  Request | Disconnect | KeepAlive-Request | KeepAlive-Response |
  GetSPInfo-Request | GetSPInfo-Response | Search-Request |
  Search-Response | StopSearch-Request | Invite-Request | Invite-
  Response | InviteUser-Request | InviteUser-Response |
  CancelInvite-Request | CancelInviteUser-Request |
  SubscribePresence-Request | UnsubscribePresence-Request |
  PresenceNotification-Request | GetWatcherList-Request |
  GetWatcherList-Response | GetPresence-Request | GetPresence-
  Response | PresenceAuth-Request | PresenceAuth-User |
  CancelAuth-Request | UpdatePresence-Request | SendMessage-
  Request | SendMessage-Response | SetDeliveryMethod-Request |
  GetMessageList-Request | GetMessageList-Response |
  RejectMessage-Request | MessageNotification | GetMessage-
  Request | GetMessage-Response | NewMessage | MessageDelivered |
  DeliveryReport-Request | ForwardMessage-Request |
  GetBlockedList-Request | GetBlockedList-Response | BlockEntity-
  Request | GetList-Request | GetList-Response | CreateList-
  Request | DeleteList-Request | ListManage-Request | ListManage-
  Response | CreateAttributeList-Request | DeleteAttributeList-
  Request | GetAttributeList-Request | GetAttributeList-Response
  | CreateGroup-Request | DeleteGroup-Request | JoinGroup-Request
  | JoinGroup-Response | LeaveGroup-Request | LeaveGroup-Response
  | GetGroupMembers-Request | GetGroupMembers-Response |
  AddGroupMembers-Request | RemoveGroupMembers-Request |
  MemberAccess-Request | GetGroupProps-Request | GetGroupProps-
  Response | SetGroupProps-Request | RejectList-Request |
  RejectList-Response | SubscribeGroupNotice-Request |
  SubscribeGroupNotice-Response | GroupChangeNotice)>

<!ELEMENT Status (Result, ClientID?)>
<!ELEMENT Polling-Request EMPTY>
<!ELEMENT Login-Request (UserID, ClientID, Password?,
  DigestBytes?, DigestSchema?, TimeToLive?, SessionCookie)>
<!ELEMENT Login-Response (ClientID, Result, Nonce?,
  DigestSchema?, SessionID?, KeepAliveTime?, CapabilityRequest?)>
<!ELEMENT Service-Request (ClientID, Functions,
  AllFunctionsRequest)>
<!ELEMENT Service-Response (ClientID, Functions?, AllFunctions?)>
<!ELEMENT ClientCapability-Request (ClientID, CapabilityList)>
<!ELEMENT ClientCapability-Response (ClientID, CapabilityList)>
<!ELEMENT Logout-Request EMPTY>
<!ELEMENT Disconnect (Result)>
<!ELEMENT KeepAlive-Request (TimeToLive?)>
<!ELEMENT KeepAlive-Response (Result, KeepAliveTime?)>
<!ELEMENT GetSPInfo-Request (ClientID?)>
<!ELEMENT GetSPInfo-Response (ClientID?, Name, Logo?,
  Description?,URL?)>
```

```
<!ELEMENT Search-Request (SearchPairList*, SearchLimit?,
  SearchID?, SearchIndex?)>
<!ELEMENT StopSearch-Request (SearchID)>
<!ELEMENT Search-Response (SearchID?, SearchFindings,
  CompletionFlag, SearchIndex, SearchResult?)>
<!ELEMENT CompletionFlag (#PCDATA)>
<!ELEMENT Invite-Request (InviteID, InviteType, Recipient,
  GroupID?, PresenceSubList?, URLList?, InviteNote?, ScreenName?,
  Validity?)>
<!ELEMENT Invite-Response (InviteID, Acceptance, Sender,
  ResponseNote?)>
<!ELEMENT InviteUser-Request (InviteID, InviteType, Sender,
  GroupID?, PresenceSubList?, URLList?, InviteNote?, Validity?)>
<!ELEMENT InviteUser-Response (InviteID, Acceptance,
  ResponseNote?, ScreenName?)>
<!ELEMENT CancelInvite-Request (InviteID, Recipient, InviteNote?,
  URLList?, ScreenName?)>
<!ELEMENT CancelInviteUser-Request (InviteID, Sender,
  InviteNote?, URLList?)>

<!ELEMENT SubscribePresence-Request (User*, ContactList*,
  PresenceSubList?)>
<!ELEMENT UnsubscribePresence-Request (User*, ContactList*)>
<!ELEMENT PresenceNotification-Request (Presence+)>
<!ELEMENT GetWatcherList-Request EMPTY>
<!ELEMENT GetWatcherList-Response (User*)>
<!ELEMENT GetPresence-Request ((User+ | ContactList+),
  PresenceSubList?)>
<!ELEMENT GetPresence-Response (Result, Presence*)>
<!ELEMENT PresenceAuth-Request (UserID, PresenceSubList?)>
<!ELEMENT PresenceAuth-User (UserID, Acceptance)>
<!ELEMENT CancelAuth-Request (UserID)>
<!ELEMENT UpdatePresence-Request (PresenceSubList)>

<!ELEMENT GetList-Request EMPTY>
<!ELEMENT GetList-Response (ContactList*, DefaultContactList?)>
<!ELEMENT CreateList-Request (ContactList, NickList?,
  ContactListProperties?)>
<!ELEMENT DeleteList-Request (ContactList)>
<!ELEMENT ListManage-Request (ContactList, (AddNickList |
  RemoveNickList | ContactListProperties?))>
<!ELEMENT ListManage-Response (Result, NickList?,
  ContactListProperties?)>
<!ELEMENT CreateAttributeList-Request (PresenceSubList, UserID*,
  ContactList*, DefaultList)>
<!ELEMENT DeleteAttributeList-Request (UserID*, ContactList*,
  DefaultList)>
<!ELEMENT GetAttributeList-Request (DefaultList, ContactList*,
  User*)>
<!ELEMENT GetAttributeList-Response (Result,
  DefaultAttributeList?, Presence*)>

<!ELEMENT SendMessage-Request (DeliveryReport, MessageInfo,
  ContentData?)>
```

```
<!ELEMENT SendMessage-Response (Result, MessageID?)>
<!ELEMENT SetDeliveryMethod-Request (DeliveryMethod,
  AcceptedContentLength?, GroupID?)>
<!ELEMENT GetMessageList-Request (GroupID?, MessageCount?)>
<!ELEMENT GetMessageList-Response (MessageInfo*)>
<!ELEMENT RejectMessage-Request (MessageID+)>
<!ELEMENT MessageNotification (MessageInfo)>
<!ELEMENT GetMessage-Request (MessageID)>
<!ELEMENT GetMessage-Response (MessageInfo, ContentData?)>
<!ELEMENT NewMessage (MessageInfo, ContentData?)>
<!ELEMENT MessageDelivered (MessageID)>
<!ELEMENT DeliveryReport-Request (Result, DeliveryTime?,
  MessageInfo)>
<!ELEMENT DeliveryTime (#PCDATA)>
<!ELEMENT ForwardMessage-Request (MessageID, Recipient)>
<!ELEMENT GetBlockedList-Request EMPTY>
<!ELEMENT GetBlockedList-Response (BlockList?, GrantList?)>
<!ELEMENT BlockEntity-Request (BlockList?, GrantList?)>

<!ELEMENT CreateGroup-Request (GroupID, GroupProperties,
  JoinGroup, ScreenName?, SubscribeNotification)>
<!ELEMENT DeleteGroup-Request (GroupID)>
<!ELEMENT JoinGroup-Request (GroupID, ScreenName?, JoinedRequest,
  SubscribeNotification)>
<!ELEMENT JoinGroup (#PCDATA)>
<!ELEMENT SubscribeNotification (#PCDATA)>
<!ELEMENT JoinGroup-Response (UserList?, WelcomeNote?)>
<!ELEMENT LeaveGroup-Request (GroupID)>
<!ELEMENT LeaveGroup-Response (GroupID?, Result)>
<!ELEMENT GetGroupMembers-Request (GroupID)>
<!ELEMENT GetGroupMembers-Response (Admin?, Mod?, Users?)>
<!ELEMENT AddGroupMembers-Request (GroupID, UserList)>
<!ELEMENT RemoveGroupMembers-Request (GroupID, UserList)>
<!ELEMENT MemberAccess-Request (GroupID, Admin?, Mod?, Users?)>
<!ELEMENT GetGroupProps-Request (GroupID)>
<!ELEMENT GetGroupProps-Response (GroupProperties,
  OwnProperties)>
<!ELEMENT SetGroupProps-Request (GroupID, GroupProperties?,
  OwnProperties?)>
<!ELEMENT RejectList-Request (GroupID, AddList?, RemoveList?)>
<!ELEMENT RejectList-Response (UserList?)>
<!ELEMENT SubscribeGroupNotice-Request (GroupID, SubscribeType)>
<!ELEMENT SubscribeGroupNotice-Response (Value)>
<!ELEMENT GroupChangeNotice (GroupID, Joined?, Left?,
  GroupProperties?, OwnProperties?)>

<!ELEMENT DigestBytes (#PCDATA)>
<!ELEMENT DigestSchema (#PCDATA)>
<!ELEMENT Password (#PCDATA)>
<!ELEMENT Nonce (#PCDATA)>
<!ELEMENT CapabilityRequest (#PCDATA)>
```

```
<!ELEMENT CapabilityList (ClientType, InitialDeliveryMethod,
  ((AnyContent, AcceptedCharSet*) | AcceptedContentType*),
  AcceptedTransferEncoding*, AcceptedContentLength,
  SupportedBearer*, MultiTrans, ParserSize, SupportedCIRMMethod*,
  UDPPort?, TCPAddress?, TCPPort?, ServerPollMin?,
  DefaultLanguage?)>
<!ELEMENT ClientType (#PCDATA)>
<!ELEMENT InitialDeliveryMethod (#PCDATA)>
<!ELEMENT AnyContent (#PCDATA)>
<!ELEMENT AcceptedCharSet (#PCDATA)>
<!ELEMENT AcceptedContentType (#PCDATA)>
<!ELEMENT AcceptedTransferEncoding (#PCDATA)>
<!ELEMENT AcceptedContentLength (#PCDATA)>
<!ELEMENT SupportedBearer (#PCDATA)>
<!ELEMENT MultiTrans (#PCDATA)>
<!ELEMENT ParserSize (#PCDATA)>
<!ELEMENT SupportedCIRMMethod (#PCDATA)>
<!ELEMENT UDPPort (#PCDATA)>
<!ELEMENT TCPAddress (#PCDATA)>
<!ELEMENT TCPPort (#PCDATA)>
<!ELEMENT ServerPollMin (#PCDATA)>
<!ELEMENT DefaultLanguage (#PCDATA)>

<!ELEMENT Result (Code, Description?, DetailedResult*)>
<!ELEMENT Code (#PCDATA)>
<!ELEMENT Description (#PCDATA)>
<!ELEMENT DetailedResult (Code, Description?, UserID*, GroupID*,
  ScreenName*, MessageID*)>

<!ELEMENT SessionCookie (#PCDATA)>
<!ELEMENT Sender (User | Group)>
<!ELEMENT Recipient (User*, Group*, ContactList*)>
<!ELEMENT User (UserID, ClientID?)>
<!ELEMENT Group (GroupID | ScreenName)>
<!ELEMENT UserID (#PCDATA)>
<!ELEMENT ClientID (URL?, MSISDN?)>
<!ELEMENT GroupID (#PCDATA)>
<!ELEMENT MessageID (#PCDATA)>
<!ELEMENT MessageURI (#PCDATA)>
<!ELEMENT ScreenName (SName, GroupID)>
<!ELEMENT NickName (Name, UserID)>
<!ELEMENT URLList (URL+)>
<!ELEMENT URL (#PCDATA)>
<!ELEMENT MSISDN (#PCDATA)>
<!ELEMENT GroupList (GroupID+)>
<!ELEMENT UserList (User*, ScreenName*)>
<!ELEMENT ContactList (#PCDATA)>
<!ELEMENT DefaultContactList (#PCDATA)>
<!ELEMENT NickList ((NickName | UserID)*)>
<!ELEMENT AddNickList ((NickName | UserID)*)>
<!ELEMENT RemoveNickList (UserID+)>
<!ELEMENT DefaultList (#PCDATA)>

<!ELEMENT SearchPairList (SearchElement, SearchString)>
```

```
<!ELEMENT SearchElement (#PCDATA)>
<!ELEMENT SearchString (#PCDATA)>
<!ELEMENT SearchLimit (#PCDATA)>
<!ELEMENT SearchID (#PCDATA)>
<!ELEMENT SearchIndex (#PCDATA)>
<!ELEMENT SearchFindings (#PCDATA)>
<!ELEMENT SearchResult (UserList?, GroupList?)>

<!ELEMENT InviteID (#PCDATA)>
<!ELEMENT InviteType (#PCDATA)>
<!ELEMENT InviteNote (#PCDATA)>
<!ELEMENT Acceptance (#PCDATA)>
<!ELEMENT ResponseNote (#PCDATA)>

<!ELEMENT DefaultAttributeList (PresenceSubList*)>
<!ELEMENT Presence ((UserID | ContactList), PresenceSubList*)>
<!ELEMENT PresenceSubList (#PCDATA)>
<!ATTLIST PresenceSubList xmlns CDATA #REQUIRED
                        xmlns:Ext CDATA #IMPLIED>

<!ELEMENT KeepAliveTime (#PCDATA)>
<!ELEMENT TimeToLive (#PCDATA)>

<!ELEMENT SName (#PCDATA)>
<!ELEMENT Name (#PCDATA)>
<!ELEMENT Value (#PCDATA)>

<!ELEMENT Validity (#PCDATA)>

<!ELEMENT MessageInfo (MessageID?, MessageURI?, ContentType?,
    ContentEncoding?, ContentSize, Recipient, Sender, DateTime?,
    Validity?)>
<!ELEMENT DateTime (#PCDATA)>
<!ELEMENT MessageCount (#PCDATA)>

<!ELEMENT DeliveryReport (#PCDATA)>
<!ELEMENT DeliveryMethod (#PCDATA)>

<!ELEMENT BlockList (InUse?,(EntityList| (AddList?,
    RemoveList?)))>
<!ELEMENT GrantList (InUse?,(EntityList| (AddList?,
    RemoveList?)))>
<!ELEMENT EntityList (UserID*, ScreenName*, GroupID*)>
<!ELEMENT AddList (UserID*, ScreenName*, GroupID*)>
<!ELEMENT RemoveList (UserID*, ScreenName*, GroupID*)>
<!ELEMENT InUse (#PCDATA)>

<!ELEMENT ContactListProperties (Property+)>
<!ELEMENT GroupProperties (Property+, WelcomeNote?)>
<!ELEMENT OwnProperties (Property+)>
<!ELEMENT Property (Name, Value?)>
<!ELEMENT WelcomeNote (ContentType, ContentEncoding?,
    ContentData)>
```

```
<!ELEMENT JoinedRequest (#PCDATA)>

<!ELEMENT Admin (UserList)>
<!ELEMENT Mod (UserList)>
<!ELEMENT Users (UserList)>

<!ELEMENT SubscribeType (#PCDATA)>
<!ELEMENT Joined (UserList)>
<!ELEMENT Left (UserList)>

<!ELEMENT Logo (ContentType, ContentSize?, ContentEncoding,
  ContentData)>
<!ELEMENT ContentType (#PCDATA)>
<!ELEMENT ContentData (#PCDATA)>
<!ELEMENT ContentSize (#PCDATA)>
<!ELEMENT ContentEncoding (#PCDATA)>

<!ELEMENT AllFunctionsRequest (#PCDATA)>
<!ELEMENT AllFunctions (WVCSPFeat)>
<!ELEMENT Functions (WVCSPFeat)>
<!ELEMENT WVCSPFeat (FundamentalFeat?, PresenceFeat?, IMFeat?,
  GroupFeat?)>

<!ELEMENT FundamentalFeat (ServiceFunc?, SearchFunc?,
  InviteFunc?)>
<!ELEMENT PresenceFeat (ContListFunc?, PresenceAuthFunc?,
  PresenceDeliverFunc?, AttListFunc?)>
<!ELEMENT IMFeat (IMSendFunc?, IMReceiveFunc?, IMAuthFunc?)>
<!ELEMENT GroupFeat (GroupMgmtFunc?, GroupUseFunc?,
  GroupAuthFunc?)>

<!ELEMENT ServiceFunc (GETSPI?)>
<!ELEMENT SearchFunc (SRCH?, STSRC?)>
<!ELEMENT InviteFunc (INVIT?, CAINV?)>

<!ELEMENT ContListFunc (GCLI?, CCLI?, DCLI?, MCLS?)>
<!ELEMENT PresenceAuthFunc (GETWL?, REACT?, CAAUT?)>
<!ELEMENT PresenceDeliverFunc (GETPR?, UPDPR?)>
<!ELEMENT AttListFunc (CALI?, DALI?, GALS?)>

<!ELEMENT IMSendFunc (MDELIV?, FWMSG?)>
<!ELEMENT IMReceiveFunc (SETD?, GETLM?, GETM?, REJCM?, NOTIF?,
  NEWM?)>
<!ELEMENT IMAuthFunc (GLBLU?, BLENT?)>

<!ELEMENT GroupMgmtFunc (CREAG?, DELGR?, GETGP?, SETGP?)>
<!ELEMENT GroupUseFunc (SUBGCN?, GRCHN?)>
<!ELEMENT GroupAuthFunc (GETGM?, ADDGM?, RMVGM?, MBRAC?, REJEC?)>

<!ELEMENT GETSPI EMPTY>
<!ELEMENT SRCH EMPTY>
<!ELEMENT STSRC EMPTY>
<!ELEMENT INVIT EMPTY>
<!ELEMENT CAINV EMPTY>
```



```
<!ELEMENT GCLI EMPTY>
<!ELEMENT CCLI EMPTY>
<!ELEMENT DCLI EMPTY>
<!ELEMENT MCLS EMPTY>
<!ELEMENT GETWL EMPTY>
<!ELEMENT REACT EMPTY>
<!ELEMENT CAAUT EMPTY>
<!ELEMENT GETPR EMPTY>
<!ELEMENT UPDPR EMPTY>
<!ELEMENT CALI EMPTY>
<!ELEMENT DALI EMPTY>
<!ELEMENT GALS EMPTY>

<!ELEMENT MDELIV EMPTY>
<!ELEMENT FWMSG EMPTY>
<!ELEMENT SETD EMPTY>
<!ELEMENT GETLM EMPTY>
<!ELEMENT GETM EMPTY>
<!ELEMENT REJCM EMPTY>
<!ELEMENT NOTIF EMPTY>
<!ELEMENT NEWM EMPTY>
<!ELEMENT GLBLU EMPTY>
<!ELEMENT BLENT EMPTY>

<!ELEMENT CREAG EMPTY>
<!ELEMENT DELGR EMPTY>
<!ELEMENT GETGP EMPTY>
<!ELEMENT SETGP EMPTY>
<!ELEMENT SUBGCN EMPTY>
<!ELEMENT GRCHN EMPTY>
<!ELEMENT GETGM EMPTY>
<!ELEMENT ADDGM EMPTY>
<!ELEMENT RMVGM EMPTY>
<!ELEMENT MBRAC EMPTY>
<!ELEMENT REJEC EMPTY>
```

6. XML BINDING EXAMPLES

6.1. STATUS PRIMITIVE WITH DETAILS

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>201</Code>
            <Description>Partially successful.</Description>
            <DetailedResult>
              <Code>531</Code>
              <Description>Unknown user.</Description>
              <UserID>wv:bad_user1@im.com</UserID>
              <UserID>wv:bad_user2@im.com</UserID>
            </DetailedResult>
            <DetailedResult>
              <Code>532</Code>
              <Description>Blocked.</Description>
              <UserID>wv:bad_user3@im.com</UserID>
              <UserID>wv:bad_user4@im.com</UserID>
            </DetailedResult>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.2. POLLING-REQUEST PRIMITIVE

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID/>
      </TransactionDescriptor>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <Polling-Request/>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>
```

6.3. 2-WAY LOGIN TRANSACTION

6.3.1 Login-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Login-Request>
          <UserID>wv:user@im.com</UserID>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <Password>lmy2pass3word</Password>
          <TimeToLive>120</TimeToLive>
          <SessionCookie>im.user.com#20011224#328746293
          </SessionCookie>
        </Login-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.3.2 Login-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
```

```

    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <Login-Response>
        <ClientID>
          <URL>http://206.226.10.25:80/IMPSAPP</URL>
        </ClientID>
        <Result>
          <Code>200</Code>
          <Description>Successfully logged in.</Description>
        </Result>
        <SessionID>im.user.com#48815@server.com</SessionID>
        <KeepAliveTime>120</KeepAliveTime>
        <CapabilityRequest>T</CapabilityRequest>
      </Login-Response>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.4. 4-WAY LOGIN TRANSACTION

6.4.1 Login-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Login-Request>
          <UserID>wv:user@im.com</UserID>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <DigestSchema>PWD,SHA,MD4,MD5,MD6</DigestSchema>
          <SessionCookie>im.user.com#20011224#328746293
          </SessionCookie>
        </Login-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.4.2 Login-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>

```

```

<SessionDescriptor>
  <SessionType>Outband</SessionType>
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <Login-Response>
      <ClientID>
        <URL>http://206.226.10.25:80/IMPSAPP</URL>
      </ClientID>
      <Result>
        <Code>200</Code>
        <Description>Successfully logged in.</Description>
      </Result>
      <Nonce>92387rhf934fho3fh9fkn309fn3pfun304ufn3</Nonce>
      <DigestSchema>MD6</DigestSchema>
      <CapabilityRequest>F</CapabilityRequest>
    </Login-Response>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.4.3 Login-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Login-Request>
          <UserID>wv:user@im.com</UserID>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <DigestBytes>alkkuayfdsAKDSJfsdfjhksadhlkasdlkfgsal
          </DigestBytes>
          <TimeToLive>120</TimeToLive>
          <SessionCookie>im.user.com#20011224#328746293
          </SessionCookie>
        </Login-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```
</Transaction>
</Session>
</WV-CSP-Message>
```

6.4.4 Login-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Login-Response>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <Result>
            <Code>200</Code>
            <Description>Successfully logged in.</Description>
          </Result>
          <SessionID>im.user.com#48815@server.com</SessionID>
          <KeepAliveTime>120</KeepAliveTime>
          <CapabilityRequest>T</CapabilityRequest>
        </Login-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.5. SERVICE NEGOTIATION TRANSACTION

6.5.1 Service-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
```

```

    <Service-Request>
      <ClientID>
        <URL>http://206.226.10.25:80/IMPSAPP</URL>
      </ClientID>
      <Functions>
        <WCSPFeat>
          <FundamentalFeat/>
          <PresenceFeat/>
          <IMFeat/>
        </WCSPFeat>
      </Functions>
      <AllFunctionsRequest>T</AllFunctionsRequest>
    </Service-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.5.2 Service-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Service-Response>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <Functions>
            <WCSPFeat>
              <FundamentalFeat>
                <SearchFunc/>
              </FundamentalFeat>
            </WCSPFeat>
          </Functions>
          <AllFunctions>
            <WCSPFeat/>
          </AllFunctions>
        </Service-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.6. CLIENT CAPABILITY NEGOTIATION TRANSACTION

6.6.1 ClientCapability-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <ClientCapability-Request>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <CapabilityList>
            <ClientType>MOBILE_PHONE</ClientType>
            <InitialDeliveryMethod>P</InitialDeliveryMethod>
            <AcceptedContentType>text/plain; charset=us-ascii</AcceptedContentType>
            <AcceptedContentType>application/x-sms</AcceptedContentType>
            <AcceptedContentType>text/x-vCard; charset=us-ascii</AcceptedContentType>
            <AcceptedContentType>text/x-vCalendar; charset=us-ascii</AcceptedContentType>
            <AcceptedTransferEncoding>BASE64</AcceptedTransferEncoding>
            <AcceptedContentLength>32767</AcceptedContentLength>
            <SupportedBearer>SMS</SupportedBearer>
            <SupportedBearer>WSP</SupportedBearer>
            <SupportedBearer>HTTP</SupportedBearer>
            <MultiTrans>1</MultiTrans>
            <ParserSize>32767</ParserSize>
            <SupportedCIRMethod>WAPSMS</SupportedCIRMethod>
            <SupportedCIRMethod>WAPUDP</SupportedCIRMethod>
            <SupportedCIRMethod>SUDP</SupportedCIRMethod>
            <SupportedCIRMethod>STCP</SupportedCIRMethod>
            <UDPPort>91</UDPPort>
            <ServerPollMin>2</ServerPollMin>
          </CapabilityList>
        </ClientCapability-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```


6.6.2 ClientCapability-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
    <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <ClientCapability-Response>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <CapabilityList>
            <ClientType>MOBILE_PHONE</ClientType>
            <InitialDeliveryMethod>P</InitialDeliveryMethod>
            <AcceptedContentType>text/plain; charset=us-ascii</AcceptedContentType>
            <AcceptedContentType>application/x-sms</AcceptedContentType>
            <AcceptedContentType>text/x-vCard; charset=us-ascii</AcceptedContentType>
            <AcceptedContentType>text/x-vCalendar; charset=us-ascii</AcceptedContentType>
            <AcceptedTransferEncoding>BASE64</AcceptedTransferEncoding>
            <AcceptedContentLength>32767</AcceptedContentLength>
            <SupportedBearer>SMS</SupportedBearer>
            <SupportedBearer>WSP</SupportedBearer>
            <SupportedBearer>HTTP</SupportedBearer>
            <MultiTrans>1</MultiTrans>
            <ParserSize>32767</ParserSize>
            <SupportedCIRMethod>WAPSMS</SupportedCIRMethod>
            <SupportedCIRMethod>WAPUDP</SupportedCIRMethod>
            <SupportedCIRMethod>SUDP</SupportedCIRMethod>
            <SupportedCIRMethod>STCP</SupportedCIRMethod>
            <UDPPort>91</UDPPort>
            <TCPAddress>100.100.100.100</TCPAddress>
            <TCPPort>98</TCPPort>
            <ServerPollMin>3</ServerPollMin>
          </CapabilityList>
        </ClientCapability-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.7. LOGOUT TRANSACTION

6.7.1 Logout-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Logout-Request/>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.7.2 Disconnect primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Disconnect>
          <Result>
            <Code>200</Code>
          </Result>
        </Disconnect>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.8. SERVER INITIATED LOGOUT TRANSACTION

6.8.1 Disconnect primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Disconnect>
          <Result>
            <Code>601</Code>
            <Description>
              Updating server software. All services offline for 3
hours.
            </Description>
          </Result>
        </Disconnect>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.9. TIME-OUT RESET TRANSACTION

6.9.1 KeepAlive-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <KeepAlive-Request>
          <TimeToLive>20</TimeToLive>
        </KeepAlive-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
</Session>
</WV-CSP-Message>
```

6.9.2 KeepAlive-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <KeepAlive-Response>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
          <KeepAliveTime>120</KeepAliveTime>
        </KeepAlive-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.10. GET SERVICE PROVIDER INFO TRANSACTION

6.10.1 GetSPInfo-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetSPInfo-Request>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
        </GetSPInfo-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```

    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.10.2 GetSPInfo-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <GetSPInfo-Response>
          <ClientID>
            <URL>http://206.226.10.25:80/IMPSAPP</URL>
          </ClientID>
          <Name>Fake Chocholate Co.</Name>
          <Logo>
            <ContentType>application/vnd.wap.mms-message</ContentType>
            <ContentSize>1234</ContentSize>
            <ContentEncoding>BASE64</ContentEncoding>
            <ContentData>Base64EncodedDataHere</ContentData>
          </Logo>
          <Description>We make the fakest chocholate in the world!</Description>
          <URL>http://www.fake-chocholate.co.uk</URL>
        </GetSPInfo-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.11. GENERAL SEARCH TRANSACTION

6.11.1 Search-Request (1st) primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>

```

```

    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
    <Search-Request>
      <SearchPairList>
        <SearchElement>USER_LAST_NAME</SearchElement>
        <SearchString>Smith</SearchString>
      </SearchPairList>
      <SearchPairList>
        <SearchElement>USER_ONLINE_STATUS</SearchElement>
        <SearchString>T</SearchString>
      </SearchPairList>
      <SearchLimit>5</SearchLimit>
    </Search-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.11.2 Search-Response (1st) primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Search-Response>
          <SearchID>0x23829381</SearchID>
          <SearchFindings>7</SearchFindings>
          <CompletionFlag>F</CompletionFlag>
          <SearchIndex>5</SearchIndex>
          <SearchResult>
            <UserList>
              <User><UserID>wv:he@there.com</UserID></User>
              <User><UserID>wv:she@there.com</UserID></User>
              <User>
                <UserID>wv:matthias@salamander.com</UserID>
              </User>
              <User><UserID>wv:francisco@don.com</UserID></User>
              <User><UserID>wv:john@smith.com</UserID></User>
            </UserList>
          </SearchResult>
        </Search-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```
</Transaction>
</Session>
</WV-CSP-Message>
```

6.11.3 Search-Request (continued) primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Search-Request>
          <SearchID>0x23829381</SearchID>
          <SearchIndex>6</SearchIndex>
        </Search-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.11.4 Search-Response (continued) primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Search-Response>
          <SearchID>0x23829381</SearchID>
          <SearchFindings>7</SearchFindings>
          <CompletionFlag>T</CompletionFlag>
          <SearchIndex>7</SearchIndex>
          <SearchResult>
            <UserList>
              <User><UserID>wv:mary@site.com</UserID></User>
              <User><UserID>wv:anna@server.com</UserID></User>
            </UserList>
          </SearchResult>
        </Search-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
        </SearchResult>
      </Search-Response>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>
```

6.11.5 StopSearch-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <StopSearch-Request>
          <SearchID>0x23829381</SearchID>
        </StopSearch-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.11.6 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
```



```
</WV-CSP-Message>
```

6.12. GENERAL INVITATION TRANSACTION

6.12.1 Invite-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Invite-Request>
          <InviteID>0x38382025</InviteID>
          <InviteType>GR</InviteType>
          <Recipient>
            <User><UserID>wv:he@there.com</UserID></User>
            <User><UserID>wv:she@there.com</UserID></User>
            <Group>
              <ScreenName>
                <SName>Johnny</SName>
                <GroupID>wv:john/partygroup@there.com</GroupID>
              </ScreenName>
            </Group>
          </Recipient>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <InviteNote>Come to party! You have 10 minutes!
          </InviteNote>
          <ScreenName>
            <SName>WV</SName>
            <GroupID>wv:john/partygroup@there.com</GroupID>
          </ScreenName>
          <Validity>600</Validity>
        </Invite-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.12.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
```

```

</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <Status>
      <Result>
        <Code>200</Code>
        <Description>Successfully completed.</Description>
      </Result>
    </Status>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.12.3 InviteUser-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <InviteUser-Request>
          <InviteID>0x38382025</InviteID>
          <InviteType>GR</InviteType>
          <Sender>
            <Group>
              <ScreenName>
                <SName>WV</SName>
                <GroupID>wv: john/partygroup@there.com</GroupID>
              </ScreenName>
            </Group>
          </Sender>
          <GroupID>wv: john/partygroup@there.com</GroupID>
          <InviteNote>Come to party!</InviteNote>
          <Validity>600</Validity>
        </InviteUser-Request>
      </TransactionContent>
    </Transaction>
  </Session>

```

```
</WV-CSP-Message>
```

6.12.4 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.12.5 InviteUser-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <InviteUser-Response>
          <InviteID>0x38382025</InviteID>
          <Acceptance>T</Acceptance>
          <ResponseNote>OK, just a sec!</ResponseNote>
          <ScreenName>
            <SName>Johnny</SName>
            <GroupID>wv:john/partygroup@there.com</GroupID>
          </ScreenName>
        </InviteUser-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
</Session>
</WV-CSP-Message>
```

6.12.6 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.12.7 Invite-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12348@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Invite-Response>
          <InviteID>0x38382025</InviteID>
          <Acceptance>T</Acceptance>
          <Sender>
            <Group>
              <ScreenName>
                <SName>WV</SName>
                <GroupID>wv:john@partygroup@there.com</GroupID>
              </ScreenName>
            </Group>
          </Sender>
        </Invite-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```

        </ScreenName>
      </Group>
    </Sender>
    <ResponseNote>OK, just a sec!</ResponseNote>
  </Invite-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.12.8 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12348@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.13. RECALL INVITATION TRANSACTION

6.13.1 CancelInvite-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">

```

```

    <CancelInvite-Request>
      <InviteID>0x38382025</InviteID>
      <Recipient>
        <User><UserID>wv:he@there.com</UserID></User>
        <User><UserID>wv:she@there.com</UserID></User>
        <Group>
          <ScreenName>
            <SName>Johnny</SName>
            <GroupID>wv:john/partygroup@there.com</GroupID>
          </ScreenName>
        </Group>
      </Recipient>
      <InviteNote>Time is up!</InviteNote>
      <ScreenName>
        <SName>WV</SName>
        <GroupID>wv:john/partygroup@there.com</GroupID>
      </ScreenName>
    </CancelInvite-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.13.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.13.3 CancelInviteUser-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>

```

```

<SessionDescriptor>
  <SessionType>Inband</SessionType>
  <SessionID>im.user.com#48815@server.com</SessionID>
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Request</TransactionMode>
    <TransactionID>IMApp01#12346@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <CancelInviteUser-Request>
      <InviteID>0x38382025</InviteID>
      <Sender>
        <Group>
          <ScreenName>
            <SName>WV</SName>
            <GroupID>wv:john/partygroup@there.com</GroupID>
          </ScreenName>
        </Group>
      </Sender>
      <InviteNote>Time is up!</InviteNote>
    </CancelInviteUser-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.13.4 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.14. SUBSCRIBE/UNSUBSCRIBE PRESENCE TRANSACTION

6.14.1 SubscribePresence-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <SubscribePresence-Request>
          <ContactList>wv:john/ContactList-5@smith.com
          </ContactList>
          <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
            <OnlineStatus/>
            <Registration/>
            <ClientInfo/>
            <TimeZone/>
            <GeoLocation/>
            <Address/>
            <FreeTextLocation/>
            <PLMN/>
            <CommCap/>
            <UserAvailability/>
            <PreferredContacts/>
            <PreferredLanguage/>
            <StatusText/>
            <StatusMood/>
            <Alias/>
            <StatusContent/>
            <ContactInfo/>
          </PresenceSubList>
        </SubscribePresence-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.14.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
```



```

</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
    <Status>
      <Result>
        <Code>200</Code>
        <Description>Successfully completed.</Description>
      </Result>
    </Status>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.14.3 PresenceNotification-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <PresenceNotification-Request>
          <Presence>
            <UserID>wv:he@there.com</UserID>
            <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
              <OnlineStatus>
                <Qualifier>T</Qualifier>
                <PresenceValue>T</PresenceValue>
              </OnlineStatus>
              <Registration>
                <Qualifier>T</Qualifier>
                <PresenceValue>T</PresenceValue>
              </Registration>
              <ClientInfo>
                <Qualifier>T</Qualifier>
                <ClientType>MOBILE_PHONE</ClientType>
                <DevManufacturer>ABC Company</DevManufacturer>
                <Model>xyz200</Model>
              </ClientInfo>
            </PresenceSubList>
          </Presence>
        </PresenceNotification-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```
<Language>fin</Language>
</ClientInfo>
<TimeZone>
  <Qualifier>T</Qualifier>
  <Zone>+02</Zone>
</TimeZone>
<GeoLocation>
  <Qualifier>T</Qualifier>
  <Longitude>35 24 15.652W</Longitude>
  <Latitude>12 36 22.5N</Latitude>
  <Accuracy>200</Accuracy>
</GeoLocation>
<Address>
  <Qualifier>T</Qualifier>
  <Country>GB</Country>
  <City>London</City>
</Address>
<FreeTextLocation>
  <Qualifier>T</Qualifier>
  <PresenceValue>At home</PresenceValue>
</FreeTextLocation>
<PLMN>
  <Qualifier>T</Qualifier>
  <PresenceValue>Sonera</PresenceValue>
</PLMN>
<CommCap>
  <Qualifier>T</Qualifier>
  <CommC>
    <Cap>CALL</Cap>
    <Status>OPEN</Status>
    <Contact>+35804123123</Contact>
    <Note>I am using this phone during office hours
    </Note>
  </CommC>
  <CommC>
    <Cap>CALL</Cap>
    <Status>CLOSED</Status>
    <Contact>+35805456456</Contact>
    <Note>
      I am using this phone outside office hours
    </Note>
  </CommC>
  <CommC>
    <Cap>IM</Cap>
    <Status>OPEN</Status>
    <Contact>he@there.com</Contact>
    <Note>My IM-application is now online</Note>
  </CommC>
</CommCap>
<UserAvailability>
  <Qualifier>T</Qualifier>
  <PresenceValue>AVAILABLE</PresenceValue>
</UserAvailability>
<PreferredContacts>
```

```
<Qualifier>T</Qualifier>
<AddrPref>
  <PrefC>CALL</PrefC>
  <Caddr>+35804123123</Caddr>
  <Cstatus>OPEN</Cstatus>
  <Cname>Home Phone</Cname>
  <Cpriority>10</Cpriority>
</AddrPref>
<AddrPref>
  <PrefC>SMS</PrefC>
  <Caddr>+35804123123</Caddr>
  <Cstatus>OPEN</Cstatus>
  <Cname>Home Messaging</Cname>
  <Cpriority>20</Cpriority>
</AddrPref>
<AddrPref>
  <PrefC>IM</PrefC>
  <Caddr>ari@im.com</Caddr>
  <Cstatus>CLOSED</Cstatus>
  <Cname>Private IM</Cname>
  <Cpriority>30</Cpriority>
</AddrPref>
</PreferredContacts>
<PreferredLanguage>
  <Qualifier>T</Qualifier>
  <PresenceValue>fin</PresenceValue>
</PreferredLanguage>
<StatusText>
  <Qualifier>T</Qualifier>
  <PresenceValue>Busy editing a document
</PresenceValue>
</StatusText>
<StatusMood>
  <Qualifier>T</Qualifier>
  <PresenceValue>SLEEPY</PresenceValue>
</StatusMood>
<Alias>
  <Qualifier>T</Qualifier>
  <PresenceValue>He</PresenceValue>
</Alias>
<StatusContent>
  <Qualifier>T</Qualifier>
  <ReferredContent>http://www.foo.com/MyLogo
</ReferredContent>
</StatusContent>
<ContactInfo>
  <Qualifier>T</Qualifier>
  <ReferredvCard>http://www.foo.com/MyCard
</ReferredvCard>
</ContactInfo>
</PresenceSubList>
</Presence>
</PresenceNotification-Request>
</TransactionContent>
```

```
</Transaction>
</Session>
</WV-CSP-Message>
```

6.14.4 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.14.5 UnsubscribePresence-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <UnsubscribePresence-Request>
          <ContactList>wv:john/ContactList-5@smith.com
          </ContactList>
        </UnsubscribePresence-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.14.6 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.15. GET WATCHER LIST TRANSACTION

6.15.1 GetWatcherList-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetWatcherList-Request/>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.15.2 GetWatcherList-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
```

```

<SessionDescriptor>
  <SessionType>Inband</SessionType>
  <SessionID>im.user.com#48815@server.com</SessionID>
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <GetWatcherList-Response>
      <User><UserID>wv:he@there.com</UserID></User>
      <User><UserID>wv:she@there.com</UserID></User>
    </GetWatcherList-Response>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.16. GET PRESENCE TRANSACTION

6.16.1 GetPresence-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetPresence-Request>
          <User><UserID>wv:he@there.com</UserID></User>
          <User><UserID>wv:she@there.com</UserID></User>
          <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
            <OnlineStatus/>
            <Registration/>
            <ClientInfo/>
            <TimeZone/>
            <GeoLocation/>
            <Address/>
            <FreeTextLocation/>
            <PLMN/>
            <CommCap/>
            <UserAvailability/>
            <PreferredContacts/>

```

```

        <PreferredLanguage/>
        <StatusText/>
        <StatusMood/>
        <Alias/>
        <StatusContent/>
        <ContactInfo/>
    </PresenceSubList>
</GetPresence-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.16.2 GetPresence-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <GetPresence-Response>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
          <Presence>
            <UserID>wv:he@there.com</UserID>
            <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
              <OnlineStatus>
                <Qualifier>T</Qualifier>
                <PresenceValue>T</PresenceValue>
              </OnlineStatus>
              <Registration>
                <Qualifier>T</Qualifier>
                <PresenceValue>T</PresenceValue>
              </Registration>
              <ClientInfo>
                <Qualifier>T</Qualifier>
                <ClientType>MOBILE_PHONE</ClientType>
                <DevManufacturer>ABC Company</DevManufacturer>
                <Model>xyz200</Model>
                <Language>fin</Language>
              </ClientInfo>
              <TimeZone>

```

```
<Qualifier>T</Qualifier>
<Zone>+02</Zone>
</TimeZone>
<GeoLocation>
  <Qualifier>T</Qualifier>
  <Longitude>35 24 15.652W</Longitude>
  <Latitude>12 36 22.5N</Latitude>
  <Accuracy>200</Accuracy>
</GeoLocation>
<Address>
  <Qualifier>T</Qualifier>
  <Country>GB</Country>
  <City>London</City>
</Address>
<FreeTextLocation>
  <Qualifier>T</Qualifier>
  <PresenceValue>At home</PresenceValue>
</FreeTextLocation>
<PLMN>
  <Qualifier>T</Qualifier>
  <PresenceValue>Sonera</PresenceValue>
</PLMN>
<CommCap>
  <Qualifier>T</Qualifier>
  <CommC>
    <Cap>CALL</Cap>
    <Status>OPEN</Status>
    <Contact>+35804123123</Contact>
    <Note>I am using this phone during office hours
  </Note>
  </CommC>
  <CommC>
    <Cap>CALL</Cap>
    <Status>CLOSED</Status>
    <Contact>+35805456456</Contact>
    <Note>
      I am using this phone outside office hours
    </Note>
  </CommC>
  <CommC>
    <Cap>IM</Cap>
    <Status>OPEN</Status>
    <Contact>he@there.com</Contact>
    <Note>My IM-application is now online</Note>
  </CommC>
  <CommC>
    <Cap>IM</Cap>
    <Status>OPEN</Status>
    <Contact>he@there.com</Contact>
    <Note>My IM-application is now online</Note>
  </CommC>
</CommCap>
<UserAvailability>
  <Qualifier>T</Qualifier>
```



```
<PresenceValue>AVAILABLE</PresenceValue>
</UserAvailability>
<PreferredContacts>
  <Qualifier>T</Qualifier>
  <AddrPref>
    <PrefC>CALL</PrefC>
    <Caddr>+35804123123</Caddr>
    <Cstatus>OPEN</Cstatus>
    <Cname>Home Phone</Cname>
    <Cpriority>10</Cpriority>
  </AddrPref>
  <AddrPref>
    <PrefC>SMS</PrefC>
    <Caddr>+35804123123</Caddr>
    <Cstatus>OPEN</Cstatus>
    <Cname>Home Messaging</Cname>
    <Cpriority>20</Cpriority>
  </AddrPref>
  <AddrPref>
    <PrefC>IM</PrefC>
    <Caddr>ari@im.com</Caddr>
    <Cstatus>CLOSED</Cstatus>
    <Cname>Private IM</Cname>
    <Cpriority>30</Cpriority>
  </AddrPref>
</PreferredContacts>
<PreferredLanguage>
  <Qualifier>T</Qualifier>
  <PresenceValue>fin</PresenceValue>
</PreferredLanguage>
<StatusText>
  <Qualifier>T</Qualifier>
  <PresenceValue>Busy editing a document
</PresenceValue>
</StatusText>
<StatusMood>
  <Qualifier>T</Qualifier>
  <PresenceValue>SLEEPY</PresenceValue>
</StatusMood>
<Alias>
  <Qualifier>T</Qualifier>
  <PresenceValue>He</PresenceValue>
</Alias>
<StatusContent>
  <Qualifier>T</Qualifier>
  <ReferredContent>http://www.foo.com/MyLogo
</ReferredContent>
</StatusContent>
<ContactInfo>
  <Qualifier>T</Qualifier>
  <ReferredvCard>http://www.foo.com/MyCard
</ReferredvCard>
</ContactInfo>
</PresenceSubList>
```

```
</Presence>
<Presence>
  <UserID>wv:she@there.com</UserID>
  <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
    <OnlineStatus>
      <Qualifier>T</Qualifier>
      <PresenceValue>T</PresenceValue>
    </OnlineStatus>
    <Registration>
      <Qualifier>T</Qualifier>
      <PresenceValue>T</PresenceValue>
    </Registration>
    <ClientInfo>
      <Qualifier>T</Qualifier>
      <ClientType>MOBILE_PHONE</ClientType>
      <DevManufacturer>ABC Company</DevManufacturer>
      <Model>xyz200</Model>
      <Language>fin</Language>
    </ClientInfo>
    <TimeZone>
      <Qualifier>T</Qualifier>
      <Zone>+02</Zone>
    </TimeZone>
    <GeoLocation>
      <Qualifier>T</Qualifier>
      <Longitude>35 24 15.652W</Longitude>
      <Latitude>12 36 22.5N</Latitude>
      <Accuracy>200</Accuracy>
    </GeoLocation>
    <Address>
      <Qualifier>T</Qualifier>
      <Country>GB</Country>
      <City>London</City>
    </Address>
    <FreeTextLocation>
      <Qualifier>T</Qualifier>
      <PresenceValue>At home</PresenceValue>
    </FreeTextLocation>
    <PLMN>
      <Qualifier>T</Qualifier>
      <PresenceValue>Sonera</PresenceValue>
    </PLMN>
    <CommCap>
      <Qualifier>T</Qualifier>
      <CommC>
        <Cap>CALL</Cap>
        <Status>OPEN</Status>
        <Contact>+35804123123</Contact>
        <Note>I am using this phone during office hours
        </Note>
      </CommC>
      <CommC>
        <Cap>CALL</Cap>
```

```
<Status>CLOSED</Status>
<Contact>+35805456456</Contact>
<Note>
  I am using this phone outside office hours
</Note>
</CommC>
<CommC>
  <Cap>IM</Cap>
  <Status>OPEN</Status>
  <Contact>she@there.com</Contact>
  <Note>My IM-application is now online</Note>
</CommC>          </CommCap>
<UserAvailability>
  <Qualifier>T</Qualifier>
  <PresenceValue>AVAILABLE</PresenceValue>
</UserAvailability>
<PreferredContacts>
  <Qualifier>T</Qualifier>
  <AddrPref>
    <PrefC>CALL</PrefC>
    <Caddr>+35804123123</Caddr>
    <Cstatus>OPEN</Cstatus>
    <Cname>Business Phone</Cname>
    <Cpriority>10</Cpriority>
  </AddrPref>
  <AddrPref>
    <PrefC>SMS</PrefC>
    <Caddr>+35804123123</Caddr>
    <Cstatus>OPEN</Cstatus>
    <Cname>Business Messaging</Cname>
    <Cpriority>20</Cpriority>
  </AddrPref>
  <AddrPref>
    <PrefC>IM</PrefC>
    <Caddr>ari@im.com</Caddr>
    <Cstatus>CLOSED</Cstatus>
    <Cname>Private IM</Cname>
    <Cpriority>30</Cpriority>
  </AddrPref>
</PreferredContacts>
<PreferredLanguage>
  <Qualifier>T</Qualifier>
  <PresenceValue>fin</PresenceValue>
</PreferredLanguage>
<StatusText>
  <Qualifier>T</Qualifier>
  <PresenceValue>Busy editing a document
  </PresenceValue>
</StatusText>
<StatusMood>
  <Qualifier>T</Qualifier>
  <PresenceValue>SLEEPY</PresenceValue>
</StatusMood>
<Alias>
```

```

        <Qualifier>T</Qualifier>
        <PresenceValue>She</PresenceValue>
    </Alias>
    <StatusContent>
        <Qualifier>T</Qualifier>
        <DirectContent>
            BASE64EncodedDataHere
        </DirectContent>
    </StatusContent>
    <ContactInfo>
        <Qualifier>T</Qualifier>
        <ContainedvCard>
            vCardDataHere
        </ContainedvCard>
    </ContactInfo>
    </PresenceSubList>
</Presence>
</GetPresence-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.17. REACTIVE PRESENCE AUTHORIZATION TRANSACTION

6.17.1 PresenceAuth-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <PresenceAuth-Request>
          <UserID>wv:matthias@salamander.com</UserID>
          <PresenceSubList xmlns="http://www.wireless-village.org/PA1.1">
            <OnlineStatus/>
            <Registration/>
            <ClientInfo/>
            <TimeZone/>
            <GeoLocation/>
            <Address/>
            <FreeTextLocation/>
            <PLMN/>
            <CommCap/>
            <UserAvailability/>
          </PresenceSubList>
        </PresenceAuth-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```

        <PreferredContacts/>
        <PreferredLanguage/>
        <StatusText/>
        <StatusMood/>
        <Alias/>
        <StatusContent/>
        <ContactInfo/>
    </PresenceSubList>
</PresenceAuth-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.17.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.17.3 PresenceAuth-User primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">

```

```
<PresenceAuth-User>
  <UserID>wv:matthias@salamander.com</UserID>
  <Acceptance>T</Acceptance>
</PresenceAuth-User>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.17.4 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.18. CANCEL PRESENCE AUTHORIZATION TRANSACTION

6.18.1 CancelAuth-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <CancelAuth-Request>
```

```
        <UserID>wv:matthias@salamander.com</UserID>
      </CancelAuth-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>
```

6.18.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.19. UPDATE PRESENCE TRANSACTION

6.19.1 UpdatePresence-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <UpdatePresence-Request>
```

```
<PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
  <StatusText>
    <Qualifier>T</Qualifier>
    <PresenceValue>on the way home</PresenceValue>
  </StatusText>
  <StatusMood>
    <Qualifier>T</Qualifier>
    <PresenceValue>HAPPY</PresenceValue>
  </StatusMood>
</PresenceSubList>
</UpdatePresence-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.19.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.20. SEND MESSAGE TRANSACTION

6.20.1 SendMessage-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
```



```

</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Request</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <SendMessage-Request>
      <DeliveryReport>T</DeliveryReport>
      <MessageInfo>
        <ContentType>text/plain</ContentType>
        <ContentEncoding>None</ContentEncoding>
        <ContentSize>58</ContentSize>
        <Recipient>
          <User>
            <UserID>wv:he@there.com</UserID>
          </User>
          <Group>
            <ScreenName>
              <SName>Wicked Vicky</SName>
              <GroupID>wv:john/chatgroup@there.com</GroupID>
            </ScreenName>
          </Group>
          <ContactList>wv:john/My_friends@smith.com
          </ContactList>
        </Recipient>
        <Sender>
          <User>
            <UserID>wv:john@smith.com</UserID>
          </User>
        </Sender>
        <DateTime>20010925T1340Z</DateTime>
        <Validity>600</Validity>
      </MessageInfo>
      <ContentData>
        Hurry up; they are ringing the bells in the WV
already...
      </ContentData>
    </SendMessage-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.20.2 SendMessage-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>

```

```

    <TransactionDescriptor>
      <TransactionMode>Response</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      <Poll>F</Poll>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <SendMessage-Response>
        <Result>
          <Code>200</Code>
          <Description>Successfully completed.</Description>
        </Result>
        <MessageID>0x0000f132</MessageID>
      </SendMessage-Response>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.21. SET DELIVERY METHOD TRANSACTION

6.21.1 SetDeliveryMethod-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <SetDeliveryMethod-Request>
          <DeliveryMethod>P</DeliveryMethod>
          <AcceptedContentLength>2048</AcceptedContentLength>
          <GroupID>wv:/chatgroup@server.com</GroupID>
        </SetDeliveryMethod-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.21.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
  </Session>
</WV-CSP-Message>

```

```

</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <Status>
      <Result>
        <Code>200</Code>
        <Description>Successfully completed.</Description>
      </Result>
    </Status>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.22. GET LIST OF UNDELIVERED MESSAGES TRANSACTION

6.22.1 GetMessageList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetMessageList-Request>
          <GroupID>wv:john/chatgroup@there.com</GroupID>
          <MessageCount>5</MessageCount>
        </GetMessageList-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.22.2 GetMessageList-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>

```

```
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <GetMessageList-Response>
      <MessageInfo>
        <MessageID>0x0000f132</MessageID>
        <ContentType>text/plain</ContentType>
        <ContentEncoding>None</ContentEncoding>
        <ContentSize>41</ContentSize>
        <Recipient>
          <Group>
            <ScreenName>
              <SName>Johnnie</SName>
              <GroupID>wv: john/chatgroup@there.com</GroupID>
            </ScreenName>
          </Group>
        </Recipient>
        <Sender>
          <Group>
            <ScreenName>
              <SName>Wicked Vicky</SName>
              <GroupID>wv: john/chatgroup@there.com</GroupID>
            </ScreenName>
          </Group>
        </Sender>
        <DateTime>20010925T1340Z</DateTime>
        <Validity>600</Validity>
      </MessageInfo>
      <MessageInfo>
        <MessageID>0x0000f133</MessageID>
        <ContentType>text/plain</ContentType>
        <ContentEncoding>None</ContentEncoding>
        <ContentSize>20</ContentSize>
        <Recipient>
          <Group>
            <ScreenName>
              <SName>Johnnie</SName>
              <GroupID>wv: john/chatgroup@there.com</GroupID>
            </ScreenName>
          </Group>
        </Recipient>
        <Sender>
          <Group>
            <ScreenName>
              <SName>Wicked Vicky</SName>
              <GroupID>wv: john/chatgroup@there.com</GroupID>
            </ScreenName>
          </Group>
        </Sender>
      </MessageInfo>
    </GetMessageList-Response>
  </TransactionContent>
</Transaction>
</SessionDescriptor>
```

```

        </Sender>
        <DateTime>20010925T1342Z</DateTime>
        <Validity>600</Validity>
    </MessageInfo>
</GetMessageList-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.23. REJECTING A MESSAGE (NOTIFY/GET METHOD ONLY) TRANSACTION

6.23.1 RejectMessage-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <RejectMessage-Request>
          <MessageID>0x0000f132</MessageID>
        </RejectMessage-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.23.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```

        <Description>Successfully completed.</Description>
    </Result>
</Status>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.24. MESSAGE NOTIFICATION (NOTIFY/GET METHOD ONLY) TRANSACTION

6.24.1 MessageNotification primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <MessageNotification>
          <MessageInfo>
            <MessageID>0x0000f132</MessageID>
            <ContentType>text/plain</ContentType>
            <ContentEncoding>None</ContentEncoding>
            <ContentSize>189</ContentSize>
            <Recipient>
              <Group>
                <ScreenName>
                  <SName>Johnnie</SName>
                  <GroupID>wv:john/chatgroup@there.com</GroupID>
                </ScreenName>
              </Group>
            </Recipient>
            <Sender>
              <Group>
                <ScreenName>
                  <SName>Wicked Vicky</SName>
                  <GroupID>wv:john/chatgroup@there.com</GroupID>
                </ScreenName>
              </Group>
            </Sender>
            <DateTime>20010925T1340Z</DateTime>
            <Validity>600</Validity>
          </MessageInfo>
        </MessageNotification>
      </TransactionContent>
    </Transaction>

```

```
</Session>
</WV-CSP-Message>
```

6.24.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.25. RETRIEVING A MESSAGE (GET/NOTIFY METHOD) TRANSACTION

6.25.1 GetMessage-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <GetMessage-Request>
          <MessageID>0x0000f132</MessageID>
        </GetMessage-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.25.2 GetMessage-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <GetMessage-Response>
          <MessageInfo>
            <MessageID>0x0000f132</MessageID>
            <ContentType>text/plain</ContentType>
            <ContentEncoding>None</ContentEncoding>
            <ContentSize>41</ContentSize>
            <Recipient>
              <Group>
                <ScreenName>
                  <SName>Johnnie</SName>
                  <GroupID>wv:john/chatgroup@there.com</GroupID>
                </ScreenName>
              </Group>
            </Recipient>
            <Sender>
              <Group>
                <ScreenName>
                  <SName>Wicked Vicky</SName>
                  <GroupID>wv:john/chatgroup@there.com</GroupID>
                </ScreenName>
              </Group>
            </Sender>
            <DateTime>20010925T1340Z</DateTime>
            <Validity>600</Validity>
          </MessageInfo>
          <ContentData>Hi guys, just arrived... How is it going?
          </ContentData>
        </GetMessage-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.25.3 MessageDelivered primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
```



```
<SessionDescriptor>
  <SessionType>Inband</SessionType>
  <SessionID>im.user.com#48815@server.com</SessionID>
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12346@NOK5110</TransactionID>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <MessageDelivered>
      <MessageID>0x0000f132</MessageID>
    </MessageDelivered>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.25.4 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.26. DELIVERING A MESSAGE (PUSH METHOD) TRANSACTION

6.26.1 NewMessage primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
```

```

    <SessionType>Inband</SessionType>
    <SessionID>im.user.com#48815@server.com</SessionID>
  </SessionDescriptor>
  <Transaction>
    <TransactionDescriptor>
      <TransactionMode>Request</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      <Poll>F</Poll>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <NewMessage>
        <MessageInfo>
          <MessageID>0x0000f132</MessageID>
          <ContentType>text/plain</ContentType>
          <ContentEncoding>None</ContentEncoding>
          <ContentSize>41</ContentSize>
          <Recipient>
            <Group>
              <ScreenName>
                <SName>Johnnie</SName>
                <GroupID>wv:john/chatgroup@there.com</GroupID>
              </ScreenName>
            </Group>
          </Recipient>
          <Sender>
            <Group>
              <ScreenName>
                <SName>Wicked Vicky</SName>
                <GroupID>wv:john/chatgroup@there.com</GroupID>
              </ScreenName>
            </Group>
          </Sender>
          <DateTime>20010925T1340Z</DateTime>
          <Validity>600</Validity>
        </MessageInfo>
        <ContentData>Hi guys, just arrived... How is it going?
        </ContentData>
      </NewMessage>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.26.2 MessageDelivered primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>

```

```

    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <MessageDelivered>
      <MessageID>0x0000f132</MessageID>
    </MessageDelivered>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.27. DELIVERY REPORT TRANSACTION

6.27.1 DeliveryReport-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <DeliveryReport-Request>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
          <DeliveryTime>20010925T1341Z</DeliveryTime>
          <MessageInfo>
            <MessageID>0x0000f132</MessageID>
            <ContentType>text/plain</ContentType>
            <ContentEncoding>None</ContentEncoding>
            <ContentSize>41</ContentSize>
            <Recipient>
              <Group>
                <ScreenName>
                  <SName>B. Billy</SName>
                  <GroupID>wv:/happy@hippie.com</GroupID>
                </ScreenName>
              </Group>
            </Recipient>
            <Sender>
              <Group>
                <ScreenName>
                  <SName>Johnnie</SName>

```

```
        <GroupID>wv:/happy@hippie.com</GroupID>
      </ScreenName>
    </Group>
  </Sender>
  <DateTime>20010925T1340Z</DateTime>
  <Validity>600</Validity>
</MessageInfo>
</DeliveryReport-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.27.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.28. FORWARD UNDELIVERED MESSAGE TRANSACTION

6.28.1 ForwardMessage-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```

    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <ForwardMessage-Request>
        <MessageID>0x0000f132</MessageID>
        <Recipient>
          <Group>
            <ScreenName>
              <SName>B. Billy</SName>
              <GroupID>wv:/happy@hippie.com</GroupID>
            </ScreenName>
          </Group>
        </Recipient>
      </ForwardMessage-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.28.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.29. GET BLOCKED USER LIST TRANSACTION

6.29.1 GetBlockedList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>

```

```

    <SessionType>Inband</SessionType>
    <SessionID>im.user.com#48815@server.com</SessionID>
  </SessionDescriptor>
  <Transaction>
    <TransactionDescriptor>
      <TransactionMode>Request</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
      <GetBlockedList-Request/>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.29.2 GetBlockedList-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetBlockedList-Response>
          <BlockList>
            <InUse>F</InUse>
            <EntityList>
              <UserID>wv:he@there.com</UserID>
              <UserID>wv:she@there.com</UserID>
              <ScreenName>
                <SName>Billyboy</SName>
                <GroupID>wv:john/chatgroup@there.com</GroupID>
              </ScreenName>
              <GroupID>wv:/boringlist@server.com</GroupID>
            </EntityList>
          </BlockList>
          <GrantList>
            <InUse>T</InUse>
            <EntityList>
              <UserID>wv:matthias@salamander.com</UserID>
              <UserID>wv:francisco@don.com</UserID>
              <ScreenName>
                <SName>WV</SName>
                <GroupID>wv:john/chatgroup@there.com</GroupID>
              </ScreenName>
            </EntityList>
          </GrantList>
        </GetBlockedList-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```

        <GroupID>wv:/wireless@village.com</GroupID>
    </EntityList>
</GrantList>
</GetBlockedList-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.30. BLOCK ENTITY TRANSACTION

6.30.1 BlockEntity-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <BlockEntity-Request>
          <BlockList>
            <InUse>T</InUse>
            <AddList/>
            <RemoveList>
              <UserID>wv:matthias@salamander.com</UserID>
            </RemoveList>
          </BlockList>
          <GrantList>
            <InUse/>
            <AddList>
              <UserID>wv:matthias@salamander.com</UserID>
            </AddList>
            <RemoveList/>
          </GrantList>
        </BlockEntity-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.30.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Outband</SessionType>

```

```

</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <Status>
      <Result>
        <Code>200</Code>
        <Description>Successfully completed.</Description>
      </Result>
    </Status>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.31. GET LIST OF CONTACT LIST(S) TRANSACTION

6.31.1 GetList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <GetList-Request/>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.31.2 GetList-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>

```



```

    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <GetList-Response>
      <ContactList>wv:john/My_friends@smith.com</ContactList>
      <ContactList>wv:john/My_family@smith.com</ContactList>
      <ContactList>wv:john/My_colleagues@smith.com
</ContactList>
      <ContactList>wv:john/The_WV@smith.com
</ContactList>
      <DefaultContactList>wv:john/My_enemies@smith.com
</DefaultContactList>
    </GetList-Response>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.32. CREATE CONTACT LIST TRANSACTION

6.32.1 CreateList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <CreateList-Request>
          <ContactList>wv:john/My_friends@smith.com</ContactList>
          <NickList>
            <NickName>
              <Name>Brainstorm</Name>
              <UserID>wv:bright@dark.com</UserID>
            </NickName>
            <NickName>
              <Name>Randall the Vandal</Name>
              <UserID>wv:randall@fairlane.com</UserID>
            </NickName>
          </NickList>
          <ContactListProperties>
            <Property>
              <Name>DisplayName</Name>
              <Value>My friends</Value>
            </Property>
          </ContactListProperties>
        </CreateList-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```

        </Property>
        <Property>
            <Name>Default</Name>
            <Value>F</Value>
        </Property>
    </ContactListProperties>
</CreateList-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.32.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.33. DELETE CONTACT LIST TRANSACTION

6.33.1 DeleteList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>

```

```

    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <DeleteList-Request>
        <ContactList>wv:john/My_enemies@smith.com</ContactList>
      </DeleteList-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.33.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.34. RETRIEVE CONTACT LIST TRANSACTION

6.34.1 ListManage-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>

```

```

    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <ListManage-Request>
        <ContactList>wv:john/My_friends@smith.com</ContactList>
      </ListManage-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.34.2 ListManage-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <ListManage-Response>
          <Result>
            <Code>200</Code>
          </Result>
          <NickList>
            <NickName>
              <Name>Brainstrom</Name>
              <UserID>wv:bright@dark.com</UserID>
            </NickName>
            <NickName>
              <Name>Randall the Vandal</Name>
              <UserID>wv:randall@fairlane.com</UserID>
            </NickName>
            <NickName>
              <Name>JLo</Name>
              <UserID>wv:jenny@logic.com</UserID>
            </NickName>
            <NickName>
              <Name>Ex</Name>
              <UserID>wv:ex@wife.com</UserID>
            </NickName>
          </NickList>
          <ContactListProperties>
            <Property>
              <Name>DisplayName</Name>
              <Value>My friends</Value>
            </Property>
            <Property>

```

```

        <Name>Default</Name>
        <Value>F</Value>
    </Property>
</ContactListProperties>
</ListManage-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.35. ADD USERS TO CONTACT LIST TRANSACTION

6.35.1 ListManage-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <ListManage-Request>
          <ContactList>wv:john/My_friends@smith.com</ContactList>
          <AddNickList>
            <NickName>
              <Name>Randall the Vandal</Name>
              <UserID>wv:randall@fairlane.com</UserID>
            </NickName>
            <NickName>
              <Name>JLo</Name>
              <UserID>wv:jenny@logic.com</UserID>
            </NickName>
          </AddNickList>
        </ListManage-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.35.2 ListManage-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>

```

```

<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Response</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <ListManage-Response>
      <Result>
        <Code>200</Code>
      </Result>
      <NickList>
        <NickName>
          <Name>Randall the Vandal</Name>
          <UserID>wv:randall@fairlane.com</UserID>
        </NickName>
        <NickName>
          <Name>JLo</Name>
          <UserID>wv:jenny@logic.com</UserID>
        </NickName>
      </NickList>
    </ListManage-Response>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.36. REMOVE USERS FROM CONTACT LIST TRANSACTION

6.36.1 ListManage-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <ListManage-Request>
          <ContactList>wv:john/My_friends@smith.com</ContactList>
          <RemoveNickList>
            <UserID>wv:randall@fairlane.com</UserID>
            <UserID>wv:jenny@logic.com</UserID>
          </RemoveNickList>
        </ListManage-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```

    </Session>
  </WV-CSP-Message>

```

6.36.2 ListManage-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <ListManage-Response>
          <Result>
            <Code>200</Code>
          </Result>
          <NickList/>
        </ListManage-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.37. MODIFY PROPERTIES OF CONTACT LIST TRANSACTION

6.37.1 ListManage-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wi reless-
village.org/TRC1.1">
        <ListManage-Request>
          <ContactList>wv:john/My_friends@smith.com</ContactList>
          <ContactListProperties>
            <Property>
              <Name>DisplayName</Name>
              <Value>My enemies</Value>

```

```

        </Property>
        <Property>
            <Name>Default</Name>
            <Value>T</Value>
        </Property>
    </ContactListProperties>
</ListManage-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.37.2 ListManage-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <ListManage-Response>
          <Result>
            <Code>200</Code>
          </Result>
          <ContactListProperties>
            <Property>
              <Name>DisplayName</Name>
              <Value>My enemies</Value>
            </Property>
            <Property>
              <Name>Default</Name>
              <Value>T</Value>
            </Property>
          </ContactListProperties>
        </ListManage-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.38. CREATE ATTRIBUTE LIST TRANSACTION

6.38.1 CreateAttributeList-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">

```



```

<Session>
  <SessionDescriptor>
    <SessionType>Inband</SessionType>
    <SessionID>im.user.com#48815@server.com</SessionID>
  </SessionDescriptor>
  <Transaction>
    <TransactionDescriptor>
      <TransactionMode>Request</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <CreateAttributeList-Request>
        <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
          <UserAvailability/>
          <StatusMood/>
        </PresenceSubList>
        <UserID>somebody@nowhere.com</UserID>
        <UserID>another_one@nowhere.com</UserID>
        <ContactList>wv:john/My_friends@smith.com</ContactList>
        <ContactList>wv:john/My_family@smith.com</ContactList>
        <DefaultList>T</DefaultList>
      </CreateAttributeList-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.38.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>

```

```
</WV-CSP-Message>
```

6.39. DELETE ATTRIBUTE LIST TRANSACTION

6.39.1 DeleteAttributeList-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <DeleteAttributeList-Request>
          <UserID>somebody@nowhere.com</UserID>
          <UserID>another_one@nowhere.com</UserID>
          <ContactList>wv:john/My_friends@smith.com</ContactList>
          <ContactList>wv:john/My_family@smith.com</ContactList>
          <DefaultList>T</DefaultList>
        </DeleteAttributeList-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.39.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>
```

6.40. GET ATTRIBUTE LIST TRANSACTION

6.40.1 GetAttributeList-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetAttributeList-Request>
          <DefaultList>T</DefaultList>
        </GetAttributeList-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.40.2 GetAttributeList-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetAttributeList-Response>
          <Result>
            <Code>200</Code>
          </Result>
          <DefaultAttributeList>
            <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
```

```

        <UserAvailability/>
        <StatusMood/>
    </PresenceSubList>
</DefaultAttributeList>
<Presence>
    <UserID>somebody@nowhere.com</UserID>
    <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
        <OnlineStatus/>
        <UserAvailability/>
        <StatusText/>
        <StatusMood/>
    </PresenceSubList>
</Presence>
<Presence>
    <UserID>another_one@nowhere.com</UserID>
    <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
        <UserAvailability/>
        <StatusMood/>
    </PresenceSubList>
</Presence>
<Presence>
    <ContactList>wv:john/My_friends@smith.com
    </ContactList>
    <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
        <UserAvailability/>
        <StatusMood/>
    </PresenceSubList>
</Presence>
<Presence>
    <ContactList>wv:john/My_family@smith.com</ContactList>
    <PresenceSubList xmlns="http://www.wireless-
village.org/PA1.1">
        <UserAvailability/>
        <StatusMood/>
    </PresenceSubList>
</Presence>
</GetAttributeList-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.41. CREATE GROUP TRANSACTION

6.41.1 CreateGroup-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
    <Session>
        <SessionDescriptor>
            <SessionType>Inband</SessionType>
            <SessionID>im.user.com#48815@server.com</SessionID>

```

```
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Request</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <CreateGroup-Request>
      <GroupID>wv:john/partygroup@there.com</GroupID>
      <GroupProperties>
        <Property>
          <Name>Name</Name>
          <Value>Party discussion</Value>
        </Property>
        <Property>
          <Name>Accesstype</Name>
          <Value>Restricted</Value>
        </Property>
        <Property>
          <Name>PrivateMessaging</Name>
          <Value>F</Value>
        </Property>
        <Property>
          <Name>Searchable</Name>
          <Value>T</Value>
        </Property>
        <Property>
          <Name>Topic</Name>
          <Value>Party</Value>
        </Property>
        <Property>
          <Name>MaxActiveUsers</Name>
          <Value>30</Value>
        </Property>
        <WelcomeNote>
          <ContentType>text/plain</ContentType>
          <ContentData>Welcome to WV's party house
          </ContentData>
        </WelcomeNote>
      </GroupProperties>
      <JoinGroup>T</JoinGroup>
      <ScreenName>
        <SName>Jonhhie</SName>
        <GroupID>wv:thisgroup/group@server.com</GroupID>
      </ScreenName>
      <SubscribeNotification>T</SubscribeNotification>
    </CreateGroup-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.41.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.42. DELETE GROUP TRANSACTION

6.42.1 DeleteGroup-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <DeleteGroup-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
        </DeleteGroup-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.42.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.43. JOIN GROUP TRANSACTION

6.43.1 JoinGroup-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <JoinGroup-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <JoinedRequest>T</JoinedRequest>
          <SubscribeNotification>T</SubscribeNotification>
        </JoinGroup-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.43.2 JoinGroup-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <JoinGroup-Response>
          <UserList>
            <ScreenName>
              <SName>Johnny</SName>
              <GroupID>wv:john/partygroup@there.com</GroupID>
            </ScreenName>
            <ScreenName>
              <SName>He</SName>
              <GroupID>wv:john/partygroup@there.com</GroupID>
            </ScreenName>
            <ScreenName>
              <SName>She</SName>
              <GroupID>wv:john/partygroup@there.com</GroupID>
            </ScreenName>
            <ScreenName>
              <SName>Francisco</SName>
              <GroupID>wv:john/partygroup@there.com</GroupID>
            </ScreenName>
            <ScreenName>
              <SName>Matthias</SName>
              <GroupID>wv:john/partygroup@there.com</GroupID>
            </ScreenName>
          </UserList>
          <WelcomeNote>
            <ContentType>text/plain</ContentType>
            <ContentData>Welcome to WV's party house</ContentData>
          </WelcomeNote>
        </JoinGroup-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.44. USER INITIATED LEAVE GROUP TRANSACTION

6.44.1 LeaveGroup-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
```



```

<Session>
  <SessionDescriptor>
    <SessionType>Inband</SessionType>
    <SessionID>im.user.com#48815@server.com</SessionID>
  </SessionDescriptor>
  <Transaction>
    <TransactionDescriptor>
      <TransactionMode>Request</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <LeaveGroup-Request>
        <GroupID>wv:john/partygroup@there.com</GroupID>
      </LeaveGroup-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.44.2 LeaveGroup-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <LeaveGroup-Response>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <Result>
            <Code>200</Code>
            <Description>Own request.</Description>
          </Result>
        </LeaveGroup-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.45. SERVER INITIATED LEAVE GROUP TRANSACTION

6.45.1 LeaveGroup-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">

```

```
<Session>
<SessionDescriptor>
  <SessionType>Inband</SessionType>
  <SessionID>im.user.com#48815@server.com</SessionID>
</SessionDescriptor>
<Transaction>
  <TransactionDescriptor>
    <TransactionMode>Request</TransactionMode>
    <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <LeaveGroup-Response>
      <GroupID>wv:john/partygroup@there.com</GroupID>
      <Result>
        <Code>809</Code>
        <Description>You have been rejected from this group.
      </Description>
      </Result>
    </LeaveGroup-Response>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.45.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.46. GET GROUP MEMBER LIST TRANSACTION

6.46.1 GetGroupMembers-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetGroupMembers-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
        </GetGroupMembers-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.46.2 GetGroupMembers-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GetGroupMembers-Response>
          <Users>
            <UserList>
              <User><UserID>wv:he@there.com</UserID></User>
              <User><UserID>wv:she@there.com</UserID></User>
              <User><UserID>wv:john@smith.com</UserID></User>

              <User><UserID>wv:matthias@salamander.com</UserID></User>
              <User><UserID>wv:francisco@don.com</UserID></User>
            </UserList>
          </Users>
        </GetGroupMembers-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```
</Transaction>
</Session>
</WV-CSP-Message>
```

6.47. ADD GROUP MEMBERS TO A GROUP TRANSACTION

6.47.1 AddGroupMembers-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <AddGroupMembers-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <UserList>
            <User><UserID>wv:he@there.com</UserID></User>
            <User><UserID>wv:she@there.com</UserID></User>
          </UserList>
        </AddGroupMembers-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.47.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

```

        </Result>
      </Status>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.48. REMOVE GROUP MEMBERS FROM A GROUP TRANSACTION

6.48.1 RemoveGroupMembers-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <RemoveGroupMembers-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <UserList>
            <User>
              <UserID>wv:matthias@salamander.com</UserID>
            </User>
            <User><UserID>wv:john@smith.com</UserID></User>
            <User><UserID>wv:francisco@don.com</UserID></User>
            <User><UserID>wv:he@there.com</UserID></User>
            <User><UserID>wv:she@there.com</UserID></User>
          </UserList>
        </RemoveGroupMembers-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.48.2 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>

```

```

    <Poll>F</Poll>
  </TransactionDescriptor>
  <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
    <Status>
      <Result>
        <Code>200</Code>
        <Description>Successfully completed.</Description>
      </Result>
    </Status>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.49. CHANGING ACCESS RIGHTS IN A GROUP TRANSACTION

6.49.1 MemberAccess-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <MemberAccess-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <Admin>
            <UserList>
              <User><UserID>wv:john@smith.com</UserID></User>
              <User><UserID>wv:francisco@don.com</UserID></User>
            </UserList>
          </Admin>
          <Users>
            <UserList>
              <User>
                <UserID>wv:matthias@salamander.com</UserID>
              </User>
              <User><UserID>wv:he@there.com</UserID></User>
              <User><UserID>wv:she@there.com</UserID></User>
            </UserList>
          </Users>
        </MemberAccess-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.49.2 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.50. MODIFY GROUP PROPERTIES TRANSACTION

6.50.1 GetGroupProps-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <GetGroupProps-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
        </GetGroupProps-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.50.2 GetGroupProps-Response primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <GetGroupProps-Response>
          <GroupProperties>
            <Property>
              <Name>Name</Name>
              <Value>Party discussion</Value>
            </Property>
            <Property>
              <Name>Accesstype</Name>
              <Value>Restricted</Value>
            </Property>
            <Property>
              <Name>Type</Name>
              <Value>Private</Value>
            </Property>
            <Property>
              <Name>PrivateMessaging</Name>
              <Value>F</Value>
            </Property>
            <Property>
              <Name>Searchable</Name>
              <Value>T</Value>
            </Property>
            <Property>
              <Name>Topic</Name>
              <Value>Party</Value>
            </Property>
            <Property>
              <Name>ActiveUsers</Name>
              <Value>3</Value>
            </Property>
            <Property>
              <Name>MaxActiveUsers</Name>
              <Value>30</Value>
            </Property>
            <WelcomeNote>
              <ContentType>text/plain</ContentType>
              <ContentData>Welcome to WV's party
house</ContentData>
            </WelcomeNote>
          </GroupProperties>
        </GetGroupProps-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```



```

    </GroupProperties>
    <OwnProperties>
      <Property>
        <Name>PrivateMessaging</Name>
        <Value>T</Value>
      </Property>
      <Property>
        <Name>IsMember</Name>
        <Value>T</Value>
      </Property>
      <Property>
        <Name>PrivilegeLevel</Name>
        <Value>Read</Value>
      </Property>
    </OwnProperties>
  </GetGroupProps-Response>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.50.3 SetGroupProps-Request primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <SetGroupProps-Request>
          <GroupID>wv:john/partygroup@there.com</GroupID>
          <GroupProperties>
            <Property>
              <Name>Name</Name>
              <Value>Party house</Value>
            </Property>
            <Property>
              <Name>PrivateMessaging</Name>
              <Value>T</Value>
            </Property>
            <Property>
              <Name>MaxActiveUsers</Name>
              <Value>10</Value>
            </Property>
          <WelcomeNote>
            <ContentType>text/plain</ContentType>
            <ContentData>Welcome! Be gentle!</ContentData>
          </WelcomeNote>
        </SetGroupProps-Request>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

```
        </WelcomeNote>
      </GroupProperties>
    </SetGroupProps-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>
```

6.50.4 Status primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>
```

6.51. REJECT USER FROM GROUP TRANSACTION

6.51.1 RejectList-Request primitive

```
<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <RejectList-Request>
```

```

    <GroupID>wv:john/partygroup@there.com</GroupID>
    <AddList>
      <UserID>wv:he@there.com</UserID>
      <UserID>wv:she@there.com</UserID>
    </AddList>
    <RemoveList>
      <UserID>wv:john@smith.com</UserID>
      <UserID>wv:matthias@salamander.com</UserID>
    </RemoveList>
  </RejectList-Request>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.51.2 RejectList-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <RejectList-Response>
          <UserList>
            <User><UserID>wv:he@there.com</UserID></User>
            <User><UserID>wv:she@there.com</UserID></User>
          </UserList>
        </RejectList-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.52. SUBSCRIBE GROUP CHANGE NOTIFICATION TRANSACTION

6.52.1 SubscribeGroupNotice-Request primitive (get)

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>

```

```

    <TransactionDescriptor>
      <TransactionMode>Request</TransactionMode>
      <TransactionID>IMApp01#12345@NOK5110</TransactionID>
    </TransactionDescriptor>
    <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
      <SubscribeGroupNotice-Request>
        <GroupID>wv:john/partygroup@there.com</GroupID>
        <SubscribeType>G</SubscribeType>
      </SubscribeGroupNotice-Request>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>

```

6.52.2 SubscribeGroupNotice-Response primitive

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12345@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <SubscribeGroupNotice-Response>
          <Value>F</Value>
        </SubscribeGroupNotice-Response>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.52.3 SubscribeGroupNotice-Request primitive (set)

```

<WV-CSP-Message xmlns="http://www.wireless -village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">

```

```

    <SubscribeGroupNotice-Request>
      <GroupID>wv:john/partygroup@there.com</GroupID>
      <SubscribeType>S</SubscribeType>
    </SubscribeGroupNotice-Request>
  </TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.52.4 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12346@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-
village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>
            <Description>Successfully completed.</Description>
          </Result>
        </Status>
      </TransactionContent>
    </Transaction>
  </Session>
</WV-CSP-Message>

```

6.52.5 GroupChangeNotice primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Request</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
        <Poll>F</Poll>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless -
village.org/TRC1.1">
        <GroupChangeNotice>
          <GroupID>wv:john/partygroup@there.com</GroupID>

```

```

    <Joined>
      <UserList>
        <ScreenName>
          <SName>Johnny</SName>
          <GroupID>wv: john/partygroup@there.com</GroupID>
        </ScreenName>
        <ScreenName>
          <SName>Franko</SName>
          <GroupID>wv: john/partygroup@there.com</GroupID>
        </ScreenName>
      </UserList>
    </Joined>
    <Left>
      <UserList>
        <ScreenName>
          <SName>He</SName>
          <GroupID>wv: john/partygroup@there.com</GroupID>
        </ScreenName>
        <ScreenName>
          <SName>She</SName>
          <GroupID>wv: john/partygroup@there.com</GroupID>
        </ScreenName>
      </UserList>
    </Left>
    <OwnProperties>
      <Property>
        <Name>PrivilegeLevel</Name>
        <Value>Mod</Value>
      </Property>
    </OwnProperties>
  </GroupChangeNotice>
</TransactionContent>
</Transaction>
</Session>
</WV-CSP-Message>

```

6.52.6 Status primitive

```

<WV-CSP-Message xmlns="http://www.wireless-village.org/CSP1.1">
  <Session>
    <SessionDescriptor>
      <SessionType>Inband</SessionType>
      <SessionID>im.user.com#48815@server.com</SessionID>
    </SessionDescriptor>
    <Transaction>
      <TransactionDescriptor>
        <TransactionMode>Response</TransactionMode>
        <TransactionID>IMApp01#12347@NOK5110</TransactionID>
      </TransactionDescriptor>
      <TransactionContent xmlns="http://www.wireless-village.org/TRC1.1">
        <Status>
          <Result>
            <Code>200</Code>

```

```
        </Result>
      </Status>
    </TransactionContent>
  </Transaction>
</Session>
</WV-CSP-Message>
```