



## **Enabler Test Report Presence SIMPLE v1.0**

OMA Test Fest (Mar 2006)  
Version 06-Apr-2006

---

Open Mobile Alliance  
OMA-Enabler\_Test\_Report-PRS-10-2006-04-06

This document is considered confidential and may not be disclosed in any manner to any non-member of the Open Mobile Alliance™, unless there has been prior explicit Board approval.

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2006 Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is not an Open Mobile Alliance™ specification, is not endorsed by the Open Mobile Alliance and is informative only. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Open Mobile Alliance™ members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <http://www.openmobilealliance.org/ipr.html>. Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile Alliance™ or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "OMA IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>

# Contents

- 1. SCOPE .....4
- 2. REFERENCES.....5
  - 2.1 NORMATIVE REFERENCES .....5
  - 2.2 INFORMATIVE REFERENCES .....5
- 3. TERMINOLOGY AND CONVENTIONS .....6
  - 3.1 CONVENTIONS .....6
  - 3.2 DEFINITIONS.....6
  - 3.3 ABBREVIATIONS .....6
- 4. SUMMARY .....7
- 5. TEST DETAILS.....8
  - 5.1 DOCUMENTATION.....8
  - 5.2 TEST CASE STATISTICS .....9
    - 5.2.1 Test Case Summary.....9
    - 5.2.2 Test Case List.....10
    - 5.2.3 Problem Reports.....21
- 6. CONFIRMATION .....22
- APPENDIX A. CHANGE HISTORY (INFORMATIVE) .....23

# 1. Scope

This report describes the results from the testing carried out at OMA TestFest14 January 2006 concerning Presence SIMPLE version 1.0.

## 2. References

### 2.1 Normative References

- [OMAIOPPROC] OMA Interoperability Policy and Process, <http://www.openmobilealliance.org/>
- [PRSEICS] Enabler Implementation Conformance Statement (EICS), Presence
- [ERELED] Enabler Release Document for Presence OMA-ERELED-SIMPLE-V1\_0  
<http://www.openmobilealliance.org/>
- [EPTR] Enabler Product Test Report
- [ETP] Enabler Test Plan
- [ETS] Enabler Test Specification for Presence SIMPLE (Interoperability)- Draft Version 1.0.1 – 14 November 2005  
Enabler Test Specification for Presence XDM (Interoperability) - Draft Version 1.0.1 – 20 October 2005  
Enabler Test Specification for RLS XDM (Interoperability) - Draft Version 1.0.1 – 08 October 2005  
<http://www.openmobilealliance.org/>
- [OMARDPRES] Presence Requirements Version 1.0 OMA-RD\_Presence\_SIMPLE-V1.0  
<http://www.openmobilealliance.org/>
- [OMATSPRES] Presence SIMPLE Specification OMA-TS-Presence\_SIMPLE-V1.0-20050628-C  
<http://www.openmobilealliance.org/>

### 2.2 Informative References

- [OMADICT] Dictionary for OMA Specification, OMA-Dictionary  
<http://www.openmobilealliance.org/>
- [OMAADPRES] Stage 2 – Presence using SIMPLE, OMA-AD-Presence\_SIMPLE-V1\_0  
<http://www.openmobilealliance.org/>

## 3. Terminology and Conventions

### 3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

### 3.2 Definitions

User - A person using UE.

User[N] - A subscriber assigned to UE, where N is an integer number (i.e. User1, User2)

UE[N] - A client terminal used for testing where N is an integer number (i.e. UE1, UE2 etc.)

### 3.3 Abbreviations

OMA	Open Mobile Alliance
PS	Presence Server
PoC	Push to talk over Cellular
RD	Requirements Document
SIP	Session Initiation Protocol
URI	Universal Resource Identifier
XCAP	XML Configuration Access Protocol
XDMC	XML Document management Client
XDMS	XML Document Management Server
XML	Extensible Mark-up Language

## 4. Summary

This report gives details of the testing carried out during the OMA TestFest14 (March 2006) for Presence SIMPLE v1.0.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

## 5. Test Details

### 5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

<b>Date:</b>	20th – 28th March 2006
<b>Location:</b>	Montréal, Canada
<b>Enabler:</b>	Presence v1.0
<b>Process:</b>	OMA Interoperability Policy and Process [OMAIOPPROC]
<b>Type of Testing</b>	Interoperability Testing
<b>Products tested:</b>	Client-to-server, Client-to-Client
<b>Test Plan:</b>	Presence Enabler Test Plan [ETP]
<b>Test Specification:</b>	Presence Enabler Test Specification [ETS]
<b>Test Tool:</b>	None
<b>Test Code:</b>	None
<b>Type of Test event:</b>	Test Fest
<b>Participants:</b>	Comneon GmbH & Co. OHG, Ecrio Inc, fg microtec, Motorola, Nokia, Qualphone, Nokia Networks <i>plus two other participants</i>
<b>Number of Client Products:</b>	7
<b>Participating Technology Providers for clients:</b>	Comneon GmbH & Co. OHG, Ecrio Inc, fg microtec, Motorola, Nokia, Qualphone <i>plus one other client</i>
<b>Number of Server Products:</b>	2 Servers
<b>Participating Technology Providers for servers:</b>	Nokia Networks <i>plus one other server</i>
<b>Number of test sessions completed:</b>	36 of 36



## 5.2 Test Case Statistics

### 5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- **Total number of TCs:** Used in the summary to indicate how many test cases there are in total.
- **Number of passed:** Used in the summary to indicate how many of the total test cases successfully passed.
- **Number of failed:** Used in the summary to indicate how many of the total test cases failed.
- **Number of N/A:** Used in the summary to indicate how many of the total test cases have not been run due to one of the implementations not supporting the functionality required to run this test case.
- **Number of OT:** Used in the summary to indicate how many of the total test cases have not been run due to no time to run the test case.
- **Number of INC:** Used in the summary to indicate how many of the total test cases have not been run due to functionality not being tested due to an error in the implementation or other functionality that is required to run this test case.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client to Server TCs	36	4	67	1	6	70	0	144
Client to Server to Client TCs	36	40	583	19	419	419	0	1440
<b>Total</b>	<b>36</b>	<b>44</b>	<b>650</b>	<b>20</b>	<b>425</b>	<b>489</b>	<b>0</b>	<b>1584</b>

### 5.2.2 Test Case List

This chapter lists the statistics for all test cases included in [ETS].

The following status is used in the tables below:

- **No. of runs(R):** Used to indicate how many times the test cases have been run in total.
- **No. of passed(P):** Used to indicate how many times the test case has been run with successful result.
- **No. of failed(F):** Used to indicate how many times the test case has been run with failed result
- **No. of OT(O):** Used to indicate how many times the test case has not been run due to no time available.
- **No. of INC(I):** Used to indicate how many times the test case has not been run due to errors being found in other functionality required for running this test case.
- **PR:** Used to indicate if any PRs (Problem Reports) have been issued during testing.
- **Note:** Used to indicate the cause of Inconclusive or Fail verdicts.

#### Tests for Presence-SIMPLE Enabler TestFest from ETS OMA-ETS-Presence\_SIMPLE\_INT-V1\_0\_1-20051114-D.doc

Test Case:	Test Case Description:	R	P	F	O	I	PR:	Note:
<b>Presence-1.0-int-0100</b>	Verify that presence information published by an UE will be received by another UE, which subscribes for that information.  <u>TEST CASE GOAL:</u> Verify that when UE1 publishes presence information, UE2, as Watcher, will receive the presence information.	36	36	0	0	0		
<b>Presence-1.0-int-0101</b>	Verify that presence information modified by an UE will be displayed accordingly in another UE, which subscribes for that information.  <u>TEST CASE GOAL:</u> Verify that when User1 modifies presence information, User2, as Watcher, will receive the updated presence information.	36	36	0	0	0		
<b>Presence-1.0-int-0102</b>	Verify that presence publications terminated by an UE will be displayed in another UE.  <u>TEST CASE GOAL:</u> Verify that when User1 terminates its presence publication, User2, as Watcher, will be displayed.	36	36	0	0	0		

<p><b>Presence-1.0-int-0103</b></p>	<p>An UE, acting as a Watcher has a subscription that expires and another UE, the presence source, updates its presence information.</p> <p><u>TEST CASE GOAL:</u> Verify that a Watcher which subscription has expired, does not display any presence information updates.</p>	36	36	0	0	0		
<p><b>Presence-1.0-int-0104</b></p>	<p>An UE, acting as a Watcher terminates its subscriptions, and another UE, the presence source, updates the presence information.</p> <p><u>TEST CASE GOAL:</u> Verify that a Watcher, which has terminated its subscription, does not display any presence updates.</p>	35	34	1	0	0		
<p><b>Presence-1.0-int-0105</b></p>	<p>Verify that Presence Server keeps sending presence information to a UE, acting as a watcher, after subscription refresh.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE retrieves and displays the presence information after the subscription refresh.</p>	36	36	0	0	0		
<p><b>Presence-1.0-int-0106</b></p>	<p>Verify that a Presence Server can store and manage presence information coming from multiple UEs, acting as Presence Sources and related to several Users, and correctly notify one UE, acting as a Watcher the presence information.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a Watcher, is able to display the presence information when subscribing to presence information of several other users.</p>	30	27	0	3	0		
<p><b>Presence-1.0-int-0107</b></p>	<p>Verify that a User is able to define policies so that different presence information can be sent to different Users, acting as Watchers.</p> <p><u>TEST CASE GOAL:</u> Verify that a User, acting as a Presentity can allow one User to see a different presence content than another User, acting as Watchers.</p>	17	13	0	4	0		

<b>Presence-1.0-int-0108</b>	<p>Verify that a User is able to define policies so that the same presence information elements but with different values (whether those are true or not) can be sent to different Users, acting as Watchers.</p> <p><u>TEST CASE GOAL:</u> Verify that a User, acting as a Presentity can allow one User to see the same presence information elements but with different values (whether those are true or not) than another User, acting as Watchers.</p>	8	0	0	8	0			
<b>Presence-1.0-int-0109</b>	<p>Verify that a Presence Server supports the combination of different presence information elements of a particular User coming from different UEs, acting as presence sources.</p> <p><u>TEST CASE GOAL:</u> Verify that a Presence Server is able to apply presence composition rules, and notify a UE, acting as a Watcher, the correct presence information.</p>	24	20	0	4	0			
<b>Presence-1.0-int-0110</b>	<p>Verify that a UE, acting as a presence source, can use a Presence Profile to define a set of presence elements.</p> <p><u>TEST CASE GOAL:</u> Verify that a user can set some presence elements by using a Profile of a UE.</p>	1	0	0	1	0			
<b>Presence-1.0-int-0111</b>	<p>Verify that UE successfully publishes and retrieves presence information as long as the subscription is valid.</p> <p><u>TEST CASE GOAL:</u> Verify that when one user publishes presence information, another user, acting as Watcher, will receive the presence information until the Publish timer expires.</p>	36	36	0	0	0			
<b>Presence-1.0-int-0120</b>	<p>Verify that a UE successfully publishes and retrieves presence information by polling.</p> <p><u>TEST CASE GOAL:</u> Verify that one user using Polling Subscription, will retrieve presence information from another user, which has an active publication.</p>	36	34	2	0	0			

<p><b>Presence-1.0-int-0121</b></p>	<p>Verify that a User is able to define policies so that defined presence information can be sent to an anonymous User, acting as a Watcher.</p> <p><u>TEST CASE GOAL:</u> Verify that a User, acting as a Presentity can define the contents a User authenticated as anonymous and acting as a Watcher will see.</p>	16	9	1	6	0		
<p><b>Presence-1.0-int-0122</b></p>	<p>Verify that a User is able to define policies so that defined presence information can be sent to unspecified Users (not known in the Presence Rules document), acting as Watchers.</p> <p><u>TEST CASE GOAL:</u> Verify that a User, acting as a Presentity can define the contents an unspecified User, acting, as a Watcher will see.</p>	29	16	2	11	0		
<p><b>Presence-1.0-int-0123</b></p>	<p>Verify that a Presence Server can handle changes for the Presence Rules document for Watchers (individual Watchers or groups) stored in the Shared XDMS.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a XDMS, can modify his permissions for individual watchers and/or groups of watcher stored in the Shared XDMS, and the PS handles these permissions properly.</p>	10	0	0	10	0		
<p><b>Presence-1.0-int-0130</b></p>	<p>Verify that User1 successfully publishes presence information. User2 will not be able to Subscribe to the presence information when blocked by User1.</p> <p><u>TEST CASE GOAL:</u> Verify that when one user publishes presence information, another user, which is blocked, is not allowed to subscribe for presence information.</p>	34	18	0	16	0		

<b>Presence-1.0-int-0140</b>	User2 will be able to Subscribe and receive notifications, but presence information will not be revealed, since the user is politely blocked.  <u>TEST CASE GOAL:</u> Verify that when one user publishes presence information, another user, acting as Watcher, will be able to subscribe and receive notification, but presence information will not be revealed, since the user is politely blocked.	33	15	6	12	0		
<b>Presence-1.0-int-0141</b>	Verify that a UE, acting as a Watcher, can subscribe using notification filtering and that the Presence Server applies filtering and notifies the correct information.  <u>TEST CASE GOAL:</u> Verify that User2, acting as a Watcher, only gets the information that has been asked for.	6	0	0	6	0		
<b>Presence-1.0-int-0142</b>	Verify that a UE, acting as a Watcher, can subscribe using event notification filtering and that the Presence Server applies filtering and notifies the correct information whenever the filter is triggered.  <u>TEST CASE GOAL:</u> Verity that User2, acting as a Watcher, only gets the information that has been asked for whenever the filter is triggered.	7	0	0	7	0		
<b>Presence-1.0-int-0143</b>	Verify that presence information with non-OMA elements published by an UE will be handled correctly by another UE, which subscribes for that information.  <u>TEST CASE GOAL:</u> Verify that when UE1 publishes presence information with non-OMA elements, UE2, as Watcher, will interpret correctly the OMA presence information elements and discard the non-OMA ones.	35	23	0	12	0		

<p><b>Presence-1.0-int-0150</b></p>	<p>Verify that an RLS can handle subscriptions to resource lists and distribute notifications including presence information to the Watcher.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a Watcher, is able to subscribe to a resource list with URI's to Presence Sources and be able to display presence information.</p>	25	11	5	9	0		
<p><b>Presence-1.0-int-0151</b></p>	<p>Verify that an RLS can handle subscriptions to resource lists and distribute notifications including presence information to the Watcher.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a Watcher, is able to display presence information for a specific user, which is added to a resource list the Watcher owns and has an active subscription on.</p>	18	3	0	15	0		
<p><b>Presence-1.0-int-0152</b></p>	<p>Verify that an RLS can handle subscriptions to resource lists pointing to groups in the Shared XDMS, and distribute notifications including presence information to the Watcher.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a Watcher, is able to subscribe to resource lists pointing to groups in the Shared XDMS and be able to display presence information.</p>	19	8	0	11	0		
<p><b>Presence-1.0-int-0153</b></p>	<p>Verify that an RLS can handle subscriptions to resource lists pointing to groups in the Shared XDMS and distribute notifications including presence information to the Watcher.</p> <p><u>TEST CASE GOAL:</u> Verify that a UE, acting as a Watcher, is able to display presence information for a specific user, which is added to a shared group pointed by a resource list the Watcher owns and has an active subscription on.</p>	18	3	0	15	0		

<p><b>Presence-1.0-int-0160</b></p>	<p>Verify that a UE, acting as a Watcher, can subscribe using event notification filtering to a resource list and that the Resource List Server applies filtering and notifies the correct information whenever the filter is triggered.</p> <p><u>TEST CASE GOAL:</u> Verify that an RLS can handle event and content subscriptions to resource lists and distribute notifications to the Watcher including appropriate presence information whenever the filter is triggered.</p>	5	0	0	5	0		
<p><b>Presence-1.0-int-0200</b></p>	<p>Verify that a UE successfully Subscribes to Watcher Information</p> <p><u>TEST CASE GOAL:</u> User1 subscribes to watcher information and will be notified when User2 subscribes to User1's presence information</p>	27	14	0	13	0		
<p><b>Presence-1.0-int-0210</b></p>	<p>Verify that UE successfully publishes and receives presence information after reactive authorization.</p> <p><u>TEST CASE GOAL:</u> Verify that User1 successfully can subscribe for watcher information and is notified when User2 subscribes for User1's presence information. User1 then updates his Authorization Rules Document to allow User2 to see his presence. User2 will display User1's presence information.</p>	27	12	2	13	0		

**Table 1. Test Case Counts**



### Tests for XDM Enabler TestFest from OMA-ETS-Presence\_XDM\_INT-V1\_0\_1-20051020-D

Test Case:	Test Case Description:	R	P	F	O	I	PR:	Note:
<b>Presence-XDM-1.0-int-0100</b>	Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface.  <u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.	36	17	1	18	0		
<b>Presence-XDM-1.0-int-0150</b>	Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE.  <u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.	36	21	0	15	0		
<b>Presence-XDM-1.0-int-0200</b>	Verify that the user can create and retrieve an XML document from the Presence XDMS.  <u>TEST CASE GOAL:</u> Verify creation and retrieval of Presence Authorization Rules document. This test case is for the UEs that are able to create the Presence Authorization Rules document.	31	13	0	18	0		
<b>Presence-XDM-1.0-int-0201</b>	Verify that the user can retrieve an XML document from the Presence XDMS.  <u>TEST CASE GOAL:</u> Verify retrieval of Presence Authorization Rules document.	36	16	0	20	0		
<b>Presence-XDM-1.0-int-0202</b>	Verify that the UE can create and retrieve XML elements from the Presence XDMS.  <u>TEST CASE GOAL:</u> Add an additional rule to already existing Presence Authorization Rules document stored in the Presence XDMS. Verify that the Presence Authorization Rules document has been updated correctly in the Presence XDMS.	26	10	0	16	0		

<p><b>Presence-XDM-1.0-int-0203</b></p>	<p>Verify that the UE can modify and retrieve XML elements and documents from the Presence XDMS.   <u>TEST CASE GOAL:</u> Modify and retrieve an already existing rule in Presence Authorization Rules document stored in the Presence XDMS. Verify that the rule has been updated correctly in the Presence XDMS.</p>	31	11	0	20	0		
<p><b>Presence-XDM-1.0-int-0204</b></p>	<p>Verify that the UE can delete XML elements from the Presence XDMS.   <u>TEST CASE GOAL:</u> Delete a rule from the Presence Authorization Rules document stored in the Presence XDMS and verify that the rule is removed from the Presence XDMS.</p>	25	9	0	16	0		
<p><b>Presence-XDM-1.0-int-0205</b></p>	<p>Verify that the UE can delete an XML document from the Presence XDMS.   <u>TEST CASE GOAL:</u> Delete the Presence Authorization Rules document stored in the Presence XDMS and verify that the document no longer exists in the Presence XDMS.</p>	30	12	0	18	0		

**Table 2. Test Case Counts**

## Tests for XDM Enabler TestFest From OMA-ETS-RLS\_XDM\_INT-V1\_0\_1-20051008-D

Test Case:	Test Case Description:	R	P	F	O	I	PR:	Note:
<b>RLS-XDM-1.0-int-0100</b>	Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface.  <u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.	33	12	0	21	0		
<b>RLS-XDM-1.0-int-0150</b>	Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE.  <u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.	33	17	0	16	0		
<b>RLS-XDM-1.0-int-0200</b>	Verify that the user can create and retrieve an XML document from the RLS XDMS.  <u>TEST CASE GOAL:</u> Verify creation and retrieval of Presence Lists document. This test case is for the UEs that are able to create the Presence Lists document.	31	7	0	24	0		
<b>RLS-XDM-1.0-int-0201</b>	Verify that the user can retrieve an XML document from the RLS XDMS.  <u>TEST CASE GOAL:</u> Verify retrieval of Presence Lists document.	33	10	0	23	0		
<b>RLS-XDM-1.0-int-0202</b>	Verify that the UE can create and retrieve XML elements from the RLS XDMS.  <u>TEST CASE GOAL:</u> Add an additional rule to already existing Presence Lists document stored in the RLS XDMS. Verify that the Presence Lists document has been updated correctly in the RLS XDMS.	27	6	0	21	0		
<b>RLS-XDM-1.0-int-0203</b>	Verify that the UE can modify and retrieve XML elements and documents from the RLS XDMS.  <u>TEST CASE GOAL:</u> Modify and retrieve an already existing service element in Presence Lists document stored in the RLS XDMS. Verify that the services has been updated correctly in the RLS XDMS.	23	2	0	21	0		

<b>RLS-XDM-1.0-int-0204</b>	Verify that the UE can delete XML elements from the RLS XDMS. <u>TEST CASE GOAL:</u> Delete a service from the Presence Lists document stored in the RLS XDMS and verify that the service is removed from the RLS XDMS.	26	4	0	22	0		
<b>RLS-XDM-1.0-int-0205</b>	Verify that the UE can delete an XML document from the RLS XDMS. <u>TEST CASE GOAL:</u> Delete the Presence Lists document stored in the RLS XDMS and verify that the document no longer exists in the RLS XDMS.	26	7	0	19	0		

### 5.2.3 Problem Reports

During the activities for TestFest14, the following problem reports were generated relating to the test materials and test process:

NONE reported during Test Fest 14.

PR Number	Affecting	Description	Test Case reference / Specification reference
-----------	-----------	-------------	---

Full details of the Problem Reports can be found at: <http://www.opengroup.org:8000/OMA-PR/>

## 6. Confirmation

This signature states that the included information is true and valid.

A handwritten signature in black ink, appearing to read "Alan P. [unclear]". The signature is written in a cursive style with a long horizontal stroke at the end.

---

OMA Trusted Zone

## Appendix A. Change History (Informative)

Type of Change	Date	Section	Description