



# **Enabler Test Report**

## **Firmware Update Management Object v1.0**

OMA TestFest (December 2006)  
Version 15-Dec-2006

---

Open Mobile Alliance  
OMA-Enabler\_Test\_Report-FUMO-10-2006-12-15

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2006 Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is not an Open Mobile Alliance™ specification, is not endorsed by the Open Mobile Alliance and is informative only. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Open Mobile Alliance™ members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <http://www.openmobilealliance.org/ipr.html>. Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile Alliance™ or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "OMA IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>

# Contents

- 1. SCOPE .....4
- 2. REFERENCES.....5
  - 2.1 NORMATIVE REFERENCES .....5
  - 2.2 INFORMATIVE REFERENCES .....5
- 3. TERMINOLOGY AND CONVENTIONS .....6
  - 3.1 CONVENTIONS .....6
  - 3.2 DEFINITIONS.....6
  - 3.3 ABBREVIATIONS .....6
- 4. SUMMARY .....7
- 5. TEST DETAILS.....8
  - 5.1 DOCUMENTATION.....8
  - 5.2 TEST CASE STATISTICS .....9
    - 5.2.1 Test Case Summary.....9
    - 5.2.2 Test Case List .....10
    - 5.2.3 Problem Reports .....14
- 6. CONFIRMATION .....15
- APPENDIX A. CHANGE HISTORY (INFORMATIVE) .....16

# 1. Scope

This report describes the results from the testing carried out at OMA TestFest-17 (December 2006) concerning the Firmware Update Management Object version 1.0.

## 2. References

### 2.1 Normative References

- [OMAIOPPROC] OMA Interoperability Policy and Process, <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [ERELD] ”Enabler Release Definition for FUMO”, OMA-ERP-FUMO-V1\_0-20060615-C, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [FUMO] ”Firmware Update Management Object”, OMA-TS-DM-FUMO-V1\_0-20060615-C, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [ETS] “Enabler Test Specification”, OMA-ETS-FUMO-V1\_0-20061019-D, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [ETG] “Enabler Test Guidelines”, OMA-ETG-FUMO-V1\_0-20060713-A, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [EICS] Enabler Test Specification [ETS]“Enabler Implementation Conformance Statement”, OMA-EICS-FUMO-V1\_0-20060713-A, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

### 2.2 Informative References

- [DM-v1.2] “OMA Device Management”, OMA-DRM-DM-v1\_2, [URL:http://www.openmobilealliance.com/](http://www.openmobilealliance.com/).
- [DM-V1\_2 ETS] OMA-ETS-DM-V1\_2, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMADICT] Dictionary for OMA Specification, OMA-Dictionary [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)

## 3. Terminology and Conventions

### 3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

### 3.2 Definitions

|                           |  |
|---------------------------|--|
| <b>Test Object</b>        | The implementation under test is referred to as the Test Object. In this document, the Client.   |
| <b>Test Case</b>          | A Test Case is an individual test used to verify the conformance of the Test Object to a particular mandatory feature of the protocol. A 4-digit number identifies Test Cases where the first two digits denote the Test Group ID.                           |
| <b>Firmware Update</b>    | The process of transferring an update package to a mobile device and subsequently invoking an update agent to conduct firmware update in the device.   |
| <b>Alternate Download</b> | The mechanism, alternative to OMA DM protocol, by which the update package can be downloaded to the device. For example, the OMA OTA v1.0 and later versions developed by the BAC-DLOTA working group is considered to be an alternative download mechanism. |
| <b>Final Notification</b> | An Alert 1226 based notification message sent to the DM server from the mobile device to indicate the successful or unsuccessful completion of some activity in the mobile device.   |

### 3.3 Abbreviations

|       |  |
|-------|--|
| OMA   | Open Mobile Alliance                         |
| DDF   | Device Description Framework                 |
| DL    | Download                                     |
| DLOTA | Download Over-The-Air                        |
| DM    | Device Management                            |
| EICS  | Enabler Implementation Conformance Statement |
| ETG   | Enabler Test Guidelines                      |
| ETS   | Enabler Test Specification                   |
| FW    | Firmware                                     |
| FUMO  | Firmware Update Management Object            |
| MO    | Management Object                            |
| OTA   | Over The Air                                 |
| PR    | Problem Report                               |

## 4. Summary

This report gives details of the testing carried out during the OMA TestFest-17 (December 2006) for FUMO v1.0.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

## 5. Test Details

### 5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

|  |  |
|--|--|
| <b>Date:</b>   | 1st to 8th December 2006   |
| <b>Location:</b>                                       | Montreal, Canada   |
| <b>Enabler:</b>  | FUMO v1.0  |
| <b>Process:</b>  | OMA Interoperability Policy and Process [OMAIOPPROC]   |
| <b>Type of Testing</b>                                 | Interoperability Testing   |
| <b>Products tested:</b>                                | Client-to-server   |
| <b>Test Guidelines:</b>                                | FUMO Enabler Test Guidelines [ETG] OMA-ETG-FUMO-V1_0-20060713-A  |
| <b>Test Specification:</b>                             | FUMO Enabler Test Specification [ETS] OMA-ETS-FUMO-V1_0-20061019-D   |
| <b>Test Tool:</b>                                      | None   |
| <b>Test Code:</b>                                      | None   |
| <b>Type of Test event:</b>                             | TestFest   |
| <b>Participants:</b>                                   | Bitfone Corp., InnoPath Software, Red Bend, Samsung, mFormation technologies Inc., Nokia, Synchronica plc <i>plus two other participants</i> |
| <b>Number of Client Products:</b>                      | 5  |
| <b>Participating Technology Providers for clients:</b> | Bitfone Corp., InnoPath Software, Red Bend, Samsung <i>plus one other Client</i>   |
| <b>Number of Server Products:</b>                      | 5  |
| <b>Participating Technology Providers for servers:</b> | Bitfone Corp., mFormation technologies Inc., Nokia, Synchronica plc <i>plus one other Server</i>   |
| <b>Number of test sessions completed:</b>              | 23   |



## 5.2 Test Case Statistics

### 5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- **Number of test sessions:** Used in the summary to indicate the total number of time slots used for the official testing.
- **Total number of TCs:** Used in the summary to indicate how many test cases there are in total (total number of the interoperability test cases in the ETS).
- **Number of Passed:** Used in the summary to indicate how many test cases have been run and successfully passed.
- **Number of Failed:** Used in the summary to indicate how many test cases have been run and failed (used when the failure reason is known).
- **Number of INC:** Used in the summary to indicate how many test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Number of N/A:** Used in the summary to indicate how many test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- **Number of OT:** Used in the summary to indicate how many test cases have not been run due to lack of time.

| Test Section:        | Number of test sessions: | Total number of TCs: | Number of Passed: | Number of Failed: | Number of N/A: | Number of OT: | Number of INC: | Total:     |
|----------------------|--------------------------|----------------------|-------------------|-------------------|----------------|---------------|----------------|------------|
| Client to Server TCs | 23                       | 16                   | 328               | 0                 | 40             | 0             | 0              | 368        |
| <b>Total</b>         | <b>23</b>                | <b>16</b>            | <b>328</b>        | <b>0</b>          | <b>40</b>      | <b>0</b>      | <b>0</b>       | <b>368</b> |

Table 1. Test Summary Table

### 5.2.2 Test Case List

This chapter lists the statistics for all all interoperability test cases included in [ETS].

The following status is used in the tables below:

- **Runs (R):** Used to indicate the total number of times the test case have been run ( $R = P + F + I$ ).
- **Pass (P):** Used to indicate how many times the test case have been run and successfully passed.
- **Fail (F):** Used to indicate how many times the test cases have been run and failed (used when the failure reason is known).
- **Inconclusive (I):** Used to indicate how many times the test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Not Applicable (N/A):** Used to indicate how many times the test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- **Out of Time (O):** Used to indicate how many times the test cases have not been run due to lack of time.
- **Problem Report (PR):** Used to indicate how many PRs have been issued for the test case.
- **Note:** Used to indicate the cause of the Inconclusive or Failed results.

#### Tests for FUMO Enabler TestFest Taken From

#### OMA-ETS-FUMO-V1\_0-20061019-D

| Test Case id:           | Description:   | Test Counts |    |   |   |   |     | PR:  | Note: |
|-------------------------|--|-------------|----|---|---|---|-----|------|-------|
|                         |  | R           | P  | F | O | I | N/A |      |       |
| <b>FUMO-1.0-int-001</b> | The purpose of this test is to verify that-<br>The client supports the required FUMO elements and the required nodes in the DM tree<br>The client can set and retrieve the optional elements of FUMO, if the optional elements are supported by the client | 23          | 23 | 0 | 0 | 0 | 0   | 0006 |       |
| <b>FUMO-1.0-int-002</b> | The purpose of this test is to verify that-<br>The client supports the required FUMO elements and the required nodes in the DM tree<br>GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful          | 23          | 23 | 0 | 0 | 0 | 0   |      |       |

| Test Case id:           | Description:  | Test Counts |    |   |   |   |     | PR: | Note: |
|-------------------------|---|-------------|----|---|---|---|-----|-----|-------|
|                         |   | R           | P  | F | O | I | N/A |     |       |
| <b>FUMO-1.0-int-003</b> | The purpose of this test is to verify that-<br>The client supports the required FUMO elements and the required nodes in the DM tree<br>GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful   | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-004</b> | The purpose of this test is to verify that-<br>The client supports the required FUMO elements and the required nodes in the DM tree<br>GET commands sent to the required elements to verify standard node inclusion in the DM tree are successful   | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-005</b> | The purpose of this test is to verify that-<br>GET commands on the mandatory FUMO objects in the DM tree are successful   | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-006</b> | The purpose of this test is to verify that-<br>A client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol<br>The client device performs a successful firmware update on the client device<br>The client device reports the State value successfully to the DM server   | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-007</b> | The purpose of this test is to verify that-<br>A client device supporting FUMO, downloads an update package from a DM server using Alternative Download mechanism (e.g. DLOTA)<br>The client device performs a successful firmware update on the client device using Exec on Update node<br>The client device reports the State value successfully to the DM Server | 23          | 23 | 0 | 0 | 0 | 0   |     |       |

| Test Case id:           | Description:   | Test Counts |    |   |   |   |     | PR: | Note: |
|-------------------------|--|-------------|----|---|---|---|-----|-----|-------|
|                         |  | R           | P  | F | O | I | N/A |     |       |
| <b>FUMO-1.0-int-008</b> | The purpose of this test is to verify that -<br>A client device supporting FUMO, downloads an update package from a DM server using Alternative Download mechanism (e.g. DLOTA).<br>The client device performs a successful firmware update on the client device using Exec on DownloadAndUpdate node<br>The client device Reports the State value successfully to the DM server   | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-009</b> | The purpose of this test is to verify that-<br>The client device supporting FUMO, downloads an update package from a DM server using OMA-DM protocol<br>When an EXEC command is performed on the ../x*/Update, the client uses the existing update package on the client for the firmware update and does NOT download a new package even though a REPLACE has been performed on the x*/Download/PkgURL node.<br>The client device performs a successful firmware update on the client device<br>The client device reports the State value successfully to the DM server | 23          | 23 | 0 | 0 | 0 | 0   |     |       |
| <b>FUMO-1.0-int-013</b> | The purpose of this test is to verify that-<br>A client device supporting FUMO, fails to download an update package due to Malformed or Bad URL<br>The client device reports the appropriate Result Code successfully to the DM server   | 18          | 18 | 0 | 0 | 0 | 5   |     |       |

| Test Case id:           | Description:   | Test Counts |    |   |   |   |     | PR: | Note: |
|-------------------------|--|-------------|----|---|---|---|-----|-----|-------|
|                         |  | R           | P  | F | O | I | N/A |     |       |
| <b>FUMO-1.0-int-014</b> | The purpose of this test is to verify that-<br>A client device supporting FUMO, fails to download an update package due to missing Update packages i.e. The URI provided by the download descriptor is wrong.<br>The client device reports the Result Code successfully to the DM server                 | 18          | 18 | 0 | 0 | 0 | 5   |     |       |
| <b>FUMO-1.0-int-015</b> | The purpose of this test is to verify-<br>Client behaviour when the download of an Update package using OMA-DM protocol is interrupted.<br>The client device reports the appropriate Result Code successfully to the DM server   | 14          | 14 | 0 | 0 | 0 | 9   |     |       |
| <b>FUMO-1.0-int-016</b> | The purpose of this test is to verify-<br>Client behaviour when the download of an Update package using Alternate Download Mechanism (e.g. DLOTA) is interrupted.<br>The client device reports the appropriate Result Code successfully to the DM server   | 19          | 19 | 0 | 0 | 0 | 4   |     |       |
| <b>FUMO-1.0-int-017</b> | The purpose of this test is to verify-<br>Client behaviour when Update package is corrupted<br>The client device reports the appropriate Result Code successfully to the DM server   | 16          | 16 | 0 | 0 | 0 | 7   |     |       |
| <b>FUMO-1.0-int-018</b> | The purpose of this test is to verify -<br>A client can schedule a query to the server to check if a firmware update is available<br>A client device sends a Generic Alert to the server with appropriate fields and information<br>A server device responds to a Generic Alert with correct Status code | 18          | 18 | 0 | 0 | 0 | 5   |     |       |

| Test Case id:           | Description:  | Test Counts |    |   |   |   |     | PR: | Note: |
|-------------------------|---|-------------|----|---|---|---|-----|-----|-------|
|                         |   | R           | P  | F | O | I | N/A |     |       |
| <b>FUMO-1.0-int-019</b> | The purpose of this test is to verify -<br>A user can initiate a query to check if a firmware update is available<br>A client device sends a Generic Alert to the server with appropriate fields and information.<br>A server device responds to a Generic Alert with correct Status code | 18          | 18 | 0 | 0 | 0 | 5   |     |       |

Table 2. Test Case Counts

### 5.2.3 Problem Reports

During the activities for TestFest-17, the following problem reports were generated relating to the test materials and test process:

| PR Number | Affecting     | Description  | Test Case reference / Specification reference                    |
|-----------|---------------|--|--|
| 0006      | Specification | FUMO Management Object identifier specified differently in ETS<br><br>(urn:oma:mo:oma-fumo:1.0) and TS DM<br>(urn:oma:mo:fumo:1.0) documents | OMA-ETS-FUMO-V1_0_0-20060712-D(6.1)/OMA-ERP-FUMO-V1.0_20060615-C |

Full details of all Problem Reports can be found at:

<http://www.openmobilealliance.org/OMA-Problem-Reporting-System.html>

## 6. Confirmation

This signature states that the included information is true and valid.

A handwritten signature in black ink, appearing to read "Alan P. [unclear]". The signature is written in a cursive style with a long horizontal stroke at the end.

---

OMA Trusted Zone

## Appendix A. Change History (Informative)

| Type of Change | Date                           | Section | Description  |
|----------------|--------------------------------|---------|--|
| Draft Version  | 8 <sup>th</sup> December 2006  | All     | Draft version produced at end of TestFest for IOP PRC checking |
| Final Version  | 15 <sup>th</sup> December 2006 | All     | New Agreed Version For TestFest-17                             |