

Enabler Test Report Device Synchronization v1.2.1

OMA TestFest (September 2010) Version 11th October 2010

Open Mobile Alliance OMA-EnablerTestReport-VirtualTestEvent-02-Sep2010-DS-121-20101011

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Use of this document is subject to all of the terms and conditions of the Use Agreement located at http://www.openmobilealliance.org/Use Agreement.aspx.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile AllianceTM specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at http://www.openmobilealliance.org/AboutOMA/IPR.aspx. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2010 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1.	SCOPE	4
	REFERENCES	
	2.1 NORMATIVE REFERENCES	
_	2.2 INFORMATIVE REFERENCES.	
3.	TERMINOLOGY AND CONVENTIONS	
	3.1 CONVENTIONS	
3	3.2 DEFINITIONS	
3	3.3 ABBREVIATIONS	
4.	SUMMARY	
5.	TEST DETAILS	
5	5.1 DOCUMENTATION	
5	5.2 TEST CASE STATISTICS	10
	5.2.1 Test Case Summary	
	5.2.2 Test Case List	11
5	5.3 PROBLEM REPORTS	18
6.	CONFIRMATION	19
API	PPENDIX A. CHANGE HISTORY (INFORMATIVE)	20

1. Scope

This report describes the results from the testing carried out at OMA Virtual Test Event-02 (September 2010) concerning the Data Synchronization Version 1.2.1 Enabler.

2. References

2.1 Normative References

[IOPPROC] "OMA Interoperability Policy and Process", Version 1.10, Open Mobile AllianceTM,

OMA-ORG-IOP Process-V1 10, <u>URL:http://www.openmobilealliance.org/</u>

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[ERELD] "Enabler Release Definition for Device Management", OMA-ERELD-DS-V1 2 1-20070810-

A, URL:http:www.openmobilealliance.org

[ERP] "Enabler Release Package", OMA-ERP-DS-V1 2 1-20070810-A,

URL:http:www.openmobilealliance.org

[ETS] "Enabler Test Specification", OMA-ETS-DataSynchronization-V1_2_0-20040817-A,

URL:http:www.openmobilealliance.org

2.2 Informative References

[OMADICT] "Dictionary for OMA specifications". Open Mobile AllianceTM.

http://www.openmobilealliance.org/

3. Terminology and Conventions

Conventions 3.1

This is an informative document, i.e. the document does not intend to contain normative statements.

3.2 **Definitions**

This section introduces terminology that will be used throughout this document.

Test Case A Test Case is an individual test used to verify the conformance of the Test Object to a particular

mandatory feature of the protocol. A 4-digit number identifies Test Cases where the first two digits

denote the Test Group ID.

Test Group A Test Group is a collection of Test Cases, which are executed, in a single SyncML session in

SCTS conformance test tool.

Test Object The implementation under test is referred to as the Test Object. In this document, the Client.

TestFest Multi-lateral interoperability testing event

Trusted Zone An OMA staff function to provide a neutral confidential information and results collection service

> to OMA Members. The Trusted Zone is responsible for all reports resulting from an OMA Test Event and to ensure that all general reports cannot attributed to any one individual participating

<Node> Path from the root to the interior node that is configured to the SCTS before the testing is done

(e.g., './SyncML/DMAcc' or './DevDetail'). Test case is driven to this configured interior node.

The <Node> can be different between different Test Cases.

Leaf node(s) that is configured to the SCTS before the testing is done (e.g., 'SwV' and/or 'Name'). <Leaf> or <Leaf#n>

Test case is driven to this configured interior node. The <Leaf> can be different between different

Test Cases.

3.3 **Abbreviations**

DS Data Synchronization

DTD Document Type Definition

EICS Enabler Implementation Conformance Statement

ERDEF Enabler Requirement Definition

ERELD Enabler Release Definition ERP Enabler Release Package ETG **Enabler Test Guidelines ETS Enabler Test Specification**

INC Inconclusive N/A Not Applicable

Open Mobile Alliance **OMA**

OT Out of Time PR Problem Report

SCR Static Conformance Requirements
SCTS SnycML Conformance Test Suite
SyncML Synchronization Mark-up Language

TC Test Case

XML Extensible Mark-up Language

4. Summary

This report gives details of the testing carried out during the OMA Virtual Test Event-02 (September 2010) for Data Synchronization v1.2.1.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

5. Test Details

5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

Date:	30 th September to 1 st October 2010
Location:	Not Applicable
Enabler:	DS v1.2.1
Process:	OMA Interoperability Policy and Process [OMAIOPPROC]
Type of Testing	Interoperability Testing
Products tested:	Client-to-server
Test Guidelines:	None
Test Specification:	DS 1.2 Enabler Test Specification [ETS]: OMA-ETS-DataSynchronization-V1_2_0-20040817-A
Test Tool:	None
Test Code:	None
Type of Test event:	Virtual Test Event
Participants:	Websync plus 2 other participants
Number of Client Implementations:	2
Participating Technology Providers for clients:	Websync plus 1 other client
Implementation IDs for each client:	Data Synchronization plus 1 other implementation
Number of Server Implementations:	1
Participating Technology Providers for servers:	1 server
Implementation IDs for each server:	1 implementation
Number of test sessions completed:	2

5.2 Test Case Statistics

5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- Total number of TCs: Used in the summary to indicate how many test cases there are in total.
- Number of passed: Used in the summary to indicate how many of the total testcases that successfully has been passed.
- Number of failed: Used in the summary to indicate how many of the total testcases that has failed.
- Number of N/A: Used in the summary to indicate how many of the total testcases that has not be run due to that the implementation(s) do not support the functionality required to run this test case.
- Number of OT: Used in the summary to indicate how many of the total testcases that has not be run due to no time to run the test case.
- Number of INC: Used in the summary to indicate how many of the total testcases that has not been run due to that the functionality could not be tested due to an error in the implementation in another functionality that is required to run this test case.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client to Server TCs	2	54	33	0	34	2	0	67
Total	2	54	33	0	34	2	0	67

Table 1. Test Summary Table

5.2.2 Test Case List

This chapter lists the statistics for all all interoperability test cases included in [ETS].

The following status is used in the tables below:

- Runs (R): Used to indicate the total number of times the test case have been run (R = P + F + I).
- Pass (P): Used to indicate how many times the test case have been run and successfully passed.
- Fail (F): Used to indicate how many times the test cases have been run and failed (used when the failure reason is known).
- Inconclusive (I): Used to indicate how many times the test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- Not Applicable (N/A): Used to indicate how many times the test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- Out of Time (O): Used to indicate how many times the test cases have not been run due to lack of time.
- Problem Report (PR): Used to indicate how many PRs have been issued for the test case.
- **Note:** Used to indicate the cause of the Inconclusive or Failed results.

Tests for DS v1.2.1 Enabler taken from OMA-ETS-DataSynchronization-V1_2-20040817-A

Test Case id:	Description			Гest (Count	S		PR:	Note:
rest Case Id:	Description:	R	P	F	O	I	N/A	rk:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-001	To test if the server can deny authentication when the client doesn't send any credentials.	2	2	0	0	2	0		0030
DATASYNCHRONIZ ATION-V1.2-INT-002	To test if the server can deny authentication when the client sends incorrect credentials.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-003	To check if the client can respond correctly to the server challenge for credentials in Basic authentication scheme.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-004	To check if the client can respond correctly to the server challenge for credentials in MD5 Digest authentication scheme.	0	0	0	2	0	0		

			7	Гest (Count	S			
Test Case id:	Description:	R	P	F	0	I	N/A	PR:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-005	To test the Data Synchronization protocol and representation through the first-time use of a two-way synchronization. The intent is to show the exchange of Device Information as well as an empty two-way synchronization. The test also shows proper implementation of the Sync command when there is no data to send.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-006	To test the implementation of the Sync command with data and the Add commands.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-007	To test the implementation of the Replace command, as well as implementation of the ID mapping capability.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-008	To test the implementation of the Delete command, as well as implementation of the ID mapping capability.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-009	To test two-way sync with only client sending new data. This will require the sending and handling of an empty Sync command in addition to the handling of new data.	2	2	0	0	2	0		0031
DATASYNCHRONIZ ATION-V1.2-INT-010	To test a deletion of a non-existent item.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-011	To test two-way sync with client sending no sync data, and the server sending new data. This will require the sending and handling of an empty Sync command in addition to the handling of new data.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-012	To test the client ability to receive multiple messages in a package.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-013	To test the ability of client implementation to send multiple messages. This test shows the client's ability to create multiple messages to the server. It also shows the server ability to respond properly to multiple messages from the client.	2	2	0	0	2	0		

			7	Гest (Count	S			
Test Case id:	Description:	R	P	F	0	I	N/A	PR:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-014	To test the implementation of a slow sync.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-015	To test implementation of slow sync to recover data onto a client.	2	2	0	0	2	0		
DATASYNCHRONIZ ATION-V1.2-INT-016	To test the implementation of Large Object handling functionality. This will require the sending and handling of large object by both Client and Server including the receiving, checking for the correctness in MaxObjSize and committing the object to the data store.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-017	To test the implementation's ability to handle incorrect sized large objects.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-018	The intent of this test is to verify that the client can send multiple large objects and the server can receive those large objects.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-019	To test if the client can deny authentication when the server doesn't send any credentials.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-020	To test if the client can deny authentication when the server sends incorrect credentials.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-021	To check if the server can respond correctly to the client challenge for credentials in Basic authentication scheme.	1	1	0	0	1	1		
DATASYNCHRONIZ ATION-V1.2-INT-022	To check if the server can respond correctly to the client challenge for credentials in MD5 Digest authentication scheme.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-023	To test whether client is able to request to suspend a synchronization session and is able to request to resume an interrupted session. Also to test whether the server is able to accept a client's request to suspend a synchronization session and to be able to accept a resume request from the client.	0	0	0	0	0	1		

T C I .			7	Гest (Count	S		nn.	L.
Test Case id:	Description:	R	P	F	0	I	N/A	PR:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-024	To test if the server is able to initiate at least a slow-sync when the server is not able to resume an interrupted session.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-025	To test if the client is able to initiate at least a slow-sync when the client is not able to resume an interrupted session.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-026	The intent of this test is to stress the system by having the client issue multiple repetitive suspend and resume actions.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-027	The intent of this test is to verify the client can suspend a one-way sync.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-028	The intent of this test is to verify the client can suspend a one-way sync.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-029	To test one-way sync from the server only that is the sync type in which the server sends all modifications to the client but the client does not send its modifications back to the server	1	1	0	0	1	1		
DATASYNCHRONIZ ATION-V1.2-INT-030	To test one-way sync from the client only that is the sync type in which the client sends all modifications to the server but the server does not send its modifications back to the client	1	1	0	0	1	1		
DATASYNCHRONIZ ATION-V1.2-INT-031	To test the 'refresh sync from server only' synchronization in which the server sends all its data from a database to the client (i.e., exports). The client is expected to replace all data in the target database with the data sent by the server.	1	1	0	0	1	1		
DATASYNCHRONIZ ATION-V1.2-INT-032	To test the 'refresh sync from client only' synchronization in which the client sends all its data from a database to the server (i.e., exports). The server is expected to replace all data in the target database with the data sent by the client. I.e., this means that the client overwrites all data in the server database.	1	1	0	0	1	1		

				Гest (Count	S			L
Test Case id:	Description:	R	P	F	0	I	N/A	PR:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-033	To test whether server alert message is properly sent and processed by the client, resulting in the client starting a synchronisation session with the alerting server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-034	To test whether server alert message is properly sent and processed by the client, resulting in client choosing to ignore and initiating another sync that it declared to the server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-035	To test whether the client can send a sync request with filtering criteria for object record and whether the server can send changes only for items that satisfy the filter criteria.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-036	The intent of this test is to verify the error case for when a client may request to update a specific record that has previously been deleted on the server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-037	The intent of this test is to verify that the client may specify multiple records for updating.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-038	To test whether the client can send a sync request with filtering criteria for object content and whether the server can send changes only for items that satisfy the filter criteria.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-039	The intent of this test is to verify that the client may specify multiple criteria in order to filter the data objects for synchronization.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-040	To test whether the server handles field level changes correctly for incoming objects from the client.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-041	To test whether the client handles field level changes correctly for incoming objects from the server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-042	The intent of this test is to verify that the system can update records with multiple field changes for multiple records.	0	0	0	0	0	1		

			7	Гest (Count	S			
Test Case id:	Description:	R	P	F	0	I	N/A	PR:	Note:
DATASYNCHRONIZ ATION-V1.2-INT-043	The intent of this test is to verify the system can update a field level change on a large amount of data.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-044	The intent of this test case is to verify that the system can add a data object to an existing folder in the data store.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-045	The intent of this test case is to verify that the system can add a folder to the client and then add a data object to the new folder	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-046	The intent of this test case is to verify that the system can delete all items in a folder. The system should maintain the folder. The folder is verified by adding a subsequent and new data object.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-047	The intent of this test case is to verify that the system can delete folders in the client and server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-048	The intent of this test case is to verify that the system can move data objects from one folder to another in both client and server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-049	The intent of this test case is to verify that the system can move existing data objects to newly created forlders in both client and server.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-050	The intent of this test case is to verify that the system can perform various types of DS Sessions without interaction between the various Sessions.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-051	The intent of this test case is to verify that the system can perform various types of DS Sessions without interaction between the various Sessions.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-052	The intent of this test case is to verify that the system can perform various types of DS Sessions without interaction between the various Sessions.	0	0	0	0	0	1		

Test Case id:	Description:		7	Γest (Count	S		PR:	Note:
Test Case Iu.	Description.	R	P	F	O	I	N/A	I K.	Note.
DATASYNCHRONIZ ATION-V1.2-INT-053	The intent of this test case is to verify that the system can perform various types of DS Sessions without interaction between the various Sessions.	0	0	0	0	0	1		
DATASYNCHRONIZ ATION-V1.2-INT-054	The intent of this test case is to verify that the system can perform various types of DS Sessions without interaction between the various Sessions.	0	0	0	0	0	1		

Table 2. Test Case Counts

ì	N	١.	4	^	_	_	

001

5.3 Problem Reports

During the activities for Virtual Test Event-02 the following problem reports were generated relating to the test materials and test process:

PR Number	Affecting	Description	Test Case reference / Specification reference
DS12- 0030	OMA-ETS- DataSynchronization- V1_2_0-20040817-A	Missing HTTP response codes. In test cases 7.1 Client authentication with no credentials •In the pass criteria is suggested to add the correspondent HTTP response code that should be sent by the Server. •This comment applies to all the test cases	DataSynchronization-v1.2-int-001
DS12- 0031	OMA-ETS- DataSynchronization- V1_2_0-20040817-A	Change the order of some test cases. Test case, 7.9 Two-way Sync with Client sending new data •It was suggested to move this test up in the list in order to have all the tests about item action from just one side before the actions on both sides	DataSynchronization-v1.2-int-009

Full details of all Problem Reports can be found at:

http://www.oma-tech.org/pr/Frontpage.aspx

6. Confirmation

Melin Mellen.

This signature states that the included information is true and valid.

OMA Trusted Zone

Appendix A. Change History

(Informative)

Type of Change	Date	Section	Description
New Version	11th October 2010	All	First Version for Virtual Test Event-02