

Enabler Release Definition for Application Layer Security Common Functions

Approved Version 1.0 – 02 Sep 2008

Open Mobile Alliance OMA-ERELD-SEC_CF-V1_0-20080902-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at http://www.openmobilealliance.org/UseAgreement.html.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile AllianceTM specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at http://www.openmobilealliance.org/ipr.html. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2008 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	4
2. REFERENCES	5
2.1 NORMATIVE REFERENCES	5
2.2 Informative References	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS	6
3.2 DEFINITIONS	
3.3 ABBREVIATIONS	6
4. RELEASE VERSION OVERVIEW	7
4.1 VERSION 1.0 FUNCTIONALITY	7
5. DOCUMENT LISTING FOR SEC_CF	8
6. CONFORMANCE REQUIREMENTS NOTATION DETAILS	9
7. ERDEF FOR SEC_CF - CLIENT REQUIREMENTS	10
8. ERDEF FOR SEC_CF - SERVER REQUIREMENTS	
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	
A.1 APPROVED VERSION HISTORY	
Tables	
Table 1: Listing of Documents in SEC_CF Enabler	8
Fable 2: ERDEF for SEC_CF Client-side Requirements	10
Table 3: FRDFF for SFC CF Server-side Requirements	11

1. Scope

The scope of this document is limited to the Enabler Release Definition of Application Layer Security Common Functions (SEC_CF) according to OMA Release process and the Enabler Release specification baseline listed in section 5.

2. References

Normative References 2.1

[RFC793] "Transmission Control Protocol", IETF, RFC 793, J. Postel, September 1981,

URL:http://www.ietf.org/rfc/rfc793.txt

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures,

URL:http://www.openmobilealliance.org/

2.2 **Informative References**

"Dictionary for OMA Specifications", Version x.y, Open Mobile Alliance MA-ORG-Dictionary- Vx_y , URL: http://www.openmobilealliance.org/ [OMADICT]

3. Terminology and Conventions

3.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope", "Release Version Overview" and "Conformance Requirements Notation Details", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 7 and 8 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

3.2 Definitions

Enabler Release Collection of specifications that combined together form an enabler for a service area, e.g. a download

enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are

forming an enabler should combined fulfil a number of related market requirements.

Minimum Functionality

Description

Description of the guaranteed features and functionality that will be enabled by implementing the

minimum mandatory part of the Enabler Release.

3.3 Abbreviations

DDS Data Description Format

DDS Data Definition Specifica

DDS Data Definition Specification

ERDEF Enabler Requirement Definition

ERELD Enabler Release Definition

GBA Generic Bootstrapping Architecture

KMC Key Management Center
 OMA Open Mobile Alliance
 OSG OMA Security Gateway
 SEC_CF Security Common Functions
 TCP Transmission Control Protocol

TLS Transport Layer Security

4. Release Version Overview

Security Common Functions (SEC_CF) aims at providing a common security architecture for OMA Enablers. The common security architecture provides a common way to implement security functionality for OMA Enablers in a flexible way and it is adaptable to the requirements of different enabler deployment scenarios. Ultimately, it should be possible for all types of OMA enablers to use this architecture to provide security.

4.1 Version 1.0 Functionality

This version of the SEC_CF aims to provide security functionality for OMA Enablers that are based on a Client-Server operational model and operate over TCP [RFC793] as the transport protocol.

A Client-Server operational model in the SEC_CF context requires a functional entity denoted Security Agent (SECA), requesting services from an application server. Security Agents are generally implemented on a mobile terminal whereas the application server is likely to be the part of an OMA Enabler such as location servers, charging elements, etc. that resides in a fixed network.

SEC_CF defines another functional entity, OMA security gateway (OSG), which can be integrated into other entities (e.g. mobile terminal, application server, etc) of the OMA Enabler architecture to provide security services to resources that are connected to it. The OSG MAY provide DoS protection. As an implementation option, the functional entity Key Management Center (KMC) is introduced to provide key management support to the OSG (in Home or Visited domains) and key management to the Security Agent. KMC can also be integrated into the OSG.

The interfaces defined between SEC_CF functional entities can be implemented using industry standard security protocols. In some cases SEC_CF functional entities might be integrated into the enablers own functional entities to avoid creating new interfaces and simplify the solution.

SEC_CF defines several security functions such as authentication, confidentiality protection and integrity protection to be reused by other OMA enablers. Security considerations for each security function are detailed in the relevant SEC_CF technical specifications. The SEC_CF architecture also permits various deployment models to reflect the current established deployment models (Home domain only, visited domain, etc) of service providers.

5. Document Listing for SEC_CF

This section is normative.

Table 1 lists the documents that comprise the SEC CF enabler.

Doc Ref	Permanent Document Reference	Description		
Requirement Document				
[SEC_CF_RD]	OMA-RD-SEC_CF-V1_0-20080902-A	Requirement Document for SEC_CF Enabler		
Architecture Document				
[SEC_CF_AD]	OMA-AD-SEC_CF-V1_0-20080902-A	Architecture Document for SEC_CF Enabler		
Technical Specifications				
[TLS]	OMA-TS-TLS-V1_0-20080902-A	Specification that defines an OMA profile of TLS and related IETF specifications. The profling amounts to stating which features, in referenced specifications, that must or should be supported.		
[GBA_Profile]	OMA-TS-GBA_Profile-V1_0-20080902-A	Specification that defines an OMA profile of GBA, as defined by 3GPP and 3GPP2. GBA specifies how operator controlled smart cards can be used to bootstrap a short term security association between a client and a server. The profling amounts to stating which features, in referenced specifications, that must or should be supported.		
Supporting Files				
[SEC_CERT_MO]	OMA-DDS-SEC_CERT_MO-V1_0-20080902-A	Using the OMA DM protocol and its data formats, this data definition specification defines Management Objects required for management of security properties (SEC CERT MOs). To be used as one option to initialize a device in context of the SEC_CF enabler, or in other contexts.		
[SEC_CERT_DDF]	OMA-SUP-MO_SEC_CERT-V1_0-20080902-A	DDF for the MO in [SEC_CERT_MO]. Working file in Schema directory: file: SEC_CERT_MO-v1_0.ddf path: http://www.openmobilealliance.org/tech/omna/dm-mo/		

Table 1: Listing of Documents in SEC_CF Enabler

6. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

Item: Entry in this column MUST be a valid ScrItem according to [SCRRULES].

Feature/Application: Entry in this column SHOULD be a short descriptive label to the **Item** in question.

Requirement: Expression in the column MUST be a valid TerminalExpression according to [SCRRULES] and it

MUST accurately reflect the architectural requirement of the **Item** in question.

7. ERDEF for SEC_CF - Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-SEC_CF-C-001-M	SEC_CF Client	[TLS]: MCF
OMA-ERDEF-SEC_CF-C-002-O	SEC_CF Client	[GBA_Profile]: OCF
OMA-ERDEF-SEC_CF-C-002-O	SEC_CF Client	[SEC_CERT_MO]: OCF

Table 2: ERDEF for SEC_CF Client-side Requirements

8. ERDEF for SEC_CF - Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-SEC_CF-S-001-M	SEC_CF Server	[TLS]: MSF
OMA-ERDEF-SEC_CF-S-002-O	SEC_CF Server	[GBA_Profile]: OSF
OMA-ERDEF-SEC_CF-S-003-O	SEC_CF Server	[SEC_CERT_MO]: OSF

Table 3: ERDEF for SEC_CF Server-side Requirements

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
Approved versions:	02 Sep 2008	Status changed to Approved by TP
OMA-ERELD-SEC_CF-V1_0		OMA-TP-2008-0321-INP_SEC_CF_V1_0_ERP_for_Final_Approval