

# **Enabler Release Definition for Service User Profile Management**

Candidate Version 1.0 – 20 Apr 2010

Open Mobile Alliance OMA-ERELD-Service\_User\_Profile\_Management-V1\_0-20100420-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <a href="http://www.openmobilealliance.org/UseAgreement.html">http://www.openmobilealliance.org/UseAgreement.html</a>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance<sup>TM</sup> specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/ipr.html">http://www.openmobilealliance.org/ipr.html</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2010 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

## **Contents**

SCOPE	4
1. REFERENCES	5
1.1 NORMATIVE REFERENCES	
1.2 Informative References	5
2. TERMINOLOGY AND CONVENTIONS	
2.1 CONVENTIONS	6
2.2 DEFINITIONS	6
2.3 ABBREVIATIONS	
3. RELEASE VERSION OVERVIEW	7
3.1 VERSION 1.0 FUNCTIONALITY	7
4. DOCUMENT LISTING FOR SERVICE USER PROFILE MANAGEMENT V1.0	8
5. OMNA CONSIDERATIONS	9
6. CONFORMANCE REQUIREMENTS NOTATION DETAILS	10
7. ERDEF FOR SERVUSERPROF – CLIENT REQUIREMENTS	11
8. ERDEF FOR SERVUSERPROF – SERVER REQUIREMENTS	12
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	13
A.1 APPROVED VERSION HISTORY	13
A.2 DRAFT/CANDIDATE VERSION 1.0 HISTORY	13
Tables	
Table 1: ERDEF for ServUserProf Client-side Requirements	11
Table 2. EDDEF for Sary Usar Drof Saryar side Dequirements	12

#### Scope

The scope of this document is limited to the Enabler Release Definition of Service User Profile Management (SUPM) enabler according to OMA Release process and the Enabler Release specification baseline listed in section 4.

The main objective of the ServUserProf enabler is to define a unified data model (Service User Profile Data Model) for data related to Service User Profile, and provide one unique central point to access and allow management of those data, fulfilling the need of OMA services/enablers, while avoiding the duplication of SUPM functionalities in different enablers. The unified Service User Profile Data Model supports contextualization and personalization of the User's mobile and/or fixed services, as well as the content handled by those services.

#### 1. References

#### 1.1 Normative References

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[SCRRULES] "SCR Rules and Procedures", Open Mobile Alliance™, OMA-ORG-

SCR Rules and Procedures, URL:http://www.openmobilealliance.org/

[ServUserProf RD] "Service User Profile Management Requirements", Open Mobile Alliance™, OMA-RD-

Service\_User\_Profile\_Management-V1\_0, URL:http://www.openmobilealliance.org/

#### 1.2 Informative References

[3GPP\_UDC] 3GPP TR 22.985-900 "3rd Generation Partnership Project; Technical Specification Group

Services and System Aspects; Service requirement for the User Data Convergence (UDC)

(Release 9)", 2008-12, URL: http://www.3gpp.org

[CAB\_RD\_1] "Converged Address Book Requirements", Version 1.0, Open Mobile Alliance<sup>TM</sup>

URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>

[CBCSF RD 1] "Categorisation Based Content Screening Framework Requirements", Version 1.0, Open Mobile

Alliance™, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>

[CPM\_RD\_1] "Converged IP Messaging Requirements", Version 1.0, Open Mobile Alliance<sup>TM</sup>

URL: http://www.openmobilealliance.org/

[OMADICT] "Dictionary for OMA Specifications", Version 2.7, Open Mobile Alliance<sup>TM</sup>,

OMA-ORG-Dictionary-V2\_7, <u>URL:http://www.openmobilealliance.org/</u>

[RFC2822] IETF RFC 2822 "Internet Message Format",

URL: http://www.ietf.org/rfc/rfc2822.txt

[RFC3261] IETF RFC 3261 "SIP: Session Initiation Protocol",

URL: <a href="http://www.ietf.org/rfc/rfc3261.txt">http://www.ietf.org/rfc/rfc3261.txt</a>

[RFC3966] IETF RFC 3966 "The tel URI for Telephone Numbers",

URL: http://www.ietf.org/rfc/rfc3966.txt

[RFC4646] IETF RFC 3966 "Tags for Identifying Languages",

URL: http://www.ietf.org/rfc/rfc4646.txt

[XDM\_RD\_21] "OMA XML Document Management Requirements", Version 2.1, Open Mobile Alliance™

URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>

## 2. Terminology and Conventions

#### 2.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except "Scope" and "Introduction", are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 7 and 8 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [Error! Reference source not found.].

#### 2.2 Definitions

**Enabler Release** Collection of specifications that combined together form an enabler for a service area, e.g. a download

enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are

forming an enabler should combined fulfil a number of related market requirements.

**Minimum Functionality** 

Description

Description of the guaranteed features and functionality that will be enabled by implementing the

minimum mandatory part of the Enabler Release

Service Provider See [OMADICT]

**Service User Profile** A Service Provider managed set of information related to a User that may be used to create personalized

and contextualized services. The set of information may include both static and dynamic information available for example from the User Profile, User's Characteristic Description information and User

Context

**Service User Profile** 

Data Model

The data model used to represent the Service User Profile.

User See [OMADICT]

**User Context** A set of information which describes the current status of the User (e.g. location, presence, current device

capabilities, body temperature, blood pressure, weather).

**User Preferences** User's related data used for contextualization and personalization of the service.

User Profile See [OMADICT]

User's Characteristic Description Information User's characteristic description information permits to describe user characterisation (e.g. user's interest and hobbies), generally as an analysis result from user's related data (user's basic information, extended information, historical behaviour data, etc.). The user's characteristic description information may be

information, historical behaviour data, etc.). The user's characteristic description information may be represented for example by specific "topic tags", with each tag being a specific topic (e.g., sports, finance,

music) associated with a percentage of the relevance of the user to the specific topic

#### 2.3 Abbreviations

**ERDEF** Enabler Requirement Definition

**ERELD** Enabler Release Definition

**OMA** Open Mobile Alliance

OMNA Open Mobile Naming Authority
ServUserProf Services User Profile Management

**SUPM** Services User Profile Management

#### 3. Release Version Overview

This document outlines the Enabler Release Definition for Service User Profile Management (SUPM) enabler and the respective conformance requirements for clients and servers implementing and claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

#### 3.1 Version 1.0 Functionality

The SUPM enabler V1.0 makes use of previously defined User services-related data and data access mechanisms (e.g. protocols, data representations), in order to achieve the following:

- definition of a Service User Profile Data Model for User data. This comprises data that is under the responsibility of the Service Provider and is useful for contextualisation and personalisation of services (e.g. user preferences related to applications/services and/or service content):
  - o inclusion of underlying service-related data structures previously defined in other standards fora
  - o inclusion of previously defined different types of data and related elements (such as personalisation) provided by OMA enablers or other resources
  - o definition of additional (new) data to be included in the data model
  - o definition of the different views for representation of data in the data model
  - o definition of extensible data model for future data inclusion
- selection of data management operations (creation, modification, search, retrieval, deletion etc.) together with:
  - o access interface(s)
  - o conditions for usage and access to ensure controlled, secure access by authenticated or authorised entities
  - o reuse (where appropriate) of data defined outside ServUserProf Enabler (e.g. via other services enablers).

## 4. Document Listing for Service User Profile Management V1.0

This section is normative.

Doc Ref	Permanent Document Reference	Description		
Requirement Document	Requirement Document			
[SUPM_RD]	OMA-RD-Service_User_Profile_Management-V1_0-20090915-C	Requirements for Service User Profile Management enabler		
Architecture Docume	nt			
[SUPM_AD]	OMA-AD-Service_User_Profile_Management- V1_0-20100420-C	Architecture for Service User Profile Management enabler		
Technical Specifications				
<b>Supporting Files</b>				

#### 5. OMNA Considerations

This section is to be used to describe any OMNA items included in the release. This would include, among others:

- Usage of OMA-based Uniform Resource Names (URNs) (including those used as namespace identifiers in Schemas)
- AppiDs for Application Characteristics (AC)
- Managed Object (MO) information for the MO registry
- ISO Object IDs
- PUSH Application Ids
- WAP Wireless Session Protocol (WSP) Content Types
- Presence <service-description> assignments
- Uniform Resource Identifier (URI)-List Registered Usage Names (for XDM)

The format of this section will be left up to the release owners to account for the particular needs they may run into. It should be clear from the written material, though, as to the set of OMNA items needed.

If a new OMNA registry is needed to support the release - clearly this should have been worked with the REL Committee before submitting a Release Document. Failure to do so may result in delays as the required tables are worked up and made publicly available. Another risk is that the table desired is not supported by OMNA (is not a registry type table) and the group will need to rethink how they intend to resolve their needs.

Through the normal development process the OMNA entries or support registries should be accommodated. This should not be trigger to remove the linkage from this section. Thus, if an entry is added to OMNA after the initial Candidate version described the need - the material should stay in this section. It may be useful in subsequent releases to add some text to indicate that the needed items have been accommodated (e.g. add a comment regarding its availability or support as appropriate).

If the release has absolutely no OMNA items to be accommodated - then it should indicate that explicitly with a short description (e.g. this release does not have any OMNA items for handling). This determination probably can not be made until the end of the development phases and editors are encouraged to keep this advisory in place until the Consistency Review.

DELETE THIS COMMENT >>

## 6. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

**Item:** Entry in this column MUST be a valid ScrItem according to [SCRRULES].

**Feature/Application:** Entry in this column SHOULD be a short descriptive label to the **Item** in question.

**Requirement:** Expression in the column MUST be a valid TerminalExpression according to [SCRRULES] and it

MUST accurately reflect the architectural requirement of the **Item** in question.

## 7. ERDEF for ServUserProf – Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-ServUserProf-C-001-< <m o="">&gt;</m>	ServUserProf Client	

Table 1: ERDEF for ServUserProf Client-side Requirements

## 8. ERDEF for ServUserProf – Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-ServUserProf-S-001-< <m o="">&gt;</m>	ServUserProf Server	

Table 2: ERDEF for ServUserProf Server-side Requirements

## Appendix A. Change History

## (Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version –or- No previous version within OMA

## A.2 Draft/Candidate Version 1.0 History

Document Identifier	Date	Sections	Description
Draft Versions:	04 June 2009		Initial baseline for RD review
OMA-ERELD-ServUserProf-V1_0	26 August 2009	All	Updated accordingly to the RD result of the Formal Review (Singapore)
Candidate Version OMA-ERELD-ServUserProf-V1_0	15 Sep 2009	N/A	Status changed to Candidate by TP ref # OMA-TP-2009-0408-INP_ServUserProf_V1_0_RD_for_Candidate_Approval
Draft versions OMA-ERELD-	22 Jan 2010	3, 4	Updated basline draft for AD review
Service_User_Profile_Management-V1_0	31 Mar 2010	All	Editorial fixes: 2010 template applied References, Definitions and Abbreviations sorted alphabetically Name of enabler applied consistently on cover page and titles Tables added in Contents Document Listing updated
Candidate version OMA-ERELD- Service_User_Profile_Management-V1_0	20 Apr 2010	All	Status changed to Candidate by TP:  OMA-TP-2010-0178- INP_SUPM_V1_0_AD_for_Candidate_approval