



# Enabler Release Definition for Mobile Broadcast Services

## Candidate Version 1.2 – 14 Jan 2014

---

**Open Mobile Alliance**  
OMA-ERELED-BCAST-V1\_2-20140114-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

**NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.**

**THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.**

© 2014 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

- 1. SCOPE.....4
- 2. REFERENCES .....5
  - 2.1 NORMATIVE REFERENCES.....5
  - 2.2 INFORMATIVE REFERENCES.....6
- 3. TERMINOLOGY AND CONVENTIONS.....7
  - 3.1 CONVENTIONS.....7
  - 3.2 DEFINITIONS.....7
  - 3.3 ABBREVIATIONS.....10
- 4. RELEASE VERSION OVERVIEW .....11
  - 4.1 VERSION 1.0 FUNCTIONALITY .....11
  - 4.2 VERSION 1.1 FUNCTIONALITY .....11
  - 4.3 VERSION 1.2 FUNCTIONALITY .....11
- 5. DOCUMENT LISTING FOR BCAST V1.2.....12
- 6. OMNA CONSIDERATIONS .....16
- 7. CONFORMANCE REQUIREMENTS NOTATION DETAILS .....20
- 8. ERDEF FOR MOBILE BROADCAST SERVICES - CLIENT REQUIREMENTS .....21
- 9. ERDEF FOR MOBILE BROADCAST SERVICES - SERVER REQUIREMENTS .....24
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....27
  - A.1 APPROVED VERSION HISTORY .....27
  - A.2 DRAFT/CANDIDATE VERSION 1.2 HISTORY .....27

# Tables

- Table 1: Listing of Documents in Mobile Broadcast Services Enabler .....15
- Table 2: ERDEF for Mobile Broadcast Services Client-side Requirements.....23
- Table 3: ERDEF for Mobile Broadcast Services Server-side Requirements.....26

# 1. Scope

The scope of this document is limited to the Enabler Release Definition of Mobile Broadcast Services (BCAST) according to OMA Release process and the Enabler Release specification baseline listed in section 5.

## 2. References

### 2.1 Normative References

[BCAST11-Requirements]	“Mobile Broadcast Services Requirements”, Open Mobile Alliance™, OMA-RD-BCAST-V1_1, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-BCMCS-Adaptation]	“BCAST Distribution System Adaptation – 3GPP2/BCMCS”, Open Mobile Alliance™, OMA-TS-BCAST_BCMCS_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-Distribution]	“File and Stream Distribution for Mobile Broadcast Services”, Open Mobile Alliance™, OMA-TS-BCAST_Distribution-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-DVBH-IPDC-Adaptation]	“BCAST Distribution System Adaptation – IPDC over DVB-H”, Open Mobile Alliance™, OMA-TS-BCAST_DVB_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-DVBNGH-Adaptation]	“BCAST Distribution System Adaptation – DVB Next Generation Handheld”, Open Mobile Alliance™, OMA-TS-BCAST_DVBNGH_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-DVBSH-IPDC-Adaptation]	“BCAST Distribution System Adaptation – IPDC over DVB-SH”, Open Mobile Alliance™, OMA-TS-BCAST_DVBSH_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-ETR]	“Enabler Test Requirements for Mobile Broadcast Services”, Open Mobile Alliance™, OMA-ETR-BCAST-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-FLO-Adaptation]	“BCAST Distribution System Adaptation – Forward Link Only”, Open Mobile Alliance™, OMA-TS-BCAST_FLO_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-MBMS-Adaptation]	“BCAST Distribution System Adaptation – 3GPP/MBMS”, Open Mobile Alliance™, OMA-TS-BCAST_MBMS_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-ServContProt]	“Service and Content Protection for Mobile Broadcast Services”, Open Mobile Alliance™, OMA-TS-BCAST_SvcCntProtection-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-Services]	“Mobile Broadcast Services”, Open Mobile Alliance™, OMA-TS-BCAST_Services-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-SG]	“Service Guide for Mobile Broadcast Services”, Open Mobile Alliance™, OMA-TS-BCAST_ServiceGuide-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[BCAST12-WiMAX-Adaptation]	“BCAST Distribution System Adaptation – WiMAX”, Open Mobile Alliance™, OMA-TS-BCAST_WiMAX_Adaptation-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[DRM20-Broadcast-Extensions]	“OMA DRM v2.0 Extensions for Broadcast Support”, Open Mobile Alliance™, OMA-TS-DRM-XBS-V1_2, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>
[RFC2119]	“Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, URL: <a href="http://www.ietf.org/rfc/rfc2119.txt">http://www.ietf.org/rfc/rfc2119.txt</a>
[SCR RULES]	“SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, URL: <a href="http://www.openmobilealliance.org/">http://www.openmobilealliance.org/</a>

## 2.2 Informative References

- [BCAST11-Architecture] “Mobile Broadcast Services Architecture”, Open Mobile Alliance™, OMA-AD-BCAST-V1\_1, URL: <http://www.openmobilealliance.org/>
- [OMADICT] “Dictionary for OMA Specifications”, Version x.y, Open Mobile Alliance™, OMA-ORG-Dictionary-Vx\_y, URL: <http://www.openmobilealliance.org/>

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope”, "Release Version Overview" and “Conformance Requirements Notation Details”, are normative, unless they are explicitly indicated to be informative.

The formal notation convention used in sections 8 and 9 to formally express the structure and internal dependencies between specifications in the Enabler Release specification baseline is detailed in [SCRRULES].

### 3.2 Definitions

<b>(U)SIM</b>	A SIM or a USIM application residing in the memory of the UICC.
<b>Audience Measurement Function</b>	<p>The global function ensuring the Audience Measurement includes the BCAST enabler entities that participate to the Audience Measurement collect/processing.</p> <p>The foreseen BCAST enablers related entities are the BCAST Audience Measurement functions on the Client side and the BCAST Audience Measurement function on the Network side.</p>
<b>BCAST Distribution System</b>	A system typically but not necessarily containing the ability to transmit the same IP flow to multiple Terminal devices simultaneously. A BCAST Distribution System (BDS) typically uses techniques that achieve efficient use of radio resources. A BDS consists of Network functionality up to the IP layer and optional Service Distribution/Adaptation functionality above the IP layer. Most BDSs support broadcast/multicast distribution in the network. Some BCAST Distribution Systems have the capability to deliver the IP flows in the network via unicast.
<b>BCAST Service Application</b>	Represents the service application of the BCAST Service, such as streaming audio/video or movie download.
<b>BCAST Service Distribution/Adaptation</b>	Responsible for the aggregation and delivery of BCAST Services, and performs the adaptation of the BCAST Enabler to underlying BCAST Distribution Systems.
<b>BCAST Subscription Management</b>	Responsible for service provisioning such as subscription and payment related functions, the provision of information used for BCAST Service reception, and BCAST device management.
<b>BDS Service Distribution</b>	Responsible for the coordination and delivery of broadcast services to the BDS for delivery to the terminal, including file and streaming distribution, and Service Guide distribution.
<b>Broadcast Channel</b>	<p>The logical channel (usually uni-directional) that provides Broadcast Transport which the Broadcast Enabler uses for broadcast distribution of data to Mobile Terminals.</p> <p>Typically, the Broadcast Channel supports high bitrates. It is inherently used for downlink purposes and is particularly useful for conveying information that is targeted to all or many Mobile Terminals.</p> <p>The Broadcast Channel is implemented by a BCAST Distribution System that can efficiently distribute IP-based services to Mobile Terminals. Typically, this means that a broadcast-capable bearer is used as the underlying network technology.</p> <p>Broadcast transport mechanisms allow simultaneous distribution of content to many recipients. This requires that all receivers can “receive” the same physical resource (link or radio frequency) and can simultaneously connect to the same transport protocol. Broadcast transport can be accomplished using both broadcast and multicast mechanisms in the underlying BCAST Distribution System.</p>
<b>Broadcast Roaming</b>	Broadcast Roaming is the ability of a user to receive broadcast services from a Mobile Broadcast Service Provider different from the Home Mobile Broadcast Service Provider with which the user has a contractual relationship.

<b>Broadcast Service</b>	<p>A Broadcast Service is a “content package” suitable for simultaneous distribution to many recipients (potentially) without knowing the recipient. Either each receiver has similar receiving devices or the content package includes information, which allows the client to process the content according to his current conditions.</p> <p>Examples of Broadcast Services are:</p> <p>pure Broadcast Services:</p> <ul style="list-style-type: none"> <li>- mobile TV</li> <li>- mobile newspaper</li> <li>- mobile file downloading (clips, games, SW upgrades, other applications, applications)</li> </ul> <p>combined broadcast/interactive Broadcast Services:</p> <ul style="list-style-type: none"> <li>- mobile TV for file downloading with voting</li> <li>- betting Broadcast Services</li> <li>- auction Broadcast Services</li> <li>- trading Broadcast Services</li> </ul>
<b>Content Protection</b>	<p>This involves the protection of content (files or streams) during the complete lifetime of the content i.e. it is NOT an access control mechanism only as it involves post-acquisition rules. Content protection is enabled for encrypted content through the use of appropriate rules or rights, e.g. using OMA DRM v2.0 for files and OMA DRM Broadcast extensions for streamed content. Content remains protected in the Terminal.</p> <p>Usage rules are enforced at "consumption time" (typically, based on DRM). In addition to subscription and pay-per-view, typically associate with Service Protection, Content Protection enables also more fine-grained usage rules, such as for displaying, saving in unencrypted form, printing, processing, re-distributing, etc. [DRM v2.0].</p>
<b>Device Management</b>	<p>Management of the Device configuration and other managed objects of Devices from the point of view of the various Management Authorities.</p>
<b>Digital Rights Management</b>	<p>The means to control the usage of media object once it has been downloaded. DRM enables content providers to define rights for media objects. It is possible to associate different rights with a single media object. The rights are required in order to use the media object.</p>
<b>DRM Profile</b>	<p>The DRM profile uses the Service &amp; Content Protection solution for BCAST receivers in which the long term key management and registration of devices is based on OMA DRM and the broadcast extensions [XBS DRM extensions-v1.0].</p> <p>For further details, see [BCAST12-ServContProt].</p>
<b>Enabler Release</b>	<p>Collection of specifications that combined together form an enabler for a service area, e.g. a download enabler, a browsing enabler, a messaging enabler, a location enabler, etc. The specifications that are forming an enabler should combined fulfil a number of related market requirements.</p>
<b>File Distribution Function</b>	<p>The File Distribution Function distributes a file or a bundle of files having any type or any encoding scheme to Terminals.</p>
<b>Interaction network</b>	<p>A system containing the ability to transmit, for example IP flow, SMS, MMS, through Interaction Channel to a Terminal device and transmitting user’s responses through Interaction Channel to a BCAST Service Application. A system containing the ability to transmit IP flow through Interaction Channel to a Terminal device</p>
<b>Minimum Functionality Description</b>	<p>Description of the guaranteed features and functionality that will be enabled by implementing the minimum mandatory part of the Enabler Release.</p>
<b>Notification Function</b>	<p>The Notification Function is responsible for informing a terminal or a group of terminals of the upcoming event about Broadcast Service.</p>
<b>Panel (of users)</b>	<p>Group of users targeted for an Audience Measurement Campaign according to some specific criteria</p>



<b>Rich-Media Solution</b>	<p>A rich media solution is usually composed of a Rich Media Format, Rich Media Packaging, and Rich Media Delivery components to ensure an end-to-end RMS framework for consumption of Rich Media Content by the end-user.</p> <ul style="list-style-type: none"> <li>- Rich Media Content is a static or animated media consumed and displayed in a time interval. The media may take advantage but is not constraint to and not limited to enhanced features such as audio, video, data, text, images, and interaction and are composed together in regards to the terminal capabilities to give to the end-user a rich multimedia experience</li> <li>- Rich Media Format is a language describing the presentation composition and timing model of rich media content</li> <li>- Rich Media Packaging is a packaging schema used to represent Rich Media Content in a single packaging format (e.g. 3gp file)</li> <li>- Rich Media Delivery refers to a delivery mechanism used for Rich Media Content including file (e.g. Unicast or Broadcast download) and stream (e.g. Unicast or Broadcast streaming) delivery</li> </ul>
<b>Service Guide Function</b>	The Service Guide Function provides the broadcast users with information on the various broadcast contents available in their region
<b>Service Interaction Function</b>	The Service Interaction Function provides the point-to-point communication between a BCAST Service Application in the network and the terminal.
<b>Service Protection</b>	<p>This involves protection of content (files or streams) during its delivery, i.e., it is an access control mechanism only. Content is freely available (thus unencrypted) once securely delivered.</p> <p>For the benefit of allowing Content Protection to be provided for the same service, Service Protection may be limited to immediate consumption / rendering only, allowing recording of encrypted content for future acquisition of post-acquisition rights (see Content Protection).</p>
<b>Service Protection and Content Protection Function</b>	The Service and Content Protection function provides a BDS-agnostic way of protecting both content and services delivered within Mobile Broadcast services.
<b>Service Provisioning Function</b>	The Service Provisioning Function is responsible for a User subscription to a BCAST service and the payment for a User about his or her subscribed service.
<b>Smartcard</b>	<p>A non-UICC secure function platform which may contain the SIM or R-UIM module, or a UICC-based secure function platform which may contain one or more of the following applications: a 3GPP USIM, 3GPP2 CSIM or 3GPP/3GPP2 ISIM.</p> <p>Note that the set of applications/modules residing on the Smartcard are typically governed by the affiliation of the Smartcard to 3GPP or 3GPP2 specifications, as indicated by the definition for “Smartcard Profile”.</p>
<b>Smartcard Broadcast Provisioning Function</b>	The Smartcard Broadcast Provisioning Function manages Smartcard configuration parameters, e.g. data, parameters and applications and distributes them to many Smartcards over Broadcast Channel.
<b>Smartcard Profile</b>	Alias for a set of Smartcard-based technologies and mechanisms, which provides key establishment and key management, as well as permission and token handling for the Service and Content Protection solution for BCAST Terminals. In particular, Subscriber Key establishment and both Short and Long Term Key Management may be based either (i) on GBA mechanisms and a Smartcard with (U)SIM/ ISIM as defined by 3GPP, or (ii) on a pre-provisioned shared secret key and a Smartcard with R-UIM/CSIM/ ISIM or a UIM as defined by 3GPP2.
<b>Smartcard-Centric Audience Measurement</b>	The Smartcard-Centric Audience Measurement implements the Audience Measurement Client part on the Smartcard
<b>Stream Distribution Function</b>	The Stream Distribution Function distributes streams to Terminals.
<b>Terminal</b>	The mobile device with which an End-User receives and consumes a Broadcast Service.
<b>Terminal Provisioning Function</b>	The Terminal Provisioning Function manages terminal configuration parameters, e.g. data, parameters and applications with the help of OMA DM and distributes them to many terminals over Broadcast Channel.

**Terminal-Centric Audience Measurement**      The Terminal-Centric Audience Measurement implements the Audience Measurement Client part on the Terminal

### 3.3 Abbreviations

<b>BCAST</b>	Mobile Broadcast Services
<b>BDS</b>	BCAST Distribution System
<b>BSA</b>	BCAST Service Application
<b>BSD/A</b>	BCAST service distribution/adaptation
<b>BSDA</b>	BCAST Service Distribution and Adaptation
<b>BSM</b>	BCAST Subscription Management
<b>BSM</b>	BCAST Subscription Management
<b>BSP-C</b>	Broadcast service provisioning Client Function
<b>BSP-M</b>	Broadcast service provisioning Management Function
<b>DM</b>	Device Management
<b>DRM</b>	Digital Rights Management
<b>DVB-H</b>	Digital Video Broadcasting – Handheld
<b>DVB-NGH</b>	Digital Video Broadcast – Next Generation Handheld
<b>DVB-SH</b>	Digital Video Broadcast – Satellite to Handheld
<b>DVB-T2</b>	Digital Video Broadcast- 2 <sup>nd</sup> Generation Terrestrial
<b>ERDEF</b>	Enabler Requirement Definition
<b>ERELD</b>	Enabler Release Definition
<b>IPSEC</b>	Internet Protocol – Secure
<b>ISMACryp</b>	Internet Streaming Media Alliance encrypted
<b>MBMS</b>	Multimedia Broadcast / Multicast Service
<b>MO</b>	Management Object
<b>OMA</b>	Open Mobile Alliance
<b>ROAP</b>	Rights Object Acquisition Protocol
<b>SRTP</b>	Secure Real-Time Transport Protocol
<b>WiMAX</b>	Worldwide Interoperability for Microwave Access
<b>XBS</b>	Extensions for Broadcast Systems
<b>XML</b>	Extensible Markup Language

## 4. Release Version Overview

### 4.1 Version 1.0 Functionality

This document outlines the Enabler Release Definition for Mobile Broadcast Services 1.0 (BCAST 1.0) and the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification baseline.

### 4.2 Version 1.1 Functionality

In addition to BCAST 1.0, this document outlines the Enabler Release Definition of Mobile Broadcast Services 1.1 (BCAST 1.1), which provides 3 new BDSs (DVB-SH, Forward Link Only-IP, and WiMAX), the enhancement of existing functions and the new functions such as Audience Measurement, Rich Media Solution and Smartcard/Terminal Provisioning over Broadcast. This document also shows the respective conformance requirements for clients and servers implementing claiming compliance to it as defined by Open Mobile Alliance across the specification base line.

### 4.3 Version 1.2 Functionality

BCAST 1.2 aims to provide BDS adaptation for the IP profile of the Digital Video Broadcasting – Next Generation Handheld (DVB-NGH) distribution system, Digital Video Broadcasting – Second Generation Terrestrial (DVB-T2) and its T2-Lite profile tailored for mobile reception. No new functions are defined for BCAST 1.2 and only some of specifications such as Ts-Service, TS-SG, TS-Distribution and TS-SPCP are updated and one new BDS adaptation specification (DVB-NGH and DVB-T2) is generated.

## 5. Document Listing for BCAST V1.2

This section is normative.

Doc Ref	Permanent Document Reference	Description
<b>Requirement Document</b>		
[BCAST1_1-Requirements]	OMA-RD-BCAST-V1_1-20131029-A	Requirement Document for Mobile Broadcast Services
<b>Architecture Document</b>		
[BCAST11-Architecture]	OMA-AD-BCAST-V1_1-20131029-A	Architecture Document for Mobile Broadcast Services
<b>Technical Specifications</b>		
[BCAST12-Services]	OMA-TS-BCAST_Services-V1_2-20140114-C	Specification that defines audience measurement, service provisioning, terminal/smartcard provisioning, interaction, personalization, rich media solution, charging, mobility, and roaming for Mobile Broadcast Services
[BCAST12-SG]	OMA-TS-BCAST_ServiceGuide-V1_2-20140114-C	Specification that defines the format, contents, encapsulation, and transport of the Electronic Service Guide for Mobile Broadcast Services.
[BCAST12-Distribution]	OMA-TS-BCAST_Distribution-V1_2-20140114-C	Specification that defines the protocols and procedures for file and real-time stream distribution for Mobile Broadcast Services.
[BCAST12-ServContProt]	OMA-TS-BCAST_SvcCntProtection-V1_2-20140114-C	Specification that describes the protocols and procedures for service and content protection for Mobile Broadcast Services.
[DRM20-Broadcast-Extensions]	OMA-TS-DRM_XBS-V1_2-20140114-C	Specification that describes extensions of OMA DRM 2.0 for support of broadcasting services
[BCAST12-MBMS-Adaptation]	OMA-TS-BCAST_MBMS_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of 3GPP MBMS as the underlying broadcast distribution system.
[BCAST12-BCMCS-Adaptation]	OMA-TS-BCAST_BCMCS_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of 3GPP2 BCMCS as the underlying broadcast distribution system.
[BCAST12-DVBH-IPDC-Adaptation]	OMA-TS-BCAST_DVBH_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of IPDC over DVB-H as the underlying broadcast distribution system.
[BCAST12-DVBSH-IPDC-Adaptation]	OMA-TS-BCAST_DVBSH_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of IPDC over DVB-SH as the underlying broadcast distribution system.
[BCAST12-FLO-Adaptation]	OMA-TS-BCAST_FLO_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of Forward Link Only IP as the underlying broadcast distribution system.
[BCAST12-WiMAX-Adaptation]	OMA-TS-BCAST_WiMAX_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of WiMAX as the underlying broadcast distribution system.
[BCAST12-DVBNGH-Adaptation]	OMA-TS-BCAST_DVB_NGH_Adaptation-V1_2-20140114-C	Specification that describes how the Mobile Broadcast Services enabler is used and profiled in conjunction with the use of DVB-NGH or DVB-T2 as the underlying broadcast distribution system.
<b>Supporting Files</b>		

[BCAST10- Schema-fd- ap]	OMA-SUP- XSD_bcast_fd_associatedprocedure- V1_0-20090212-A	XML schema for Associated Delivery Procedures – File Distribution  Working file in Schema directory: file: bcast_fd_associatedprocedure-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-fd- be]	OMA-SUP-XSD_bcast_fd_backend- V1_0-20090212-A	XML schema for File Distribution Backend Interfaces  Working file in Schema directory: file: bcast_fd_backend-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-fd- fdt]	OMA-SUP-XSD_bcast_fd_fdt- V1_0-20090212-A	XML schema for File Description Table  Working file in Schema directory: file: bcast_fd_fdt-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-fd- rr]	OMA-SUP- XSD_bcast_fd_receptionreport- V1_0_1-20130109-A	XML schema for Reception Reporting – File Distributioun  Working file in Schema directory: file: bcast_fd_receptionreport-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-nt- be]	OMA-SUP-XSD_bcast_nt_backend- V1_2-20140114-C	XML schema for Notification Backend Messages  Working file in Schema directory: file: bcast_nt_backend-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-nt- m]	OMA-SUP-XSD_bcast_nt_message- V1_2-20140114-C	XML schema schema for Notification Message  Working file in Schema directory: file: bcast_nt_message-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-pr- oq]	OMA-SUP- XSD_bcast_pr_orderqueries-V1_2- 20140114-C	XML schema for Service Provisioning Order Queries  Working file in Schema directory: file: bcast_pr_orderqueries-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-pr- up]	OMA-SUP- XSD_bcast_pr_userpreference- V1_0-20090212-A	XML schema for User Preferences  Working file in Schema directory: file: bcast_pr_userpreference-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-ro- be]	OMA-SUP- XSD_bcast_roaming_backend- V1_2-20140114-C	XML schema for Roaming Backend Messages  Working file in Schema directory: file: bcast_roaming_backend-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-ro- fe]	OMA-SUP- XSD_bcast_roaming_frontend- V1_2-20140114-C	XML schema for Roaming Frontend Messages  Working file in Schema directory: file: bcast_roaming_frontend-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-sd- ap]	OMA-SUP- XSD_bcast_sd_associatedprocedure- V1_0-20090212-A	XML schema for Associated Delivery Procedures – Stream Distribution  Working file in Schema directory: file: bcast_sd_associatedprocedure-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema-sd- be]	OMA-SUP- XSD_bcast_sd_backend-V1_0- 20090212-A	XML schema for Stream Distribution Backend Interfaces  Working file in Schema directory: file: bcast_sd_backend-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>

[BCAST10- Schema-sd- rr]	OMA-SUP- XSD_bcast_sd_receptionreport- V1_0-20090212-A	XML schema for Reception Reporting – Stream Distribution  Working file in Schema directory: file: bcast_sd_receptionreport-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-sg- be]	OMA-SUP- XSD_bcast_sg_backend-V1_2- 20140114-C	XML schema for Service Guide Backend Messages  Working file in Schema directory: file: bcast_sg_backend-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-sg- sgdd]	OMA-SUP-XSD_bcast_sg_sgdd- V1_2-20140114-C	XML schema for Service Guide Delivery Descriptor  Working file in Schema directory: file: bcast_sg_sgdd-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-sg-f]	OMA-SUP- XSD_bcast_sg_fragments-V1_2- 20140114-C	XML schema for Service Guide Fragments  Working file in Schema directory: file: bcast_sg_fragments-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- Schema-si- im]	OMA-SUP- XSD_bcast_si_interactivitymedia- V1_2-20140114-C	XML schema for Interactivity Media Document  Working file in Schema directory: file: bcast_si_interactivitymedia-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST10- Schema- spscp-be]	OMA-SUP- XSD_bcast_spscp_backend-V1_0_1- 20130109-A	XML schema for Service Protection / Content Protection Backend Messages  Working file in Schema directory: file: bcast_spscp_backend-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[BCAST12- DDF-bcast- mo]	OMA-SUP-MO_oma_bcast-V1_2- 20140114-C	MO DDF defining the structure of the BCAST Management Object for the OMA Mobile Broadcast Enabler. Working file in OMNA MO directory: file: oma_bcast-v1_2.ddf path: <a href="http://member.openmobilealliance.org/ftp/Public_documents/BCAST/">http://member.openmobilealliance.org/ftp/Public_documents/BCAST/</a>
[BCAST12- Schema-am]	OMA-SUP-XSD_bcast_am-V1_2- 20140114-C	XML Schema of Audience Measurement for the OMA Mobile Broadcast Enabler. Working file in Schema directory: file: bcast_am-v1_2.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[DRM20- Schema-xbs- roap]	OMA-SUP-XSD_drm_roap_xbs- V2_1_1-20140114-C	XML schema for OMA DRM 2.0 Extensions for BCAST (XBS) - ROAP  Working file in Schema directory: file: drm_roap_xbs-v2_1.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[DRM20- Schema-xbs- dd]	OMA-SUP-XSD_drm_dd_xbs- V2_0_1-20140114-C	XML schema for OMA DRM 2.0 Extensions for BCAST (XBS) - Data Dictionary  Working file in Schema directory: file: drm_dd_xbs-v2_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>
[DRM20- Schema-xbs- risd]	OMA-SUP-XSD_drm_risd-V1_0- 20090212-A	XML schema for OMA DRM 2.0 Extensions for BCAST (XBS) - Rights Issuer Service Data  Working file in Schema directory: file: drm_risd-v1_0.xsd path: <a href="http://www.openmobilealliance.org/tech/profiles/">http://www.openmobilealliance.org/tech/profiles/</a>

<b>[DRM20- DTD-xbs-rel]</b>	OMA-SUP-DTD_drm_rel_xbs- V2_1-20131029-A	Document Type Definition for OMA DRM Rights Expression Language V2.0 with Extensions for BCAST (XBS)  Working file in Schema directory: file: drm_rel_xbs-v2_1.dtd path: <a href="http://www.openmobilealliance.org/tech/dtd">http://www.openmobilealliance.org/tech/dtd</a>
---------------------------------	---	---

**Table 1: Listing of Documents in Mobile Broadcast Services Enabler**

## 6. OMNA Considerations

The OMNA portal needs to add and maintain the following URNs into its Schema-based Namespace Registry:

Description	URN	Schema Links
Notification Backend Messages	urn:oma:xml:bcast:nt:backend:1.2	bcast_nt_backend-v1_2.xsd
Notification Message	urn:oma:xml:bcast:nt:message:1.2	bcast_nt_message-v1_2.xsd
Service Provisioning Order Queries	urn:oma:xml:bcast:pr:orderqueries:1.2	bcast_pr_orderqueries-v1_2.xsd
Roaming Backend Messages	urn:oma:xml:bcast:roaming:backend1.2	bcast_roaming_backend-v1_2.xsd
Roaming Frontend Messages	urn:oma:xml:bcast:roaming:frontend1.2	bcast_roaming_frontend-v1_2.xsd
Service Guide Back End Messages	urn:oma:xml:bcast:sg:backend:1.2	bcast_sg_backend-v1_2.xsd
Service Guide Fragments	urn:oma:xml:bcast:sg:fragments:1.2	bcast_sg_fragments-v1_2.xsd
Service Guide Delivery Descriptor	urn:oma:xml:bcast:sg:sgdd:1.2	bcast_sg_sgdd-v1_2.xsd
Interactivity Media Document	urn:oma:xml:bcast:si:interactivitymedia:1.2	bcast_si_interactivitymedia-v1_2.xsd
Audience Measurement	urn:oma:xml:bcast:am:1.2	bcast_am-v1_2.xsd
DRM Extension ROAP	urn:oma:xml:bcast:xbs:roap:2.1	drm_roap_xbs-v2_1.xsd

The OMNA portal needs to add and maintain the following MO into its MO registry:

MO Identifier	Description	Owner	Version	MO DDF	MO Spec
urn:oma:mo:oma-BCAST:1.2	BCAST 1.2 MO	BCAST WG	1.2	oma_bcast-v1_2.ddf	OMA-TS-BCAST_Services-V1_2-20120709-D



The OMNA portal needs to add and maintain the following service type into ServiceType Assignment Registry:

<b>ServiceType value assignment registry for OMA Broadcast Service Guide</b>		
<b>ServiceType value</b>	<b>Purpose</b>	<b>Reference Information</b>
<b>Assigned as part of the BCAST Specifications</b>		
<b>0</b>	unspecified	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>1</b>	Basic TV	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>2</b>	Basic Radio	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>3</b>	RI services	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>4</b>	Cachecast	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>5</b>	File download services	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
<b>6</b>	Software management services	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2

7	Notification	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
8	Service Guide	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
9	Terminal Provisioning services	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
10	Auxiliary Data	OMA-TS-BCAST_Service_Guide-V1_0, OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
11	Streaming on demand	OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
12	File download on demand	OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
13	Smartcard Provisioning services	OMA-TS-BCAST_Service_Guide-V1_1 OMA-TS-BCAST_Service_Guide-V1_2
14 - 127	reserved for future use	
<b>Assigned values associated with other OMA Enablers</b>		
128 -223	reserved for other OMA Enablers	
<b>Unregistered Values</b>		
224 - 255	reserved for proprietary use	

The OMNA portal needs to add and maintain the following service class types:

- urn:oma:bcast:oma\_bsc:sg:1.0  
Services of this service class deliver metadata fragments using a broadcast channel or the interactive channel. The discovery of Service Guide is defined in section 6.
- urn:oma:bcast:oma\_bsc:fc:1.0  
Services of this service class offer a file carousel service, using the File Delivery function of OMA BCAST. Files are transmitted and locally stored in a file cache. Files are uniquely identified by the URI. Files in the file carousel are periodically re-transmitted. It may happen that already received files are replaced by a new file in a later repetition. An example of a file carousel is a teletext service.
- urn:oma:bcast:oma\_bsc:tp:1.0  
Services of this service class offer a Terminal Provisioning service either using the broadcast channel over TP-5 or interaction channel over TP-7. The management objects delivered over sdo.oma.tp SHALL be of MIME type "application/vnd.syncml.dm+wbxml". [BCAST12-Services] defines Terminal Provisioning in section 5.2.
- urn:oma:bcast:oma\_bsc:nt:1.0  
Services of this service class deliver Notification Messages over NT-5 or NT-6. Both over the broadcast channel as well as over the interactive channel, the delivered messages SHALL follow the format as specified in section 5.14 of [BCAST12-Services]. The discovery and signaling of Notification Messages SHALL follow the specification in section 5.14.1 of [BCAST12-Services].
- urn:oma:bcast:oma\_bsc:csg:1.0  
Services of this service class deliver a complementary Service Guide. The discovery of Service Guide is defined in section 6.
- urn:oma:bcast:oma\_bsc:st:1.0  
Services of this service class offer a streaming service, using the Stream Delivery function of OMA BCAST. Streams are transmitted as specified in section 6 of [BCAST12-Distribution]. Examples of this service are live TV and live Radio, realized as streaming audiovisual or audio-only services.
- urn:oma:bcast:oma\_bsc:rifc:1.0  
Services of this class offer a file carousel service for transmission of Registration Layer and Rights Management Layer objects and messages. RI Services are specified in section 12 of [DRM20-Broadcast-Extensions].
- urn:oma:bcast:oma\_bsc:fd:1.1  
Services of this service class offer a file download service over the Interaction channel, using the File Delivery function of OMA BCAST. Files are transmitted and locally stored in a file cache. Files are uniquely identified by the URI. An example of such service is an AV content downloading.
- urn:oma:bcast:oma\_bsc:sp:1.1  
Services of this service class offer a Smartcard Provisioning service using the broadcast channel over FD-5. Files are transmitted and locally stored in a file cache and then transmitted to the Smartcard.

## 7. Conformance Requirements Notation Details

This section is informative

The tables in following chapters use the following notation:

- Item:** Entry in this column **MUST** be a valid `ScrItem` according to [SCRRULES].
- Feature/Application:** Entry in this column **SHOULD** be a short descriptive label to the **Item** in question.
- Requirement:** Expression in the column **MUST** be a valid `TerminalExpression` according to [SCRRULES] and it **MUST** accurately reflect the architectural requirement of the **Item** in question.

## 8. ERDEF for Mobile Broadcast Services - Client Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-BCAST-C-001-O	BCAST-Client-Terminal with support for interaction channel	OMA-ERDEF-BCAST-C-008-O AND OMA-ERDEF-BCAST-C-009-O
OMA-ERDEF-BCAST-C-002-M	BCAST-Client- Service Guide	
OMA-ERDEF-BCAST-C-003-M	BCAST-Client-File Distribution	
OMA-ERDEF-BCAST-C-004-M	BCAST-Client-Stream Distribution	
OMA-ERDEF-BCAST-C-005-O	BCAST-Client-Notification	
OMA-ERDEF-BCAST-C-006-O	BCAST-Client-Service Protection	
OMA-ERDEF-BCAST-C-007-O	BCAST-Client-Content Protection	
OMA-ERDEF-BCAST-C-008-O	BCAST-Client-support for BCAST Service Interaction and for Interactivity Media Document	
OMA-ERDEF-BCAST-C-009-O	BCAST-Client-Service Provisioning	
OMA-ERDEF-BCAST-C-010-O	BCAST-Client-Terminal Provisioning	
OMA-ERDEF-BCAST-C-011-O	BCAST-Client-Roaming and Mobility Support	
OMA-ERDEF-BCAST-C-012-O	BCAST-Client-Audience-Measurement	OMA-ERDEF-BCAST-C-013-O OR OMA-ERDEF-BCAST-C-014-O
OMA-ERDEF-BCAST-C-013-O	BCAST-Client-Terminal_Centric-Audience-Measurement	
OMA-ERDEF-BCAST-C-014-O	BCAST-Client-Smartcard_Centric-Audience-Measurement	
OMA-ERDEF-BCAST-C-015-O	BCAST-Client-Rich-Media-Solution	OMA-ERDEF-BCAST-C-016-O AND (OMA-ERDEF-BCAST-C-017-O, OMA-ERDEF-BCAST-C-018-O, OMA-ERDEF-BCAST-C-019-O OR OMA-ERDEF-BCAST-C-020-O OR OMA-ERDEF-BCAST-C-021-O )
OMA-ERDEF-BCAST-C-016-O	BCAST-Client-Rich-Media-Solution-Signalling Reception	

OMA-ERDEF-BCAST-C-017-O	BCAST-Client-Rich-Media-SVGT1.2	
OMA-ERDEF-BCAST-C-018-O	BCAST-Client-Rich-Media-3GPPDIMS	
OMA-ERDEF-BCAST-C-019-O	BCAST-Client-Rich-Media-MPEGLASeR	
OMA-ERDEF-BCAST-C-020-O	BCAST-Client-Rich-Media-OMARME	
OMA-ERDEF-BCAST-C-021-O	BCAST-Client-Rich-Media-other solutions identified by MIMEType	
OMA-ERDEF-BCAST-C-022-O	BCAST-Client-Terminal-Provisioning-over-Broadcast	
OMA-ERDEF-BCAST-C-023-O	BCAST-Client-Smartcard-Provisioning-over-Broadcast	
OMA-ERDEF-BCAST-C-024-O	BCAST-Client-Support for 3GPP/MBMS	OMA-ERDEF-BCAST-C-030-O
OMA-ERDEF-BCAST-C-025-O	BCAST-Client-Support for 3GPP2/BCMCS	OMA-ERDEF-BCAST-C-031-O
OMA-ERDEF-BCAST-C-026-O	BCAST-Client- Support for "IP Datacast over DVB-H"	OMA-ERDEF-BCAST-C-032-O
OMA-ERDEF-BCAST-C-027-O	BCAST-Client-Support for "IP Datacast over DVB-SH"	OMA-ERDEF-BCAST-C-033-O
OMA-ERDEF-BCAST-C-028-O	BCAST-Client-Support for Forward Link Only IP	OMA-ERDEF-BCAST-C-034-O
OMA-ERDEF-BCAST-C-029-O	BCAST-Client- Support for WiMAX	OMA-ERDEF-BCAST-C-035-O
OMA-ERDEF-BCAST-C-030-O	BCAST-Client-Support for Adaptation Specification for 3GPP/MBMS	
OMA-ERDEF-BCAST-C-031-O	BCAST-Client-Support for Adaptation Specification for 3GPP2/BCMCS	
OMA-ERDEF-BCAST-C-032-O	BCAST-Client-Support for Adaptation Specification for "IP Datacast over DVB-H"	
OMA-ERDEF-BCAST-C-033-O	BCAST-Client-Support for Adaptation Specification for "IP Datacast over DVB-SH"	

OMA-ERDEF-BCAST-C-034-O	BCAST-Client-Support for Adaptation Specification for Forward Link Only	
OMA-ERDEF-BCAST-C-035-O	BCAST-Client-Support for Adaptation Specification for WiMAX	
OMA-ERDEF-BCAST-C-036-O	XBS Client	
OMA-ERDEF-BCAST-C-037-O	SRM Extension for BCAST	
OMA-ERDEF-BCAST-C-038-O	BCAST-Client-Support for Adaptation Specification for NGH	
OMA-ERDEF-BCAST-C-039-O	BCAST-Client-Support for Adaptation Specification for T2	

**Table 2: ERDEF for Mobile Broadcast Services Client-side Requirements**

## 9. ERDEF for Mobile Broadcast Services - Server Requirements

This section is normative.

Item	Feature / Application	Requirement
OMA-ERDEF-BCAST-S-001-O	BCAST-Server-System configurations that has the interaction channel present	OMA-ERDEF-BCAST-S-008-O AND OMA-ERDEF-BCAST-S-010-O
OMA-ERDEF-BCAST-S-002-M	BCAST-Server-Service Guide	
OMA-ERDEF-BCAST-S-003-M	BCAST-Server-File Distribution	
OMA-ERDEF-BCAST-S-004-M	BCAST-Server-Stream Distribution	
OMA-ERDEF-BCAST-S-005-O	BCAST-Server-Notification	
OMA-ERDEF-BCAST-S-006-O	BCAST-Server-Service Protection	
OMA-ERDEF-BCAST-S-007-O	BCAST-Server-Content Protection	
OMA-ERDEF-BCAST-S-008-O	BCAST-Server-support for BCAST Service Interaction and for Interactivity Media Document	
OMA-ERDEF-BCAST-S-009-O	BCAST-Server-Service Provisioning	
OMA-ERDEF-BCAST-S-010-O	BCAST-Server-Terminal Provisioning	
OMA-ERDEF-BCAST-S-011-O	BCAST-Server-Roaming and Mobility Support	
OMA-ERDEF-BCAST-S-012-O	BCAST-Server-Support for Adaptation Specification for 3GPP/MBMS	
OMA-ERDEF-BCAST-S-013-O	BCAST-Server-Support for Adaptation Specification for 3GPP2/BCMCS	
OMA-ERDEF-BCAST-S-014-O	BCAST-Server-Support for Adaptation Specification for "IP Datacast over DVB-H"	
OMA-ERDEF-BCAST-S-015-O	BCAST-Server-Configurations that expose Back-end Interfaces to third party use	OMA-ERDEF-BCAST-S-016-O



OMA-ERDEF-BCAST-S-016-O	BCAST-Server-Support for BCAST Back-end Interfaces	
OMA-ERDEF-BCAST-S-017-O	XBS Server	
OMA-ERDEF-BCAST-S-018-O	BCAST-Server-Support for Adaptation Specification for Forward Link Only	
OMA-ERDEF-BCAST-S-019-O	BCAST-Server-Support for Adaptation Specification for WiMax	
OMA-ERDEF-BCAST-S-020-O	BCAST-Server-Support for Adaptation Specification for “IP Datacast over DVB-SH”	
OMA-ERDEF-BCAST-S-021-O	BCAST-Server-Support for Rich Media Solutions (RMS)	OMA-ERDEF-BCAST-S-022-O AND (OMA-ERDEF-BCAST-S-023-O OR OMA-ERDEF-BCAST-S-024-O OR OMA-ERDEF-BCAST-S-025-O OR OMA-ERDEF-BCAST-S-026-O OR OMA-ERDEF-BCAST-S-027-O)
OMA-ERDEF-BCAST-S-022-O	BCAST-Server-Rich-Media-Solution-Signalling Support	
OMA-ERDEF-BCAST-S-023-O	BCAST-Server-Rich-Media-SVGT1.2	
OMA-ERDEF-BCAST-S-024-O	BCAST-Server-Rich-Media-3GPPDIMS	
OMA-ERDEF-BCAST-S-025-O	BCAST-Server-Rich-Media-MPEGLASeR	
OMA-ERDEF-BCAST-S-026-O	BCAST-Server-Rich-Media-OMARME	
OMA-ERDEF-BCAST-S-027-O	BCAST-Server-Rich-Media-other solutions identified by Mimetype	
OMA-ERDEF-BCAST-S-028-O	BCAST-Server-BCAST Audience Measurement	OMA-ERDEF-BCAST-S-029-O OR OMA-ERDEF-BCAST-S-030-O
OMA-ERDEF-BCAST-S-029-O	BCAST-Server-Terminal-Centric-Audience Measurement	
OMA-ERDEF-BCAST-S-030-O	BCAST-Server-Smartcard-Centric-Audience Measurement	
OMA-ERDEF-BCAST-S-031-O	BCAST-Server-SRM-Extension-for-BCAST	
OMA-ERDEF-BCAST-C-032-O	BCAST-Server-Support for Adaptation Specification for NGH	

OMA-ERDEF-BCAST-C-033-O	BCAST-Server-Support for Adaptation Specification for T2	
-------------------------	--	--

**Table 3: ERDEF for Mobile Broadcast Services Server-side Requirements**

## Appendix A. Change History (Informative)

### A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version

### A.2 Draft/Candidate Version 1.2 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-ERELD-BCAST-V1_2	09 Jul 2012	all	Scope of BCAST 1.2 is added. The list of specifications is updated considering NGH adaptation. The list of supplementary documents is updated considering NGH adaptation. ERDEF sections are updated considering NGH adaptation. OMNA consideration section is also updated.
	26 Nov 2013	5	Updated the document list prior to Consistency Review Editorial clean-up
	17 Dec 2013	all	Implementation of CR OMA-BCAST-2013-0085- CR_CONR1.2_A001_to_A006.doc
	30 Dec 2013	5	Updated the document list prior to Consistency Review Closure
Candidate Version OMA-ERELD-BCAST-V1_2	14 Jan 2014	All	Status changed to Candidate by TP TP Ref # OMA-TP-2014-0002- INP_BCAST_NGH_V1_2_ERP_and_ETR_for_Candidate_approval