



WMLScript Standard Libraries Specification

25-SEP-2000

Wireless Application Protocol
WAP-194-WMLSL-20000925-a

A list of errata and updates to this document is available from the WAP Forum™ Web site, <http://www.wapforum.org/>, in the form of SIN documents, which are subject to revision or removal without notice.



You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the WAP Forum™. The WAP Forum authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The WAP Forum™ assumes no responsibility for errors or omissions in this document. In no event shall the WAP Forum be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

WAP Forum™ members have agreed to use reasonable endeavors to disclose in a timely manner to the WAP Forum the existence of all intellectual property rights (IPR's) essential to the present document. The members do not have an obligation to conduct IPR searches. This information is publicly available to members and non-members of the WAP Forum and may be found on the "WAP IPR Declarations" list at <http://www.wapforum.org/what/ipr.htm>. Essential IPR is available for license on the basis set out in the schedule to the WAP Forum Application Form.

No representations or warranties (whether express or implied) are made by the WAP Forum™ or any WAP Forum member or its affiliates regarding any of the IPR's represented on this list, including but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.wapforum.org/>.

Known problems associated with this document are published at <http://www.wapforum.org/>.

Comments regarding this document can be submitted to the WAP Forum™ in the manner published at <http://www.wapforum.org/>.

©2001, Wireless Application Protocol Forum, Ltd. All rights reserved.

Terms and conditions of use are available from the WAP Forum TM Web site at <http://www.wapforum.org/what/copyright.htm>.

Contents

1. Scope	5
2. Document Status	6
2.1 Copyright Notice.....	6
2.2 Errata.....	6
2.3 Comments.....	6
2.4 Document Changes	6
2.4.1 WAP-194.100 15-May-2000.....	6
2.4.2 WAP-194.101 25-Sept-2000.....	7
2.5 Document History.....	7
3. References.....	8
3.1 Normative references.....	8
3.2 Informative References	8
4. Definitions and abbreviations	9
4.1 Definitions	9
4.2 Abbreviations	10
5. Notational Conventions	11
6. WMLScript Compliance.....	13
6.1 Supported Data Type	13
6.2 Data Type Conversions.....	13
6.3 Error Handling.....	13
6.4 Support for Integer-Only Devices	13
7. Lang.....	15
7.1 abs	15
7.2 min.....	15
7.3 max.....	16
7.4 parseInt.....	16
7.5 parseFloat.....	17
7.6 isNaN	17
7.7 isFinite	18
7.8 maxInt	18
7.9 minInt	18
7.10 float.....	19
7.11 exit.....	19
7.12 abort	19
7.13 random	20
7.14 seed	20
7.15 characterSet	21
8. Float.....	22
8.1 int	22
8.2 floor.....	22
8.3 ceil	23
8.4 pow	23
8.5 round.....	23
8.6 sqrt.....	24
8.7 maxFloat	24
8.8 minFloat	24
9. String	26
9.1 length	26
9.2 isEmpty.....	26

9.3	charAt	27
9.4	subString	27
9.5	find	28
9.6	replace	28
9.7	elements	29
9.8	elementAt	29
9.9	removeAt	30
9.10	replaceAt	31
9.11	insertAt	31
9.12	squeeze	32
9.13	trim	32
9.14	compare	33
9.15	toString	33
9.16	format	34
10.	URL	36
10.1	isValid	36
10.2	getScheme	36
10.3	getHost	37
10.4	getPort	37
10.5	getPath	38
10.6	getParameters	38
10.7	getQuery	39
10.8	getFragment	39
10.9	getBase	39
10.10	getReferer	40
10.11	resolve	40
10.12	escapeString	41
10.13	unescapeString	42
10.14	loadString	43
11.	WMLBrowser	44
11.1	getVar	44
11.2	setVar	44
11.3	go	45
11.4	prev	46
11.5	newContext	47
11.6	getCurrentCard	47
11.7	refresh	47
12.	Dialogs	49
12.1	prompt	49
12.2	confirm	49
12.3	alert	50
	Appendix A. Library Summary	51
	Appendix B. Static Conformance Requirements	53
12.4	WMLScript Encoder Capabilities	53
12.5	WMLScript Bytecode Interpreter Capabilities	55

1. SCOPE

Wireless Application Protocol (WAP) is a result of continuous work to define an industry-wide specification for developing applications that operate over wireless communication networks. The scope for the WAP Forum is to define a set of standards to be used by service applications. The wireless market is growing very quickly and reaching new customers and services. To enable operators and manufacturers to meet the challenges in advanced services, differentiation and fast/flexible service creation, WAP defines a set of protocols in transport, session and application layers. For additional information on the WAP architecture, refer to *Wireless Application Protocol Architecture Specification* [WAP].

This document specifies the library interfaces for the standard set of libraries supported by WMLScript [WMLScript] to provide access to the core functionality of a WAP client. WMLScript is a language that can be used to provide programmed functionality to WAP based applications. It is part of the WAP platform and it can be used to add script support also to the client.

One of the main differences between ECMAScript [ECMA262] and WMLScript is the fact that WMLScript is compiled into bytecode *before* it is being sent to the client. This way the narrowband communication channels available today can be optimally utilized and the memory requirements for the client kept to the minimum. For the same reasons, many of the advanced features of the JavaScript language have been removed to make the language both optimal, easier to compile into bytecode and easier to learn.

Library support has been added to the WMLScript to replace some of the functionality that has been removed from ECMAScript in accordance to make the WMLScript more efficient. This feature provides access to built-in functionality and a means for future expansion without unnecessary overhead.

The following chapters describe the set of libraries defined to provide access to core functionality of a WAP client. This means that all libraries, except *Float*, are present in the client's scripting environment. *Float* library is optional and only supported with clients that can support floating-point arithmetic operations.

2. DOCUMENT STATUS

This document is available online in the following formats:

- PDF format at <http://www.wapforum.org/>.

2.1 Copyright Notice

© Wireless Application Protocol Forum Ltd. 2000. Terms and conditions of use are available from the Wireless Application Protocol Forum Ltd. web site (<http://www.wapforum.org/docs/copyright.htm>).

2.2 Errata

Known problems associated with this document are published at <http://www.wapforum.org/>.

2.3 Comments

Comments regarding this document can be submitted to the WAP Forum in the manner published at <http://www.wapforum.org/>.

2.4 Document Changes

2.4.1 WAP-194.100 15-May-2000

Change Request	Title	Comments
<u>WMLSL-IBM-20000320-SeedSequence</u>	Lang.seed Example	Section 7.14
<u>WMLSL-IBM-20000315-FormatConversion</u>	String Format Conversions	Section 9.16
<u>WMLSL-IBM-20000315-CancelNav</u>	WMLBrowser – Canceling Navigation	Sections 11.3 and 11.4
<u>WMLSL-IBM-20000308-PowExample</u>	Correct Floating Point Example	Section 8.4
<u>WMLSL-IBM-20000308-AbortText</u>	Description of Lang.abort()	Section 7.12
<u>WMLSL-IBM-20000218-v2-seed</u>	Lang.seed() – Non-numeric Input	Section 7.14

2.4.2 WAP-194.101 25-Sept-2000

Change Request	Title	Comments
WMLSL-IBM-20000803-LoadString	Clarification on the return from loadString(). It returns the content type "text".	Section 10.14
WMLSL-IBM-20000810-NewContext	Clarification of effect of newContext() call on go() and prev().	Section 11.5
New Static Conformance Format	Added Inter-specification dependency Column	Section 12.4

2.5 Document History

Document Name	Date of Release
WAP-194-WMLSL-20000925	Approved Re-release (rolled up)
WAP-194.101-WMLSL-20000925	SCD 09-Sept-2000
WAP-194-WMLScriptLibraries (Approved)	June-2000
WAP-194.100-WMLScriptLibraries	15-May-2000
SPEC-WMLScriptLibs-v1_2	24-March-2000
SPEC-WMLScriptLibs-19990815	15-August-1999

3. REFERENCES

3.1 Normative references

- [ECMA262] Standard ECMA-262: "ECMAScript Language Specification", ECMA, June 1997
- [IEEE754] ANSI/IEEE Std 754-1985: "IEEE Standard for Binary Floating-Point Arithmetic". Institute of Electrical and Electronics Engineers, New York (1985).
- [RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997. URL: <ftp://ftp.isi.edu/in-notes/rfc2119.tx>
- [RFC2396] "Uniform Resource Identifiers (URI): Generic Syntax", T. Berners-Lee, et al., August 1998. URL: <http://info.internet.isi.edu/in-notes/rfc/files/rfc2396.txt>
- [UNICODE] "The Unicode Standard: Version 2.0", The Unicode Consortium, Addison-Wesley Developers Press, 1996. URL: <http://www.unicode.org/>
- [WAP] "Wireless Application Protocol Architecture Specification", WAP Forum, 30-April-1998. URL: <http://www.wapforum.org/>
- [WML] "Wireless Markup Language Specification", WAP Forum, 04-November-1999. URL: <http://www.wapforum.org/>
- [WMLScript] "WAP-193-WMLScript Language Specification", WAP Forum, 24-March-2000. URL: <http://www.wapforum.org/>
- [WSP] "Wireless Session Protocol", WAP Forum, 05-November-1999. URL: <http://www.wapforum.org/>

3.2 Informative References

- [JavaScript] "JavaScript: The Definitive Guide", David Flanagan. O'Reilly & Associates, Inc. 1997
- [RFC2068] "Hypertext Transfer Protocol - HTTP/1.1", R. Fielding, et al., January 1997. URL: <ftp://ftp.isi.edu/in-notes/rfc2068.txt>
- [WAE] "Wireless Application Environment Specification", WAP Forum, 04-November-1999. URL: <http://www.wapforum.org/>
- [XML] "Extensible Markup Language (XML), W3C Proposed Recommendation 10-February-1998, REC-xml-19980210", T. Bray, et al, February 10, 1998. URL: <http://www.w3.org/TR/REC-xml>

4. DEFINITIONS AND ABBREVIATIONS

4.1 Definitions

The following are terms and conventions used throughout this specification.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY" and "OPTIONAL" in this document are to be interpreted as described in [RFC2119]. In the absence of any such terms, the specification should be interpreted as "MUST".

Bytecode - content encoding where the content is typically a set of low-level opcodes (i.e., instructions) and operands for a targeted hardware (or virtual) machine.

Client - a device (or application) that initiates a request for connection with a server.

Content - subject matter (data) stored or generated at an origin server. Content is typically displayed or interpreted by a user agent in response to a user request.

Content Encoding - when used as a verb, content encoding indicates the act of converting a data object from one format to another. Typically the resulting format requires less physical space than the original, is easier to process or store and/or is encrypted. When used as a noun, content encoding specifies a particular format or encoding standard or process.

Content Format – actual representation of content.

Device - a network entity that is capable of sending and receiving packets of information and has a unique device address. A device can act as either a client or a server within a given context or across multiple contexts. For example, a device can service a number of clients (as a server) while being a client to another server.

JavaScript - a *de facto* standard language that can be used to add dynamic behaviour to HTML documents. JavaScript is one of the originating technologies of ECMAScript.

Origin Server - the server on which a given resource resides or is to be created. Often referred to as a web server or an HTTP server.

Resource - a network data object or service that can be identified by a URL. Resources may be available in multiple representations (e.g. multiple languages, data formats, size and resolutions) or vary in other ways.

Server - a device (or application) that passively waits for connection requests from one or more clients. A server may accept or reject a connection request from a client.

User - a user is a person who interacts with a user agent to view, hear or otherwise use a rendered content.

User Agent - a user agent (or content interpreter) is any software or device that interprets WML, WMLScript or resources. This may include textual browsers, voice browsers, search engines, etc.

Web Server - a network host that acts as an HTTP server.

WML - the Wireless Markup Language is a hypertext markup language used to represent information for delivery to a narrowband device, e.g. a phone.

WMLScript - a scripting language used to program the mobile device. WMLScript is an extended subset of the JavaScriptTM scripting language.

4.2 Abbreviations

For the purposes of this specification, the following abbreviations apply:

API	Application Programming Interface
ECMA	European Computer Manufacturer Association
HTTP	HyperText Transfer Protocol [RFC2068]
LSB	Least Significant Bits
MSB	Most Significant Bits
RFC	Request For Comments
UI	User Interface
URL	Uniform Resource Locator [RFC2396]
W3C	World Wide Web Consortium
WWW	World Wide Web
WSP	Wireless Session Protocol
WTP	Wireless Transport Protocol
WAP	Wireless Application Protocol
WAE	Wireless Application Environment
WTA	Wireless Telephony Applications
WTAI	Wireless Telephony Applications Interface
WBMP	Wireless BitMaP

5. NOTATIONAL CONVENTIONS

The libraries in this document are represented by providing the following information:

- NAME:** Library name. The syntax of the library name follows the syntax specified in the [WMLScript] specification. Library names are case sensitive.
Examples: Lang, String
- LIBRARY ID:** The numeric identifier reserved for the library to be used by the WMLScript Compiler. The range of values reserved for this identifier is divided into the following two categories:
- | | |
|-------------------|----------------------------------|
| 0 .. 32767 | Reserved for standard libraries. |
| 32768 .. | Reserved for future use. |
| 65535 | |
- DESCRIPTION:** A short description of the library and used conventions.

Each function in the library is represented by providing the following information:

- FUNCTION:** Specifies the function name and the number of function parameters. The syntax of the function name follows the syntax specified in the [WMLScript] specification. Function names are case sensitive.
Example: abs(*value*)
Usage: var a = 3*Lang.abs(length);
- FUNCTION ID:** The numeric identifier reserved for the function to be used by the WMLScript Compiler. The range of values reserved for this identifier is: **0..255**.
- DESCRIPTION:** Describes the function behaviour and its parameters.
- PARAMETERS:** Specifies the function parameter types.
Example: *value* = Number
- RETURN VALUE:** Specifies the type(s) of the return value.
Example: String or invalid.
- EXCEPTIONS:** Describes the possible special exceptions and error codes and the corresponding return values. Standard errors, common to all functions, are not described here (see 6.3 for more information about error handling).
Example: If the *value1* <= 0 and *value2* < 0 and not an integer then invalid is returned.
- EXAMPLE:** Gives a few examples of how the function could be used.

```
var a = -3;
var b = Lang.abs(a); // b = 3
```


6. WMLSCRIPT COMPLIANCE

WMLScript standard library functions provide a mechanism to extend the WMLScript language. Thus, the specified library functions must follow the WMLScript conventions and rules.

6.1 Supported Data Type

The following WMLScript types [WMLScript] are used in the function definitions to denote the type of both the function parameters and return values:

- *Boolean, Integer, Float, String and Invalid*

In addition to these, *number* can be used to denote a parameter type when both integer and floating-point parameter value types are accepted. *Any* can be used when the type can be any of the supported types.

6.2 Data Type Conversions

Since WMLScript is a weakly typed language, the conversions between the data types are done automatically if necessary (see [WMLScript] for more details about data type conversion rules). The library functions follow WMLScript operator data type conversion rules except where explicitly stated otherwise.

6.3 Error Handling

Error cases are handled in the same way as in the WMLScript language (see [WMLScript] for more details):

- An *invalid* function argument results in an *invalid* return value with no other side effects unless explicitly stated otherwise.
- A function argument that cannot be converted to the required parameter type results in an *invalid* return value with no side effects. See 6.2 for more information about data type conversions.
- Function dependent error cases are handled by returning a suitable error code specified in each function definition. These errors are documented as part of the function specification (exceptions).

6.4 Support for Integer-Only Devices

The WMLScript language has been designed to run also on devices that do not support floating-point operations. The WMLScript standard libraries have operations that require floating-point support. Thus, the following rules apply when the libraries are implemented for an integer-only device:

- Library functions accept arguments of the following type only: *boolean, integer, string and invalid*.
- All conversion rules related to floating-point data are ignored.
- *Lang.float()* function returns *false*.
- *Lang.parseFloat()* function returns *invalid*.

- *String.format()* function returns `invalid` when type *f* is specified in the format.
- All *Float* (see chapter 8) library functions return `invalid`.

7. LANG

NAME: Lang
 LIBRARY ID: 0
 DESCRIPTION: This library contains a set of functions that are closely related to the WMLScript language core.

7.1 abs

FUNCTION: abs(*value*)
 FUNCTION ID: 0
 DESCRIPTION: Returns the absolute value of the given number. If the given number is of type integer then an integer value is returned. If the given number is of type floating-point then a floating-point value is returned.
 PARAMETER S: *value* = Number
 RETURN VALUE: Number or invalid.
 EXCEPTIONS : -
 EXAMPLE: `var a = -3;
var b = Lang.abs(a); // b = 3`

7.2 min

FUNCTION: min(*value1, value2*)
 FUNCTION ID: 1
 DESCRIPTION: Returns the minimum value of the given two numbers. The value and type returned is the same as the value and type of the selected number. The selection is done in the following way:

- WMLScript operator data type conversion rules for *integers and floating-points* (see [WMLScript]) must be used to specify the data type (integer or floating-point) for comparison.
- Compare the numbers to select the smaller one.
- If the values are equal then the first value is selected.

PARAMETER S: *value1* = Number
value2 = Number
 RETURN VALUE: Number or invalid.
 EXCEPTIONS : -

EXAMPLE:

```
var a = -3;
var b = Lang.abs(a);
var c = Lang.min(a,b);      // c = -3
var d = Lang.min(45, 76.3); // d = 45 (integer)
var e = Lang.min(45, 45.0); // e = 45 (integer)
```

7.3 max

FUNCTION: `max(value1, value2)`

FUNCTION ID: 2

DESCRIPTION: Returns the maximum value of the given two numbers. The value and type returned is the same as the value and type of the selected number. The selection is done in the following way:

- WMLScript operator data type conversion rules for *integers and floating-points* (see [WMLScript]) must be used to specify the data type (integer or floating-point) for comparison.
- Compare the numbers to select the larger one.
- If the values are equal then the first value is selected.

PARAMETER S: `value1 = Number`
`value2 = Number`

RETURN VALUE: Number or invalid.

EXCEPTIONS : -

EXAMPLE:

```
var a = -3;
var b = Lang.abs(a);
var c = Lang.max(a,b);      // c = 3
var d = Lang.max(45.5, 76); // d = 76 (integer)
var e = Lang.max(45.0, 45); // e = 45.0 (float)
```

7.4 parseInt

FUNCTION: `parseInt(value)`

FUNCTION ID: 3

DESCRIPTION: Returns an integer value defined by the string *value*. The legal integer syntax is specified by the WMLScript (see [WMLScript]) numeric string grammar for *decimal integer literals* with the following additional parsing rule:

- Parsing ends when the first character is encountered that is not a leading '+' or '-' or a decimal digit.

The result is the parsed string converted to an integer value.

PARAMETER S: `value = String`

RETURN Integer or invalid.
 VALUE:
 EXCEPTIONS In case of a parsing error an `invalid` value is returned.
 :
 EXAMPLE: `var i = Lang.parseInt("1234"); // i = 1234
 var j = Lang.parseInt(" 100 m/s"); // j = 100`

7.5 `parseFloat`

FUNCTION: `parseFloat(value)`
 FUNCTION 4
 ID:
 DESCRIPTION Returns a floating-point value defined by the string *value*. The legal floating-point syntax is specified by the WMLScript (see [WMLScript]) numeric string grammar for *decimal floating-point literals* with the following additional parsing rule:
 - Parsing ends when the first character is encountered that cannot be parsed as being part of the floating-point representation.
 The result is the parsed string converted to a floating-point value.
 PARAMETER *value* = String
 S:
 RETURN Floating-point or invalid.
 VALUE:
 EXCEPTIONS In case of a parsing error an `invalid` value is returned.
 : If the system does not support floating-point operations then an `invalid` value is returned.
 EXAMPLE: `var a = Lang.parseFloat("123.7"); // a = 123.7
 var b = Lang.parseFloat(" +7.34e2 Hz"); // b = 7.34e2
 var c = Lang.parseFloat(" 70e-2 F"); // c = 70.0e-2
 var d = Lang.parseFloat("-.1 C"); // d = -0.1
 var e = Lang.parseFloat(" 100 "); // e = 100.0
 var f = Lang.parseFloat("Number: 5.5"); // f = invalid
 var g = Lang.parseFloat("7.3e meters"); // g = invalid
 var h = Lang.parseFloat("7.3e- m/s"); // h = invalid`

7.6 `isInt`

FUNCTION: `isInt(value)`
 FUNCTION 5
 ID:
 DESCRIPTION Returns a boolean value that is `true` if the given *value* can be converted into an integer number by using `parseInt(value)`. Otherwise `false` is returned.
 PARAMETER *value* = Any
 S:
 RETURN Boolean or invalid.
 VALUE:

EXCEPTIONS -

:

EXAMPLE:

```
var a = Lang.toInt(" -123");    // true
var b = Lang.toInt(" 123.33");  // true
var c = Lang.toInt("string");   // false
var d = Lang.toInt("#123");    // false
var e = Lang.toInt(invalid);   // invalid
```

7.7 isFloat

FUNCTION: isFloat(*value*)

FUNCTION ID: 6

DESCRIPTION : Returns a boolean value that is `true` if the given *value* can be converted into a floating-point number using `parseFloat(value)`. Otherwise `false` is returned.

PARAMETERS *value* = Any

:

RETURN VALUE: Boolean or invalid.

EXCEPTIONS:

If the system does not support floating-point operations then an `invalid` value is returned.

EXAMPLE:

```
var a = Lang.isFloat(" -123");    // true
var b = Lang.isFloat(" 123.33");  // true
var c = Lang.isFloat("string");   // false
var d = Lang.isFloat("#123.33"); // false
var e = Lang.isFloat(invalid);   // invalid
```

7.8 maxInt

FUNCTION: maxInt()

FUNCTION ID: 7

DESCRIPTION : Returns the maximum integer value.
N:

PARAMETER S: -

RETURN VALUE: Integer 2147483647.

EXCEPTIONS :

:

EXAMPLE:

```
var a = Lang.maxInt();
```

7.9 minInt

FUNCTION: minInt()

FUNCTION ID: 8

DESCRIPTION Returns the minimum integer value.
 N:
 PARAMETER -
 S:
 RETURN Integer -2147483648.
 VALUE:
 EXCEPTIONS -
 :
 EXAMPLE: `var a = Lang.minInt();`

7.10 float

FUNCTION: `float()`
 FUNCTION ID: 9
 ID:
 DESCRIPTION Returns `true` if floating-points are supported and `false` if not.
 N:
 PARAMETER -
 S:
 RETURN Boolean.
 VALUE:
 EXCEPTIONS -
 :
 EXAMPLE: `var floatSupported = Lang.float();`

7.11 exit

FUNCTION: `exit(value)`
 FUNCTION ID: 10
 DESCRIPTION Ends the interpretation of the WMLScript bytecode and returns the control back to the caller of the WMLScript interpreter with the given return *value*.
 This function can be used to perform a normal exit from a function in cases where the execution of the WMLScript bytecode should be discontinued.
 PARAMETERS *value* = Any
 :
 RETURN None (this function ends the interpretation).
 VALUE:
 EXCEPTIONS -
 EXAMPLE: `Lang.exit("Value: " + myVal); // Returns a string`
`Lang.exit(invalid); // Returns invalid`

7.12 abort

FUNCTION: `abort(errorDescription)`
 FUNCTION ID: 11

DESCRIPTION Aborts the interpretation of the WMLScript bytecode and returns the control back to the caller of the WMLScript interpreter with the return *errorDescription*. This function can be used to perform an abnormal exit in cases where the execution of the WMLScript should be discontinued due to serious errors detected by the program. If the type of the *errorDescription* is invalid, string "invalid" is used as the *errorDescription* instead.

PARAMETERS *errorDescription* = String

:

RETURN None (this function aborts the interpretation).

VALUE:

EXCEPTIONS: -

EXAMPLE: `Lang.abort("Error: " + errVal); // Error value is a string`

7.13 random

FUNCTION: `random(value)`

FUNCTION ID: 12

DESCRIPTION Returns an integer value with positive sign that is greater than or equal to 0 but less than or equal to the given *value*. The return value is chosen randomly or pseudo-randomly with approximately uniform distribution over that range, using an implementation-dependent algorithm or strategy.

If the *value* is of type floating-point, *Float.int()* is first used to calculate the actual integer *value*.

PARAMETER S: *value* = Number

RETURN VALUE: Integer or invalid.

EXCEPTIONS If *value* is equal to zero (0), the function returns zero.
If *value* is less than zero (0), the function returns invalid.

EXAMPLE: `var a = 10;
var b = Lang.random(5.1)*a; // b = 0..50
var c = Lang.random("string"); // c = invalid`

7.14 seed

FUNCTION: `seed(value)`

FUNCTION ID: 13

DESCRIPTION: Initialises the pseudo-random number sequence and returns an empty string. If the *value* is zero or a positive integer then the given *value* is used for initialisation, otherwise a random, system dependent initialisation value is used. A seed value of greater than or equal to zero results in a repeatable sequence of pseudo-random numbers. A seed value of less than zero results in a non-repeatable sequence of random numbers.

If the *value* is of type floating-point, *Float.int()* is first used to calculate the actual integer *value*. If the value is non-numeric, invalid is returned and the current seed is unchanged.

PARAMETER *value* = Number
S:
RETURN String or invalid.
VALUE:
EXCEPTIONS -
:
EXAMPLE:

```

var a = Lang.seed(123);      // a = ""
var b = Lang.random(20);    // b = 0..20
var c = Lang.seed("seed");  // c = invalid (random seed left
                           //               unchanged)
Lang.seed(7);
var a = Lang.rand(10);      // a = 4(perhaps);
Lang.seed(7);
var b = Lang.rand(10);      // b = 4(perhaps, but same as a)
Lang.seed(-1);
var c = Lang.rand(10);      // c = 6(perhaps)
Lang.seed(-1);
var d = Lang.rand(10);      // d = 1(perhaps, but not necessarily
                           //               the same as c)

```

7.15 characterSet

FUNCTION: characterSet()
FUNCTION 14
ID:
DESCRIPTION: Returns the character set supported by the WMLScript Interpreter. The return value is an integer that denotes a MIBEnum value assigned by the IANA for all character sets (see [WSP] for more information).
PARAMETER -
S:
RETURN Integer.
VALUE:
EXCEPTIONS -
:
EXAMPLE:

```
var charset = Lang.characterSet(); // charset = 4 for latin1
```

8. FLOAT

NAME:	Float
LIBRARY ID:	1
DESCRIPTION:	This library contains a set of typical arithmetic floating-point functions that are frequently used by applications.
	The implementation of these library functions is <i>optional</i> and implemented only by devices that can support floating-point operations (see 6.4). If floating-point operations are not supported, all functions in this library must return invalid.

8.1 int

FUNCTION:	int(<i>value</i>)
FUNCTION ID:	0
DESCRIPTION:	Returns the integer part of the given value. If the <i>value</i> is already an integer, the result is the <i>value</i> itself.
PARAMETER S:	<i>value</i> = Number
RETURN VALUE:	Integer or invalid.
EXCEPTIONS :	-
EXAMPLE:	<pre>var a = 3.14; var b = Float.int(a); // b = 3 var c = Float.int(-2.8); // c = -2</pre>

8.2 floor

FUNCTION:	floor(<i>value</i>)
FUNCTION ID:	1
DESCRIPTION:	Returns the greatest integer value that is not greater than the given <i>value</i> . If the <i>value</i> is already an integer, the result is the <i>value</i> itself.
PARAMETER S:	<i>value</i> = Number
RETURN VALUE:	Integer or invalid.
EXCEPTIONS :	-
EXAMPLE:	<pre>var a = 3.14; var b = Float.floor(a); // b = 3 var c = Float.floor(-2.8); // c = -3</pre>

8.3 ceil

FUNCTION: ceil(*value*)
 FUNCTION ID: 2
 DESCRIPTION: Returns the smallest integer value that is not less than the given *value*. If the *value* is already an integer, the result is the *value* itself.
 PARAMETER S:
 RETURN VALUE: Integer or invalid.
 EXCEPTIONS : -
 EXAMPLE:

```
var a = 3.14;
var b = Float.ceil(a);      // b = 4
var c = Float.ceil(-2.8); // c = -2
```

8.4 pow

FUNCTION: pow(*value1*, *value2*)
 FUNCTION ID: 3
 DESCRIPTION: Returns an implementation-dependent approximation to the result of raising *value1* to the power of *value2*. If *value1* is a negative number then *value2* must be an integer.
 PARAMETER S:
value1 = Number
value2 = Number
 RETURN VALUE:
 EXCEPTIONS : If *value1* == 0 and *value2* < 0 then invalid is returned.
 : If *value1* < 0 and *value2* is not an integer then invalid is returned.
 EXAMPLE:

```
var a = 3;
var b = Float.pow(a,2); // b = 9.0
```

8.5 round

FUNCTION: round(*value*)
 FUNCTION ID: 4
 DESCRIPTION: Returns the number value that is closest to the given *value* and is equal to a mathematical integer. If two integer number values are equally close to the *value*, the result is the larger number value. If the *value* is already an integer, the result is the *value* itself.
 PARAMETER S:
value = Number

RETURN Integer or invalid.
 VALUE:
 EXCEPTIONS -
 :
 EXAMPLE: `var a = Float.round(3.5); // a = 4
 var b = Float.round(-3.5); // b = -3
 var c = Float.round(0.5); // c = 1
 var d = Float.round(-0.5); // b = 0`

8.6 sqrt

FUNCTION: `sqrt(value)`
 FUNCTION 5
 ID:
 DESCRIPTION Returns an implementation-dependent approximation to the square root of the given *value*.
 PARAMETER *value* = Floating-point
 S:
 RETURN Floating-point or invalid.
 VALUE:
 EXCEPTIONS If *value* is a negative number then `invalid` is returned.
 :
 EXAMPLE: `var a = 4;
 var b = Float.sqrt(a); // b = 2.0
 var c = Float.sqrt(5); // c = 2.2360679775`

8.7 maxFloat

FUNCTION: `maxFloat()`
 FUNCTION 6
 ID:
 DESCRIPTION Returns the maximum floating-point value supported by [IEEE754] single precision floating-point format.
 PARAMETER -
 S:
 RETURN Floating-point 3.40282347E+38.
 VALUE:
 EXCEPTIONS -
 :
 EXAMPLE: `var a = Float.maxFloat();`

8.8 minFloat

FUNCTION: `minFloat()`
 FUNCTION 7
 ID:
 DESCRIPTION Returns the smallest nonzero floating-point value supported by [IEEE754] single precision floating-point format.

PARAMETER -

S:

RETURN Floating-point. Smaller than or equal to the normalised minimum single precision floating-point value: 1.17549435E-38.

VALUE: -

EXCEPTIONS -

:

EXAMPLE: `var a = Float.minFloat();`

9. STRING

NAME: String
 LIBRARY ID: 2
 DESCRIPTION: This library contains a set of string functions. A string is an array of characters. Each of the characters has an index. The first character in a string has an index zero (0). The length of the string is the number of characters in the array.

The user of the String library can specify a special *separator* by which *elements* in a string can be separated. These elements can be accessed by specifying the separator and the element index. The first element in a string has an index zero (0). Each occurrence of the separator in the string separates two elements (no escaping of separators is allowed).

A *White space character* is one of the following characters:

- TAB: Horizontal Tabulation
- VT: Vertical Tabulation
- FF: Form Feed
- SP: Space
- LF: Line Feed
- CR: Carriage Return

9.1 length

FUNCTION: length(*string*)
 FUNCTION ID: 0
 DESCRIPTION: Returns the length (number of characters) of the given *string*.
 PARAMETERS:
 RETURN VALUE: Integer or invalid.
 EXCEPTIONS:
 EXAMPLE:

```
var a = "ABC";
var b = String.length(a);      // b = 3
var c = String.length("");    // c = 0
var d = String.length(342);   // d = 3
```

9.2 isEmpty

FUNCTION: isEmpty(*string*)

FUNCTION 1
 ID:
 DESCRIPTI Returns a boolean `true` if the string length is zero and boolean `false`
 ON: otherwise.

PARAMETE `string` = String
 RS:
 RETURN Boolean or invalid.
 VALUE:
 EXCEPTION -
 S:
 EXAMPLE:

```
var a = "Hello";
var b = "";
var c = String.isEmpty(a);      // c = false;
var d = String.isEmpty(b);      // d = true
var e = String.isEmpty(true);   // e = false
```

9.3 charAt

FUNCTION: `charAt(string, index)`

FUNCTION 2
 ID:
 DESCRIPTI Returns a new string of length one containing the character at the specified
 ON: `index` of the given `string`.
 If the `index` is of type floating-point, `Float.int()` is first used to calculate the
 actual integer `index`.

PARAMETE `string` = String
 RS: `index` = Number (the index of the character to be returned)
 RETURN String or invalid.
 VALUE:
 EXCEPTION If `index` is out of range then an empty string (" ") is returned.
 S:
 EXAMPLE:

```
var a = "My name is Joe";
var b = String.charAt(a, 0);           // b = "M"
var c = String.charAt(a, 100);         // c = ""
var d = String.charAt(34, 0);          // d = "3"
var d = String.charAt(a, "first");    // e = invalid
```

9.4 subString

FUNCTION: `subString(string, startIndex, length)`

FUNCTION 3
 ID:

DESCRIPTION: Returns a new string that is a substring of the given *string*. The substring begins at the specified *startIndex* and its length (number of characters) is the given *length*. If the *startIndex* is less than 0 then 0 is used for the *startIndex*. If the *length* is larger than the remaining number of characters in the string, the *length* is replaced with the number of remaining characters.

If the *startIndex* or the *length* is of type floating-point, *Float.toInt()* is first used to calculate the actual integer value.

PARAMETERS:

- string* = String
- startIndex* = Number (the beginning index, inclusive)
- length* = Number (the length of the substring)

RETURN VALUE: String or invalid.

EXCEPTIONS:

- If *startIndex* is larger than the last index an empty string (" ") is returned.
- If *length* <= 0 an empty string (" ") is returned.

EXAMPLE:

```
var a = "ABCD";
var b = String.substring(a, 1, 2);      // b = "BC"
var c = String.substring(a, 2, 5);      // c = "CD"
var d = String.substring(1234, 0, 2); // d = "12"
```

9.5 find

FUNCTION: *find(string, subString)*

FUNCTION ID: 4

DESCRIPTION: Returns the index of the first character in the *string* that matches the requested *subString*. If no match is found integer value -1 is returned.

Two strings are defined to match when they are *identical*. Characters with multiple possible representations match only if they have the same representation in both strings. No case folding is performed.

PARAMETERS:

- string* = String
- subString* = String

RETURN VALUE: Integer or invalid.

EXCEPTIONS:

- If *subString* is an empty string (""), an invalid value is returned.

EXAMPLE:

```
var a = "abcde";
var b = String.find(a, "cd");      // b = 2
var c = String.find(34.2, "de"); // c = -1
var d = String.find(a, "qz");    // d = -1
var e = String.find(34, "3");    // e = 0
var f = String.find(a, "");       // f = invalid
```

9.6 replace

FUNCTION: *replace(string, oldSubString, newSubString)*

FUNCTION 5
ID:
DESCRIPTION: Returns a new string resulting from replacing all occurrences of *oldSubString* in this string with *newSubString*.
 Two strings are defined to match when they are *identical*. Characters with multiple possible representations match only if they have the same representation in both strings. No case folding is performed.
PARAMETERS:
string = String
oldSubString = String
newSubString = String
RETURN VALUE: String or invalid.
EXCEPTIONS: If *oldSubString* is an empty string an invalid value is returned.
EXAMPLE:

```
var a = "Hello Joe. What is up Joe?";
var newName = "Don";
var oldName = "Joe";
var c = String.replace(a, oldName, newName);
// c = "Hello Don. What is up Don?";
var d = String.replace(a, newName, oldName);
// d = "Hello Joe. What is up Joe?"
```

9.7 elements

FUNCTION: *elements(string, separator)*
FUNCTION 6
ID:
DESCRIPTION: Returns the number of elements in the given *string* separated by the given *separator*. Empty string (" ") is a valid element (thus, this function can never return a value that is less or equal to zero).
PARAMETERS:
string = String
separator = String (the first character of the string used as separator)
RETURN VALUE: Integer or invalid.
EXCEPTIONS: Returns invalid if the *separator* is an empty string.
EXAMPLE:

```
var a = "My name is Joe; Age 50;";
var b = String.elements(a, " ");           // b = 6
var c = String.elements(a, ";");          // c = 3
var d = String.elements("", ";");         // d = 1
var e = String.elements("a", ";");        // e = 1
var f = String.elements(";;", ";");       // f = 2
var g = String.elements(";;;;", ",");     // g = 4 separator = ;
```

9.8 elementAt

FUNCTION: *elementAt(string, index, separator)*

FUNCTION ID:	7
DESCRIPTION:	Search <i>string</i> for <i>index</i> 'th element, elements being separated by <i>separator</i> and return the corresponding element. If the <i>index</i> is less than 0 then the first element is returned. If the <i>index</i> is larger than the number of elements then the last element is returned. If the <i>string</i> is an empty string then an empty string is returned.
	If the <i>index</i> is of type floating-point, <i>Float.int()</i> is first used to calculate the actual <i>index</i> value.
PARAMETERS:	<i>string</i> = String <i>index</i> = Number (the index of the element to be returned) <i>separator</i> = String (the first character of the string used as separator)
RETURN VALUE:	String or invalid.
EXCEPTIONS:	Returns invalid if the <i>separator</i> is an empty string.
EXAMPLE:	<pre>var a = "My name is Joe; Age 50;"; var b = String.elementAt(a, 0, " "); var c = String.elementAt(a, 14, ";"); var d = String.elementAt(a, 1, ";");</pre> // b = "My" // c = "" // d = " Age 50"

9.9 removeAt

FUNCTION:	removeAt(<i>string</i> , <i>index</i> , <i>separator</i>)
FUNCTION ID:	8
DESCRIPTION:	Returns a new string where the element and the corresponding <i>separator</i> (if existing) with the given <i>index</i> are removed from the given <i>string</i> . If the <i>index</i> is less than 0 then the first element is removed. If the <i>index</i> is larger than the number of elements then the last element is removed. If the <i>string</i> is empty, the function returns a new empty string.
	If the <i>index</i> is of type floating-point, <i>Float.int()</i> is first used to calculate the actual <i>index</i> value.
PARAMETERS:	<i>string</i> = String <i>index</i> = Number (the index of the element to be deleted) <i>separator</i> = String (the first character of the string used as separator)
RETURN VALUE:	String or invalid.
EXCEPTIONS:	Returns invalid if the <i>separator</i> is an empty string.

```
EXAMPLE: var a = "A A; B C D";
var s = " ";
var b = String.removeAt(a, 1, s);
// b = "A B C D"
var c = String.removeAt(a, 0, ";");
// c = " B C D"
var d = String.removeAt(a, 14, ";");
// d = "A A"
```

9.10 replaceAt

FUNCTION: `replaceAt(string, element, index, separator)`

FUNCTION ID: 9

DESCRIPTION: Returns a string with the current element at the specified *index* replaced with the given *element*. If the *index* is less than 0 then the first element is replaced. If the *index* is larger than the number of elements then the last element is replaced. If the *string* is empty, the function returns a new string with the given *element*.

If the *index* is of type floating-point, *Float.int()* is first used to calculate the actual *index* value.

PARAMETERS:

- string* = String
- element* = String
- index* = Number (the index of the element to be replaced)
- separator* = String (the first character of the string used as separator)

RETURN VALUE: String or invalid.

EXCEPTIONS: Returns invalid if the *separator* is an empty string.

EXAMPLE:

```
var a = "B C; E";
var s = " ";
var b = String.replaceAt(a, "A", 0, s);
// b = "A C; E"
var c = String.replaceAt(a, "F", 5, ";");
// c = "B C;F"
```

9.11 insertAt

FUNCTION: `insertAt(string, element, index, separator)`

FUNCTION ID: 10

DESCRIPTION: Returns a string with the *element* and the corresponding *separator* (if needed) inserted at the specified element *index* of the original *string*. If the *index* is less than 0 then 0 is used as the *index*. If the *index* is larger than the number of elements then the element is appended at the end of the *string*. If the *string* is empty, the function returns a new string with the given *element*.

If the *index* is of type floating-point, *Float.int()* is first used to calculate the actual *index* value.

PARAMETE *string* = String (original string)
RS: *element* = String (element to be inserted)
index = Number (the index of the element to be added)
separator = String (the first character of the string used as separator)

RETURN String or invalid.

VALUE:

EXCEPTION Returns *invalid* if the *separator* is an empty string.

S:

EXAMPLE:

```
var a = "B C; E";
var s = " ";
var b = String.insertAt(a, "A", 0, s);
// b = "A B C; E"
var c = String.insertAt(a, "X", 3, s);
// c = "B C; E X"
var d = String.insertAt(a, "D", 1, ";");
// d = "B C;D; E"
var e = String.insertAt(a, "F", 5, ";");
// e = "B C; E;F"
```

9.12 squeeze

FUNCTION: *squeeze(string)*

FUNCTION 11

ID:

DESCRIPTION: Returns a string where all consecutive series of white spaces within the *string* are reduced to single inter-word space.

PARAMETE *String* = String
RS:

RETURN String or invalid.

VALUE:

EXCEPTION -

S:

EXAMPLE:

```
var a = "Hello";
var b = " Bye Jon . \r\n See you! ";
var c = String.squeeze(a); // c = "Hello";
var d = String.squeeze(b); // d = " Bye Jon . See you! ";
```

9.13 trim

FUNCTION: *trim(string)*

FUNCTION 12

ID:

DESCRIPTION: Returns a string where all trailing and leading white spaces in the given *string* have been trimmed.

PARAMETE *String* = String
RS:

RETURN String or invalid.

VALUE:

EXCEPTION -

S:

EXAMPLE:

```
var a = "Hello";
var b = " Bye Jon . See you! ";
var c = String.trim(a); // c = "Hello"
var d = String.trim(b); // d = "Bye Jon . See you!"
```

9.14 compare

FUNCTION: compare(*string1*, *string2*)

FUNCTION 13

ID:

DESCRIPTION: The return value indicates the lexicographic relation of *string1* to *string2*. The relation is based on the relation of the character codes in the native character set. The return value is -1 if *string1* is less than *string2*, 0 if *string1* is identical to *string2* or 1 if *string1* is greater than *string2*.

PARAMETERS:

String1 = String

String2 = String

RETURN Integer or invalid.

VALUE:

EXCEPTION -

S:

EXAMPLE:

```
var a = "Hello";
var b = "Hello";
var c = String.compare(a, b);           // c = 0
var d = String.compare("Bye", "Jon"); // d = -1
var e = String.compare("Jon", "Bye"); // e = 1
```

9.15 toString

FUNCTION: toString(*value*)

FUNCTION 14

ID:

DESCRIPTION: Returns a string representation of the given *value*. This function performs exactly the same conversions as supported by the [WMLScript] language (automatic conversion from boolean, integer and floating-point values to strings) except that invalid value returns the string "invalid".

PARAMETERS:

value = Any

RS:

RETURN String.

VALUE:

EXCEPTION -

S:

EXAMPLE:

```
var a = String.toString(12); // a = "12"
var b = String.toString(true); // b = "true"
```

9.16 format

FUNCTION: `format(format, value)`

FUNCTION ID: 15

DESCRIPTION: Converts the given *value* to a string by using the given formatting provided as a *format* string. The format string can contain only one format specifier, which can be located anywhere inside the string. If more than one is specified, only the first one (leftmost) is used and the remaining specifiers are replaced by an empty string. The format specifier has the following form:

% [width] [.precision] type

The **width** argument is a nonnegative decimal integer controlling the minimum number of characters printed. If the number of characters in the output value is less than the specified width, blanks are added to the left until the minimum width is reached. The **width** argument never causes the *value* to be truncated. If the number of characters in the output value is greater than the specified width or, if **width** is not given, all characters of the *value* are printed (subject to the precision argument).

The **precision** argument specifies a nonnegative decimal integer, preceded by a period (.), which can be used to set the precision of the output value. The interpretation of this value depends on the given **type**:

- d** Specifies the minimum number of digits to be printed. If the number of digits in the *value* is less than precision, the output value is padded on the left with zeroes. The value is not truncated when the number of digits exceeds precision. Default precision is 1. If precision is specified as 0 and the value to be converted is 0, the result is an empty string.
- f** Specifies the number of digits after the decimal point. If a decimal point appears, at least one digit appears before it. The value is rounded to the appropriate number of digits. Default precision is 6; if precision is 0 or if the period (.) appears without a number following it, no decimal point is printed.
- s** Specifies the maximum number of characters to be printed. By default, all characters are printed.

Unlike the **width** argument, the **precision** argument can cause either truncation of the output value or rounding of a floating-point value.

The **type** argument is the only required format argument; it appears after any optional format fields. The type character determines whether the given *value* is interpreted as integer, floating-point or string. If the **value** argument is of a different type than is specified by the **type** argument, it is converted according to WMLScript standard automatic conversion rules, with the addition that if **value** is of type floating-point and **type** is **d**, `Float.int()` is called to convert the value. The supported **type** arguments are:

- d** *Integer*: The output value has the form [-]dddd, where dddd is one

or more decimal digits.

- f** *Floating-point*: The output value has the form [-]dddd.dddd, where dddd is one or more decimal digits. The number of digits before the decimal point depends on the magnitude of the number and the number of digits after the decimal point depends on the requested precision. When the number of digits after the decimal point in the *value* is less than the *precision*, letter 0 should be padded to fill columns (e.g. the result of `String.format("%2.3f", 1.2)` will be "1.200")
- s** *String*: Characters are printed up to the end of the string or until the *precision* value is reached. When the *width* is larger than *precision*, the *width* should be ignored.

A literal percent character (%) may be included in the format string by preceding it with another percent character (%%).

PARAMETE	<code>format = String</code>
RS:	<code>value = Any</code>
RETURN	<code>String</code> or invalid.
VALUE:	
EXCEPTION	Illegal format specifier results in an invalid return value.
S:	If type f is specified in format argument and floating-point numbers are not supported, invalid is returned.

EXAMPLE:

```

var a = 45;
var b = -45;
var c = "now";
var d = 1.2345678;
var e = String.format("e: %6d", a);    // e = "e:      45"
var f = String.format("%6d", b);        // f = "     -45"
var g = String.format("%6.4d", a);      // g = "    0045"
var h = String.format("%6.4d", b);      // h = "   -0045"
var i = String.format("Do it %s", c);   // i = "Do it now"
var j = String.format("%3f", d);        // j = "1.234568"
var k = String.format("%10.2f%%", d);   // k = "           1.23%"
var l = String.format("%3f %2f.", d);   // l = "1.234568 ."
var m = String.format("%.0d", 0);       // m = ""
var n = String.format("%7d", "Int");    // n = invalid
var o = String.format("%s", true);      // o = "true"

```

10. URL

NAME:	URL
LIBRARY ID:	3
DESCRIPTION:	<p>This library contains a set of functions for handling both absolute URLs and relative URLs. The URL syntax supported is defined in [RFC2396].</p> <p>Currently this library supports access to only a subset of URL elements specified in [RFC2396].</p>

10.1 isValid

FUNCTION:	isValid(<i>url</i>)
FUNCTION ID:	0
DESCRIPTION:	Returns <code>true</code> if the given <i>url</i> has the right URL syntax, otherwise returns <code>false</code> . Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	Boolean or invalid.
EXCEPTIONS:	-
EXAMPLE:	<pre>var a = URL.isValid("http://w.hst.com/script#func()"); // a = true var b = URL.isValid("../common#test()"); // b = true var c = URL.isValid("experimental?://www.host.com/cont>"); // c = false</pre>

10.2 getScheme

FUNCTION:	getScheme(<i>url</i>)
FUNCTION ID:	1
DESCRIPTION:	Returns the scheme used in the given <i>url</i> . Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	String or invalid.
EXCEPTIONS:	If an invalid URL syntax is encountered while extracting the scheme an invalid value is returned.

```
EXAMPLE: var a = URL.getScheme("http://w.h.com/path#frag");
// a = "http"
var b = URL.getScheme("w.h.com/path#frag");
// b = ""
```

10.3 getHost

FUNCTION: `getHost(url)`

FUNCTION ID: 2

ID:

DESCRIPTION: Returns the host specified in the given *url*. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs. If the host part of the URL is not defined, the function returns an empty string.

PARAMETERS:

url = String

RETURN VALUE:

String or invalid.

EXCEPTIONS: If an invalid URL syntax is encountered while extracting the host part an invalid value is returned.

```
EXAMPLE: var a = URL.getHost("http://w.h.com/path#frag");
// a = "w.h.com"
var b = URL.getHost("path#frag");
// b = ""
var c = URL.getHost("zyx://me@ismo.k.oksa#fab");
// c = "ismo.k.oksa"
```

10.4 getPort

FUNCTION: `getPort(url)`

FUNCTION ID: 3

ID:

DESCRIPTION: Returns the port number specified in the given *url*. If no port is specified then an empty string is returned. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.

PARAMETERS:

url = String

RETURN VALUE:

String or invalid.

EXCEPTIONS: If an invalid URL syntax is encountered while extracting the port number an invalid value is returned.

```
EXAMPLE: var a = URL.getPort("http://w.h.com:80/path#frag");
// a = "80"
var b = URL.getPort("http://w.h.com/path#frag");
// b = ""
```

10.5 getPath

FUNCTION:	getPath(<i>url</i>)
FUNCTION ID:	4
DESCRIPTION:	Returns the path specified in the given <i>url</i> . Parameters specified for each path segment, if any, are not returned. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	String or invalid.
EXCEPTIONS:	If an invalid URL syntax is encountered while extracting the path an invalid value is returned.
EXAMPLE:	<pre>a = URL.getPath("http://w.h.com/home/sub/comp#frag"); // a = "/home/sub/comp" b = URL.getPath("../home/sub/comp#frag"); // b = "../home/sub/comp" c = URL.getPath("http://w.a.p/a;x/b;y=1/c;fg#a"); // c = "/a/b/c" d = URL.getPath("http://w.a.p/a;x/b;y=1/c#b"); // d = "/a/b/c"</pre>

10.6 getParameters

FUNCTION:	getParameters(<i>url</i>)
FUNCTION ID:	5
DESCRIPTION:	Returns the parameters used in the last path segment of the given <i>url</i> . If no parameters are specified an empty string is returned. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
NOTE:	This version of this function does not take into account the possibility for each segment to have parameters (see [RFC2396] for more information). Only the parameters specified for the last segment are returned. This may change in the future.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	String or invalid.
EXCEPTIONS:	If an invalid URL syntax is encountered while extracting the parameters an invalid value is returned.

```

EXAMPLE:   a = URL.getParameters("http://w.h.com/script;3;2?x=1&y=3");
           //  a = "3;2"
           b = URL.getParameters("../script;3;2?x=1&y=3");
           //  b = "3;2"
           c = URL.getParameters("http://w.a.p/a;x/b;y=1/c;fg");
           //  c = "fg"
           d = URL.getParameters("http://w.a.p/a;x/b;y=1/c");
           //  d = ""

```

10.7 getQuery

FUNCTION:	getQuery(<i>url</i>)
FUNCTION ID:	6
DESCRIPTION:	Returns the query part specified in the given <i>url</i> . If no query part is specified an empty string is returned. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	String or invalid.
EXCEPTIONS:	If an invalid URL syntax is encountered while extracting the query part an invalid value is returned.
EXAMPLE:	<code>a = URL.getQuery("http://w.h.com/home;3;2?x=1&y=3"); // a = "x=1&y=3"</code>

10.8 getFragment

FUNCTION:	getFragment(<i>url</i>)
FUNCTION ID:	7
DESCRIPTION:	Returns the fragment used in the given <i>url</i> . If no fragment is specified an empty string is returned. Both absolute and relative URLs are supported. Relative URLs are not resolved into absolute URLs.
PARAMETERS:	<i>url</i> = String
RETURN VALUE:	String or invalid.
EXCEPTIONS:	If an invalid URL syntax is encountered while extracting the fragment an invalid value is returned.
EXAMPLE:	<code>var a = URL.getFragment("http://w.h.com/cont#frag"); // a = "frag"</code>

10.9 getBase

FUNCTION: getBase()

FUNCTION 8
 ID:
 DESCRIPTI Returns an absolute URL (without the fragment) of the current WMLScript
 ON: compilation unit.

PARAMETE -
 RS:
 RETURN String.
 VALUE:
 EXCEPTION -
 S:
 EXAMPLE: `var a = URL.getBase();
// Result: "http://www.host.com/test.scr"`

10.10 getReferer

FUNCTION: getReferer()
 FUNCTION 9
 ID:
 DESCRIPTI Returns the smallest relative URL (relative to the base URL of the current
 ON: compilation unit, see 10.9) to the resource that called the current compilation
 unit. Local function calls do not change the referer. If the current compilation
 unit does not have a referer then an empty string is returned.

PARAMETE -
 RS:
 RETURN String.
 VALUE:
 EXCEPTION -
 S:
 EXAMPLE: `var base = URL.getBase();
// base = "http://www.host.com/current.scr"
var referer = URL.getReferer();
// referer = "app.wml#card2"`

10.11 resolve

FUNCTION: `resolve(baseUrl, embeddedUrl)`
 FUNCTION 10
 ID:
 DESCRIPTI Returns an absolute URL from the given *baseUrl* and the *embeddedUrl*
 ON: according to the rules specified in [RFC2396]. Before executing the rules
 specified in [RFC2396] the *baseUrl* is checked. If the *baseUrl*'s path
 component is an empty string, then a single slash character ("/") is assumed
 as the path. If the *embeddedUrl* is already an absolute URL, the function
 returns it without modification.

PARAMETE *baseUrl* = String
 RS: *embeddedUrl* = String
 RETURN String or invalid.
 VALUE:

EXCEPTION S: If an invalid URL syntax is encountered as part of the resolution an `invalid` value is returned.

EXAMPLE:

```
var a = URL.resolve("http://foo.com/","foo.vcf");
// a = "http://foo.com/foo.vcf"
var b = URL.resolve("http://foo.com","c");
// b = "http://foo.com/c"
var c = URL.resolve("http://foo.com","/c");
// c = "http://foo.com/c"
var d = URL.resolve("http://foo.com","?q");
// d = "http://foo.com/?q"
var e = URL.resolve("http://","x");
// e = "http:///x"
```

10.12 escapeString

FUNCTION: `escapeString(string)`

FUNCTION ID: 11

DESCRIPTION: This function computes a new version of a *string* value in which special characters specified by [RFC2396] have been replaced by a hexadecimal escape sequence (a two-digit escape sequence of the form %*xx* must be used). The characters to be escaped are:

- *Control characters*: <US-ASCII coded characters 00-1F and 7F>
- *Space*: <US-ASCII coded character 20 hexadecimal>
- *Reserved*: ";" | "/" | "?" | ":" | "@" | "&" | "=" | "+" | "\$" | ","
- *Unwise*: "{" | "}" | "[" | "]" | "\\" | "^" | "[" | "]" | "~"
- *Delims*: "<" | ">" | "#" | "%" | "<>"
- *Non-US-ASCII*: <characters with hex code 8F-FF>

The given string is escaped as such; no URL parsing is performed. Non-US-ASCII characters must be converted using the character codes used in the native character set.

PARAMETERS: *string* = String

RETURN VALUE:

String or invalid.

EXCEPTION S: If *string* contains characters with a character codes above hex FF an `invalid` value is returned.

EXAMPLE:

```
var a = URL.escapeString("http://w.h.com/dck?x=\u007f#crd");
// a = "http%3a%2f%2fw.h.com%2fdck%3fx%3d%7f%23crd"
var b = URL.escapeString("http://w.h.com/dck?x=\u007f#crd");
// b = "http%3a%2f%2fw.h.com%2fdck%3fx%3d%5cu007f%23crd"
```

10.13 unescapeString

FUNCTION: UnescapeString(*string*)

FUNCTION 12

ID:

DESCRIPTION: The unescape function computes a new version of a *string* value in which each escape sequences of the sort that might be introduced by the *URL.escapeString()* function (see 10.12) is replaced with the character that it represents. The given string is unescaped as such; no URL parsing is performed.

PARAMETER: *string* = String

RS:

RETURN VALUE: String or invalid.

VALUE:

EXCEPTION: If *string* contains characters that are not part of the US-ASCII character set, an invalid value is returned.

EXAMPLE:

```
var a = "http%3a%2f%2fw.h.com%2fdck%3fx%3d12%23crd";
var b = URL.unescapeString(a);
// b = "http://w.h.com/dck?x=12#crd"
```

10.14 loadString

FUNCTION: `loadString(url, contentType)`

FUNCTION 13

ID:

DESCRIPTION: Returns the content denoted by the given absolute *url* and the *content type*. Regardless of what content types the user agent supports, it MUST expect to receive "text" content as a result of executing URL.loadString. The user agent MUST preface the request with an Accept header which consists ONLY of the content type specified by *contentType*.

The given *content type* is erroneous if it does not follow the following rules:

- Only one content type can be specified. The whole string must match with only one content type and no extra leading or trailing spaces are allowed.
- The type must be `text` but the subtype can be anything. Thus, the type prefix must be "`text/`".

The behaviour of this function is the following:

- The content with the given *content type* and *url* is loaded. The rest of the attributes needed for the content load are specified by the default settings of the user agent.
- If the load is successful and the returned content type matches the given *content type* then the content is converted to a string and returned.
- If the load is unsuccessful or the returned content is of wrong content type then a scheme specific error code is returned.

PARAMETERS:

url = String

contentType = String

RETURN VALUE:

String, integer or invalid.

EXCEPTIONS:

Returns an integer *error code* that depends on the used URL scheme in case the load fails. If HTTP [RFC2068] or WSP (see [WAE]) schemes are used, HTTP error codes are returned.

If an erroneous *content type* is given, an *invalid* value is returned.

EXAMPLE:

```
var myUrl = "http://www.host.com/vcards/myaddr.vcf";
myCard = URL.loadString(myUrl,"text/x-vcard");
```

11. WMLBROWSER

NAME:	WMLBrowser
LIBRARY ID:	4
DESCRIPTION:	This library contains functions by which WMLScript can access the associated WML context. These functions must not have any side effects and they must return <code>invalid</code> in the following cases: If the system does not have a WML browser, or if the WMLScript interpreter was not invoked by the WML browser, these functions must always return <code>invalid</code> .

11.1 getVar

FUNCTION:	<code>getVar(name)</code>
FUNCTION ID:	0
DESCRIPTION:	Returns the value of the variable with the given <i>name</i> in the current browser context. Returns an empty string if the given variable does not exist. Variable name must follow the syntax specified by [WML].
PARAMETERS:	<i>name</i> = String
RETURN VALUE:	String or <code>invalid</code> .
EXCEPTIONS:	If the syntax of the variable name is incorrect an <code>invalid</code> value is returned.
EXAMPLE:	<pre>var a = WMLBrowser.getVar("name"); // a = "Jon" or whatever value the variable has.</pre>

11.2 setVar

FUNCTION:	<code>setVar(name, value)</code>
FUNCTION ID:	1
DESCRIPTION:	Returns <code>true</code> if the variable with the given <i>name</i> is successfully set to contain the given <i>value</i> in the current browser context, <code>false</code> otherwise. Variable name and its value must follow the syntax specified by [WML]. Variable value must be legal XML CDATA.
PARAMETERS:	<i>name</i> = String <i>value</i> = String
RETURN VALUE:	Boolean or <code>invalid</code> .
EXCEPTIONS:	If the syntax of the variable name or its value is incorrect an <code>invalid</code> value is returned.
EXAMPLE:	<pre>var a = WMLBrowser.setVar("name", Mary); // a = true</pre>

11.3 go

FUNCTION: `go(url)`

FUNCTION ID: 2

ID:

DESCRIPTION: Specifies the content denoted by the given *url* to be loaded. This function has the same semantics as the GO task in WML (see [WML] for more information). The content is loaded only after the WML browser resumes the control back from the WMLScript interpreter after the WMLScript invocation is finished. When the WML browser loads the content, the referring URI is the URI of the current card. If a relative URI is given as the *url*, the WML browser must resolve it by using the URI of the current card. No content is loaded if the given *url* is an empty string ("").

go() and *prev()* (see 11.3) library functions override each other. Both of these library functions can be called multiple times before returning the control back to the WML browser. However, only the settings of the last call stay in effect. In particular, if the last call to *go()* sets the URL to an empty string (""), all previous *go()* and *prev()* requests are effectively cancelled.

Invoking the *Lang.abort()* function (see 7.12) along with any other fatal errors (see [WMLScript]) cancels any pending *go()* request.

This function returns an empty string.

PARAMETERS: *url* = String

RS:

RETURN VALUE: String or invalid.

VALUE:

EXCEPTIONS: -

S:

EXAMPLE:

```

extern function goToStart() {
    var card = "http://www.host.com/loc/app.dck#start";
    WMLBrowser.go(card);
}

extern function get() {
    WMLBrowser.go("#next_card");
    return;
}

// If the above function is invoked from the following
// WML fragment:
// ..
// <card id="referring_card" >
//   ..
//   <go href="myscript#get()" />
//   ..
// </card>
// ..
//
// The referring URI will be the URI of the WML card that
// invoked the function go and fulfills the script's request
// (i.e., the card with the id "referring_card").

```

11.4 prev

FUNCTION: prev()

FUNCTION ID: 3

ID:
DESCRIPTION: Signals the WML browser to go back to the previous WML card. This function has the same semantics as the PREV task in WML (see [WML] for more information). The previous card is loaded only after the WML browser resumes the control back from the WMLScript interpreter after the WMLScript invocation is finished.

prev() and *go()* (see 11.3) library functions override each other. Both of these library functions can be called multiple times before returning the control back to the WML browser. However, only the settings of the last call stay in effect. In particular, if the last call to *go()* sets the URL to an empty string (" "), all previous *go()* and *prev()* requests are effectively cancelled.

Invoking the *Lang.abort()* function (see 7.12) along with any other fatal errors (see [WMLScript]) cancels any pending *prev()* request.

This function returns an empty string.

PARAMETERS:

-

RETURN VALUE:

String or invalid.

EXCEPTION -

S:

EXAMPLE: `WMLBrowser.prev();`

11.5 newContext

FUNCTION: `newContext()`

FUNCTION ID: 4

ID:

DESCRIPTION: A call to this function clears all variables of the associated WML context and clears the navigation history stack (see [WML] for more information) except for the current card before returning execution to the calling entity. The function does not impact a navigation request from a previous or subsequent `go()` call. A previous or subsequent `prev()` call will have no effect. The function returns an empty string.

PARAMETER -

RS:

RETURN String or invalid.

VALUE:

EXCEPTION -

S:

EXAMPLE: `WMLBrowser.newContext();`

11.6 getCurrentCard

FUNCTION: `getCurrentCard()`

FUNCTION ID: 5

ID:

DESCRIPTION: Returns the smallest relative URL (relative to the base of the current compilation unit, see 10.9 for information about how to access the current base) specifying the card (if any) currently being processed by the WML Browser (see [WML] for more information). The function returns an absolute URL in case the WML deck containing the current card does not have the same base as the current compilation unit.

PARAMETER -

RS:

RETURN String or invalid.

VALUE:

EXCEPTION Returns invalid in case there is no current card.

S:

EXAMPLE: `var a = WMLBrowser.getCurrentCard();
// a = "deck#input"`

11.7 refresh

FUNCTION: `refresh()`

FUNCTION ID: 6

ID:

DESCRIPTION: The WML Browser should update its user interface based on the current context. Implementations that support refresh must perform the steps defined in [WML] with the exception to restarting a suspended timer. This function must not restart a suspended timer. This function must block until all the steps have completed. The refresh actions must be applied to the current WML card. If the current WML card was not rendered prior to invoking this call (e.g., a script that was invoked by an onenterforward event binding), the refresh function must render the current card.

This function returns `invalid` if the current implementation does not support immediate refresh. Otherwise, this function returns an empty string if the refresh succeeds, or a non-empty string if it fails (e.g., failed to update an image). The content of the string is implementation dependent. The function should return a brief message explaining the error.

Note: if the current implementation does not support refresh, the WML user agent must still refresh the card when control returns back to the WML user agent.

PARAMETERS:

-

RS:

RETURN VALUE:

String or `invalid`.

VALUE:

-

EXCEPTIONS:

-

S:

EXAMPLE:

```
WMLBrowser.setVar("name", "Zorro");
```

```
var refreshOK = WMLBrowser.refresh();
```

12. DIALOGS

NAME: Dialogs
 LIBRARY ID: 5
 DESCRIPTI ON: This library contains a set of typical user interface functions.

12.1 prompt

FUNCTION: `prompt(message, defaultInput)`
 FUNCTION ID: 0
 DESCRIPTI ON: Displays the given *message* and prompts for user input. The *defaultInput* parameter contains the initial content for the user input. Returns the user input.
 PARAMETE RS: *message* = String
defaultInput = String
 RETURN VALUE: String or invalid.
 EXCEPTION S:
 EXAMPLE: `var a = "09-555 3456";
 var b = Dialogs.prompt("Phone number: ",a);`

12.2 confirm

FUNCTION: `confirm(message, ok, cancel)`
 FUNCTION ID: 1
 DESCRIPTI ON: Displays the given *message* and two reply alternatives: *ok* and *cancel*. Waits for the user to select one of the reply alternatives and returns `true` for *ok* and `false` for *cancel*.
 PARAMETE RS: *message* = String
ok = String (text, empty string results in the default implementation-dependent text)
cancel = String (text, empty string results in the default implementation-dependent text)
 RETURN VALUE: Boolean or invalid.
 EXCEPTION S:
 EXAMPLE: `function onAbort() {
 return Dialogs.confirm("Are you sure?","Yes","Well...");
};`

12.3 alert

FUNCTION: alert(*message*)
FUNCTION ID: 2
DESCRIPTION: Displays the given *message* to the user, waits for the user confirmation and returns an empty string.
PARAMETERS: *message* = String
RETURN VALUE: String or invalid.
EXCEPTIONS:
EXAMPLE:

```
function testValue(textElement) {
    if (String.length(textElement) > 8) {
        Dialogs.alert("Enter name < 8 chars!");
    };
};
```

Appendix A. Library Summary

The libraries and their library identifiers:

Library name	Library ID	Page
Lang	0	15
Float	1	22
String	2	26
URL	3	36
WMLBrowser	4	44
Dialogs	5	49

The libraries and their functions:

Lang library	Function ID
abs	0
min	1
max	2
parseInt	3
parseFloat	4
isInt	5
isFloat	6
maxInt	7
minInt	8
float	9
exit	10
abort	11
random	12
seed	13
characterSet	14

Float library	Function ID
int	0
floor	1
ceil	2
pow	3
round	4
sqrt	5
maxFloat	6
minFloat	7

String library	Function ID
length	0
isEmpty	1
charAt	2
subString	3
find	4
replace	5
elements	6
elementAt	7
removeAt	8
replaceAt	9
insertAt	10
squeeze	11
trim	12
compare	13
toString	14
format	15

URL library	Function ID
isValid	0
getScheme	1
getHost	2
getPort	3
getPath	4
getParameters	5
getQuery	6
getFragment	7
getBase	8
getReferer	9
resolve	10
escapeString	11
unescapeString	12
loadString	13

WMLBrowser library	Function ID
getVar	0
setVar	1
go	2
prev	3
newContext	4
getCurrentCard	5
refresh	6

Dialogs library	Function ID
prompt	0
confirm	1
alert	2

Appendix B. Static Conformance Requirements

This static conformance clause defines a minimum set of features that can be implemented to ensure that WMLScript Standard Libraries will be able to inter-operate.

12.4 WMLScript Encoder Capabilities

Identifier	Function	Reference	Status	Requirement
WMLSSL-001	Supports Lang library and all of its functions	Lang	M	
WMLSSL-002	Supports Float library and all of its functions	Float	M	
WMLSSL-003	Supports String library and all of its functions	String	M	
WMLSSL-004	Supports URL library and all of its functions	URL	M	
WMLSSL-005	Supports WMLBrowser library and all of its functions	WMLBrowse	M	
WMLSSL-006	Supports Dialogs library and all of its functions	Dialogs	M	
WMLSSL-007	Supports all library identifiers for standard libraries	Appendix A. Library Summary	M	
WMLSSL-008	Supports Lang library function identifiers	Appendix A. Library Summary	M	
WMLSSL-009	Supports Float library function identifiers	Appendix A. Library Summary	M	
WMLSSL-010	Supports String library function identifiers	Appendix A. Library Summary	M	

Identifier	Function	Reference	Status	Requirement
WMLSSL-011	Supports URL library function identifiers	Appendix A. Library Summary	M	
WMLSSL-012	Supports WMLBrowser library function identifiers	Appendix A. Library Summary	M	
WMLSSL-013	Supports Dialogs library function identifiers	Appendix A. Library Summary	M	

12.5 WMLScript Bytecode Interpreter Capabilities

Identifier	Function	Reference	Status	Requirement
WMLSSL-014	Supports WMLScript data types integer, boolean, string, invalid and float	Supported Data Type	M	
WMLSSL-015	Supports automatic type conversions	Data Type Conversions	M	
WMLSSL-016	Supports error handling	Error Handling	M	
WMLSSL-017	Supports floating point operations	Support for Integer-Only Devices	O	WMLS-111
WMLSSL-018	Supports Lang library	Lang	M	
WMLSSL-019	Supports Float library	Float	M	
WMLSSL-020	Supports String library	String	M	
WMLSSL-021	Supports URL library	URL	M	
WMLSSL-022	Supports WMLBrowser library	WMLBrowse	M	
WMLSSL-023	Supports Dialogs library	Dialogs	M	
WMLSSL-024	Supports all library identifiers for standard libraries	Appendix A. Library Summary	M	
WMLSSL-025	Supports Lang library function identifiers	Appendix A. Library Summary	M	
WMLSSL-026	Supports Float library function identifiers	Appendix A. Library Summary	M	
WMLSSL-027	Supports String library function identifiers	Appendix A. Library Summary	M	
WMLSSL-028	Supports URL library function identifiers	Appendix A. Library Summary	M	
WMLSSL-029	Supports WMLBrowser library function identifiers	Appendix A. Library Summary	M	
WMLSSL-030	Supports Dialogs library function identifiers	Appendix A. Library	M	

Identifier	Function	Reference	Status	Requirement
		Summary		

Lang Library

Identifier	Function	Reference	Status	Requirement
WMLSSL-031	abs function	abs	M	
WMLSSL-032	min function	min	M	
WMLSSL-033	max function	max	M	
WMLSSL-034	parseInt function	parseInt	M	
WMLSSL-035	parseFloat function	parseFloat	M	
WMLSSL-036	isInt function	isInt	M	
WMLSSL-037	isFloat function	isFloat	M	
WMLSSL-038	maxInt function	maxInt	M	
WMLSSL-039	minInt function	minInt	M	
WMLSSL-040	float function	float	M	
WMLSSL-041	exit function	exit	M	
WMLSSL-042	abort function	abort	M	
WMLSSL-043	random function	random	M	
WMLSSL-044	seed function	seed	M	
WMLSSL-045	characterSet function	characterSet	M	

Float Library

Identifier	Function	Reference	Status	Requirement
WMLSSL-046	All functions return invalid if floating point not supported	Float	M	
WMLSSL-047	int function	int	M	
WMLSSL-048	floor function	floor	M	
WMLSSL-049	ceil function	ceil	M	
WMLSSL-050	pow function	pow	M	
WMLSSL-051	round function	round	M	
WMLSSL-052	sqrt function	sqrt	M	
WMLSSL-053	maxFloat function	maxFloat	M	
WMLSSL-054	minFloat function	minFloat	M	

String Library

Identifier	Function	Reference	Status	Requirement
WMLSSL-055	length function	length	M	

Identifier	Function	Reference	Status	Requirement
WMLSSL-056	isEmpty function	isEmpty	M	
WMLSSL-057	charAt function	charAt	M	
WMLSSL-058	subString function	subString	M	
WMLSSL-059	find function	find	M	
WMLSSL-060	replace function	replace	M	
WMLSSL-061	elements function	elements	M	
WMLSSL-062	elementAt function	elementAt	M	
WMLSSL-063	removeAt function	removeAt	M	
WMLSSL-064	replaceAt function	replaceAt	M	
WMLSSL-065	insertAt function	insertAt	M	
WMLSSL-066	squeeze function	squeeze	M	
WMLSSL-067	trim function	trim	M	
WMLSSL-068	compare function	compare	M	
WMLSSL-069	toString function	toString	M	
WMLSSL-070	format function	format	M	

URL Library

Identifier	Function	Reference	Status	Requirement
WMLSSL-071	isValid function	isValid	M	
WMLSSL-072	getScheme function	getScheme	M	
WMLSSL-073	getHost function	getHost	M	
WMLSSL-074	getPort function	getPort	M	
WMLSSL-075	getPath function	getPath	M	
WMLSSL-076	getParameters function	getParameters	M	
WMLSSL-077	getQuery function	getQuery	M	
WMLSSL-078	getFragment function	getFragment	M	
WMLSSL-079	getBase function	getBase	M	
WMLSSL-080	getReferer function	getReferer	M	
WMLSSL-081	resolve function	resolve	M	
WMLSSL-082	escapeString function	escapeString	M	
WMLSSL-083	unescapeString function	unescapeString	M	
WMLSSL-084	loadString function	loadString	M	

WMLBrowser Library

Identifier	Function	Reference	Status	Requirement

Identifier	Function	Reference	Status	Requirement
WMLSSL-085	getVar function	getVar	M	
WMLSSL-086	setVar function	setVar	M	
WMLSSL-087	go function	go	M	
WMLSSL-088	prev function	prev	M	
WMLSSL-089	newContext function	newContext	M	
WMLSSL-090	getCurrentCard function	getCurrentCard	M	
WMLSSL-091	refresh function	refresh	M	

Dialogs Library

Identifier	Function	Reference	Status	Requirement
WMLSSL-092	prompt function	prompt	M	
WMLSSL-093	confirm function	confirm	M	
WMLSSL-094	alert function	alert	M	