



# Key Performance Indicator for OMA Enablers Requirements

Approved Version 1.0 – 31 Jul 2012

---

**Open Mobile Alliance**  
OMA-RD-KPIinOMA-V1\_0-20120731-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavours to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

- 1. SCOPE (INFORMATIVE) .....5
- 2. REFERENCES .....6
  - 2.1 NORMATIVE REFERENCES .....6
  - 2.2 INFORMATIVE REFERENCES .....6
- 3. TERMINOLOGY AND CONVENTIONS .....7
  - 3.1 CONVENTIONS .....7
  - 3.2 DEFINITIONS.....7
  - 3.3 ABBREVIATIONS .....7
- 4. INTRODUCTION (INFORMATIVE).....8
  - 4.1 VERSION 1.0 .....8
- 5. KEY PERFORMANCE INDICATOR FOR OMA ENABLERS RELEASE DESCRIPTION (INFORMATIVE) 9
- 6. REQUIREMENTS (NORMATIVE).....11
  - 6.1 HIGH-LEVEL FUNCTIONAL REQUIREMENTS .....11
    - 6.1.1 KPI Template Requirements .....11
    - 6.1.2 KPI Definition Requirements.....11
    - 6.1.3 Security .....12
    - 6.1.4 Interoperability.....12
  - 6.2 OVERALL SYSTEM REQUIREMENTS .....12
    - 6.2.1 KPIinOMA Framework .....12
    - 6.2.2 Format of Performance Measurement.....13
- APPENDIX A. CHANGE HISTORY (INFORMATIVE).....14
  - A.1 APPROVED VERSION HISTORY .....14
- APPENDIX B. USE CASES (INFORMATIVE) .....15
  - B.1 PERFORMANCE MEASUREMENT REPORT .....15
    - B.1.1 Short Description .....15
    - B.1.2 Market benefits .....15
  - B.2 PERFORMANCE MEASUREMENT QUERY .....15
    - B.2.1 Short Description .....15
    - B.2.2 Market benefits .....15

# Figures

- Figure 1: High level diagram of KPIinOMA scope.....9

# Tables

**Table 1: High-Level Functional Requirements on KPI Template..... 11**

**Table 2: High-Level Functional Requirements on KPI Definition..... 11**

**Table 3: High-Level Functional Requirements – Security Items ..... 12**

**Table 4: High-Level Functional Requirements – Authentication Items ..... 12**

**Table 5: High-Level Functional Requirements – Data Integrity Items ..... 12**

**Table 6: High-Level Functional Requirements – Interoperability Items ..... 12**

**Table 7: High-Level System Requirements on KPIinOMA Framework..... 13**

**Table 8: High-Level System Requirements on Format of Performance Measurement..... 13**

# 1. Scope

**(Informative)**

The scope of this specification is to identify the requirements (and a few informative use cases where appropriate) for the Key Performance Indicators in OMA (KPIinOMA). The objective is to determine the requirements to request and report key performance Measurement from OMA service enablers to operational environments, and the definition of the Key Performance Indicators for the OMA service enablers.

## 2. References

### 2.1 Normative References

- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997,  
[URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)

### 2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.7, Open Mobile Alliance™,  
OMA-ORG-Dictionary-V2\_7, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [3GPP TS 32.450 V9.0.0] “3rd Generation Partnership Project;Technical Specification Group Services and System  
Aspects;Telecommunication management;Key Performance Indicators (KPI) for E-UTRAN:Definitions  
(Release 9)”
- [3GPP TS 32.404 V9.0.0] 3rd Generation Partnership Project;Technical Specification Group Services and System  
Aspects;Telecommunication management;Performance Management (PM);Performance Measurements-  
Definitions and template(Release 9)

## 3. Terminology and Conventions

### 3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

### 3.2 Definitions

<b>Key Performance Indicator</b>	Essential information for evaluating behaviour or quality of delivered services
<b>KPIinOMA-enabled Instance</b>	An OMA enabler implementation, which can work under the KPIinOMA framework and report Performance Measurement to Operational Environments
<b>Operational Environment</b>	An environment under the KPIinOMA framework, in which the hosted entities have the capability to execute operations related to KPIs.
<b>Performance Measurement</b>	The measurement data collected from the OMA service enablers (e.g. counters), which are then used to derive the Key Performance Indicators

### 3.3 Abbreviations

<b>KPI</b>	Key Performance Indicator
<b>KPIinOMA</b>	Key Performance Indicators in OMA
<b>OE</b>	Operational Environment
<b>OMA</b>	Open Mobile Alliance

## 4. Introduction

**(Informative)**

Key Performance Indicators in OMA (KPIinOMA) aims to create standard KPI framework and KPI definition for individual OMA Enablers.

Currently, there is no OMA enabler defines the Performance Measurement which can be used to derive the KPIs by Operational Environment. There is no common understanding on the enabler service performance. So it is hard to evaluate the performance and service quality of individual enabler and related equipments. Each operator has to define their own KPIs for enablers and require vendors to do customized implementations, which is a large increment of cost for the whole industry.

Using the new defined KPI framework and enabler KPIs, The service performance and quality of OMA enablers implemented by different vendors can be evaluated in a common understanding. And operators' network management/performance management system can obtain the performance or quality measurement data from the enabler when using OMA standard implementation.

### 4.1 Version 1.0

The KPIinOMA enabler V1.0 aims to define the following aspects:

- Key Performance Indicator framework: mechanism to request and report Performance Measurement from OMA service enablers to Operational Environment.
- Key Performance Indicator definition: include Performance Measurement that enablers should report, the formular to derive the Key Performance Indicators and other necessary information.




## 5. Key Performance Indicator for OMA enablers release description (Informative)

The main objective of the Key Performance Indicators in OMA (KPIinOMA) is to define the framework of OMA enabler KPIs and guide OMA enablers to define their own service related KPIs, focusing on following activities:

- Defining the framework and mechanism of Enabler Performance Measurement reporting
  - Architecture for the OMA enabler KPI reporting
  - General enabler Performance Measurement reporting mechanism: how the Operational Environment gather necessary data from service enabler/components
  - Common interfaces requirements for requests and reports, data transfer mechanisms, etc.
- Specifying Enabler KPI for individual enablers
  - Enabler KPI template: includes all information that describes a specific enabler KPI based on the template
  - Defining Enabler KPIs for individual enablers

Figure 1 gives a graphical representation of the KPIinOMA scope with the roles/actors (e.g. Operational Environment, OMA Enablers).



**Figure 1: High level diagram of KPIinOMA scope**

OMA Enablers in the upper part of the figure are the data sources of Key Performance Indicator. According to the KPIinOMA framework, the Operational Environment can obtain standard KPI from individual OMA Enablers.

### 5.1 End-to-end Service Description

The KPIinOMA framework can be used by the Operational Environments to derive the Key Performance Indicators based on the Performance Measurement reported by OMA service enablers.

The KPIinOMA also describes the Performance Measurement collected from the OMA service enablers, which are then used to derive the Key Performance Indicators.

The KPI framework provides the following market benefits:

- For the vendors, the service performance and quality of OMA enablers implemented by different vendors can be evaluated in a common understanding. And the vendors can improve their products by the collected Performance Measurement from different service enablers.
- For the Operator, the Operator's network management/performance management system can obtain the performance or quality measurement data from the enabler when using OMA standard implementation. Operator can improve the services through the analysis of the collected Performance Measurement and attract the user to use the services.

## 6. Requirements (Normative)

### 6.1 High-Level Functional Requirements

#### 6.1.1 KPI Template Requirements

Label	Description	Release
	KPI template SHALL include the following fields:	
KPIinOMA-TEM-001	- the name of the KPI.	KPIinOMA V1.0
KPIinOMA-TEM-002	- the description of the KPI.	KPIinOMA V1.0
KPIinOMA-TEM-003	- the purpose of the KPI.	KPIinOMA V1.0
KPIinOMA-TEM-004	- the formula of the KPI.	KPIinOMA V1.0
KPIinOMA-TEM-005	- the KPI reporting time interval.	KPIinOMA V1.0
KPIinOMA-TEM-006	- the KPIinOMA-enabled Instance information, such as CPM, CAB and etc.	KPIinOMA V1.0
KPIinOMA-TEM-007	- the KPI type information, such as mean, ratio and cumulative.	KPIinOMA V1.0
KPIinOMA-TEM-008	- the KPI unit information, such as percentage, time interval and bit/s.	KPIinOMA V1.0
KPIinOMA-TEM-009	- the KPI data type and its accuracy information, such as real, integer and etc.	KPIinOMA V1.0
	KPI template SHOULD include the following fields:	
KPIinOMA-TEM-0010	- the KPI category information, which used by OE to categorize different KPIs.	KPIinOMA V1.0

**Table 1: High-Level Functional Requirements on KPI Template**

#### 6.1.2 KPI Definition Requirements

Label	Description	Release
KPIinOMA-DEF-001	The KPIs SHOULD be the measurement on number of service subscribers, which may cover total, increment, unsubscribe, online subscribe, and etc, if such information is available.	KPIinOMA v1.0
KPIinOMA-DEF-002	The KPIs SHOULD be the measurement on sessions (e.g. parallel working session) of a service, if the service supports sessions.	KPIinOMA v1.0
KPIinOMA-DEF-003	The KPIs SHOULD be the respond delay for a service, if such information is available.	KPIinOMA v1.0
KPIinOMA-DEF-004	The KPIs SHOULD be the traffic load for a service, if such information is available.	KPIinOMA v1.0

**Table 2: High-Level Functional Requirements on KPI Definition**

### 6.1.3 Security

Label	Description	Release
KPlinOMA-SEC-001	KPlinOMA-enabled instance SHALL report the Performance Measurement to OE in a secure environment. Informational Note: security mechanisms of the underlying operator's network can be re-used.	KPlinOMA v1.0

**Table 3: High-Level Functional Requirements – Security Items**

#### 6.1.3.1 Authentication

Label	Description	Release
KPlinOMA-AUTH-001	KPlinOMA-enabled instance SHALL support mutual authentication in the OE	KPlinOMA v1.0

**Table 4: High-Level Functional Requirements – Authentication Items**

#### 6.1.3.2 Data Integrity

Label	Description	Release
KPlinOMA-INT-001	The integrity of the Performance Measurement SHALL be maintained.	KPlinOMA v1.0

**Table 5: High-Level Functional Requirements – Data Integrity Items**

### 6.1.4 Interoperability

Label	Description	Release
KPlinOMA-IOT-001	The KPlinOMA-enabled instances SHALL support the interoperation with OE (e.g. when existing multiple entities in the OE receiving Performance Measurement).	KPlinOMA V1.0

**Table 6: High-Level Functional Requirements – Interoperability Items**

## 6.2 Overall System Requirements

### 6.2.1 KPlinOMA Framework

Label	Description	Release
KPlinOMA-FRM-001	Under the KPlinOMA framework, OE SHALL be able to receive the Performance Measurement reported by individual KPlinOMA-enabled instances.	KPlinOMA V1.0
KPlinOMA-FRM-002	KPlinOMA-enabled instance SHALL be able to report Performance Measurement to OE.	KPlinOMA V1.0
KPlinOMA-FRM-003	Under the KPlinOMA framework, OE SHALL be able to query Performance Measurement from KPlinOMA-enabled instance.	KPlinOMA V1.0
KPlinOMA-FRM-004	KPlinOMA-enabled instance SHALL support the query of Performance Measurement from OE.	KPlinOMA V1.0
KPlinOMA-FRM-005	KPlinOMA-enabled Instance SHALL be able to be configured by the Operational Environment, for example, reporting time intervals, reporting time.	KPlinOMA V1.0
KPlinOMA-FRM-006	KPlinOMA-enabled Instance SHALL support to report Performance Measurement based on pre-defined time intervals.	KPlinOMA V1.0
KPlinOMA-FRM-007	The pre-configuration of KPlinOMA-enabled instances SHOULD allow for automatically reporting of Performance Measurement.	KPlinOMA V1.0

KPIinOMA-FRM-008	The Performance Measurement MAY be reported and queried with KPI-related metadata information (e.g. information type, start date, start time, end date, end time).	KPIinOMA V1.0
------------------	--	---------------

**Table 7: High-Level System Requirements on KPIinOMA Framework**

## 6.2.2 Format of Performance Measurement

Label	Description	Release
KPIinOMA-FMT-001	The Performance Measurement MAY be stored in a file format.	KPIinOMA V1.0
KPIinOMA-FMT-002	The Performance Measurement MAY be stored in databases.	KPIinOMA V1.0

**Table 8: High-Level System Requirements on Format of Performance Measurement**

## Appendix A. Change History (Informative)

### A.1 Approved Version History

Reference	Date	Description
OMA-RD-KPlinOMA-V1_0-20120731-A	31 Jul 2012	Status changed to Approved by TP Ref TP Doc# OMA-TP-2012-0288-INP_KPlinOMA_V1_0_for_Final_Approval

## Appendix B. Use Cases (Informative)

### B.1 Performance Measurement Report

This use case demonstrates the abilities that OE receives the performance measurement reported by the KPIinOMA-enabled CPM service.

#### B.1.1 Short Description

To evaluate conversation reliability and stability provided by CPM service, a KPI is defined and named as “conversation failure ratio”. The KPIinOMA-enabled instance of CPM Server collects the numbers of failure conversation and total requested conversation, which is the Performance Measurement of the defined KPI. When the pre-defined time interval is reached, CPM Server reports the Performance Measurement to the OE. After receiving the Performance Measurement, OE calculates the KPI using the pre-defined formular, performs necessary analysis, and shows the final statistic information to operation administrator.

#### B.1.2 Market benefits

Operators' network management/performance management system can obtain the performance or quality measurement data from the enabler when using OMA standard implementation. By this, operator can improve the service and improve the user experience to use the service.

### B.2 Performance Measurement Query

This use case shows that OE can query the Performance Measurement from KPIinOMA-enabled instance of CAB enabler based on OE's administration policy.

#### B.2.1 Short Description

The KPIinOMA-enabled CAB implementation collects and records Performance Measurement, such as, number of CAB subscribers, number of contact entries exchanged with social network, and etc.

In order to derive the KPI, the OE can query the CAB Server for specific items of Performance Measurement.

Based on obtained information, OE can evaluate the CAB service and identify whether the CAB service needs optimising.

#### B.2.2 Market benefits

Based on the obtained KPI, the operator can evaluate the CAB service status, and optimize the CAB service for the end users.