SyncML Implementation Conformance Statement Proforma

Version 0.3

Abstract

The SyncML Implementation Conformance Statement is designed to be used by vendors to show their level of conformance with SyncML specifications.

Note that if your product can perform as both a client and a server, you will need to fill out both sets of forms.

2 of 17 Pages Version 0.3

2001-02-23

Consortium

The following companies are sponsors in the SyncML initiative:

Ericsson

IBM

Lotus

Motorola

Nokia

Palm, Inc.

Matsushita Communications Industrial Co.

Psion

Starfish Software

Revision History

| Revision | Date | Comments |
|----------|------------|---|
| 0.1 | 2000-11-17 | 1 st pass |
| 0.2 | 2000-12-14 | Incorporate initial comments – such as adding in Protocol SCR, Authentication, and Transport section. |
| 0.3 | 2001-01-15 | Incorporated transport conformance tables. |
| | | |

Copyright Notice

Copyright (c) Ericsson, IBM, Lotus, Matsushita Communications Industrial Co., Motorola, Nokia, Palm, Inc., Psion, Starfish Software (2000-2001). All Rights Reserved.

This document may be copied solely for use in internal evaluations and for no other purpose unless otherwise provided in the SyncML Specification Sponsor Agreement or the SyncML Specification Supporter Agreement signed by the receiving party and a SyncML sponsor. This document contains the confidential information of the copyright holders and its use and disclosure are restricted. The party receiving this document must sign a written non-disclosure agreement pertaining to this document with Ericsson, IBM, Lotus, Matsushita Communications Industrial Co., Motorola, Nokia, Palm, Inc., Psion, Starfish Software or another SyncML sponsor prior to accessing its contents.

THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND AND ERICSSON, IBM, LOTUS, MATSUSHITA COMMUNICATIONS INDUSTRIAL CO., MOTOROLA, NOKIA, PALM, INC., PSION, STARFISH SOFTWARE AND ALL OTHER SYNCML SPONSORS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ERICSSON, IBM, LOTUS, MATSUSHITA COMMUNICATIONS INDUSTRIAL CO., MOTOROLA, NOKIA, PALM, INC., PSION, STARFISH SOFTWARE OR ANY OTHER SYNCML SPONSOR BE LIABLE TO ANY PARTY FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR DIRECT, INDIRECT, SPECIAL OR



Cynomic implementation comorniance statement

Draft

http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Version 0.3

3 of 17 Pages

2001-02-23

EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The above notice and this paragraph must be included on all copies of this document that are made.



http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Draft

2001-02-23

Table of Contents

| 1 | Intro | oduction | 5 |
|---|-------|---|----|
| 2 | Prod | duct Information | 6 |
| 3 | Serv | ver Conformance Tables | 7 |
| | 3.1 | Representation Common Use Elements | 7 |
| | 3.2 | Representation Message container elements | |
| | 3.3 | Data description elements | |
| | 3.4 | Representation Protocol command elements | 8 |
| | 3.5 | Device Info | 8 |
| | 3.6 | Meta Info | 9 |
| | 3.7 | Protocol | 9 |
| | 3.8 | Authentication | 10 |
| | 3.9 | MIME header types | 10 |
| 4 | Clie | nt Conformance Tables | 11 |
| | 4.1 | Representation Common Use Elements | 11 |
| | 4.2 | Representation Message container elements | 11 |
| | 4.3 | Data description elements | 11 |
| | 4.4 | Representation Protocol command elements | 12 |
| | 4.5 | Device Info | 12 |
| | 4.6 | Meta Info | 13 |
| | 4.7 | Protocol | 13 |
| | 4.8 | Authentication | 14 |
| | 4.9 | MIME header types | 14 |
| 5 | Trar | nsport Conformance | 15 |
| | 5.1 | HTTP Transport | 15 |
| | 5.2 | OBEX Transport | 15 |
| | 5.3 | WSP Transport | 16 |
| 6 | Refe | erences | 17 |



http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Version 0.3

5 of 17 Pages

Draft 2001-02-23

1 Introduction

The purpose of this statement is to define a methodology for showing conformance with the SyncML Representation protocol [1], SyncML Sync Protocol [2] and appropriate transport. Vendors filling in this form will mark the items with either YES or NO, indicating whether the items are implemented or not. Mandatory items marked NO MUST have explanatory text.

NOTE: Server must be able to deal with with the two cases or packages 1 & 3 being sent seperately and combined.

2001-02-23

2 Product Information

| Device Name & Version | fusionOne Core SycnML client and fusionOne SyncML | | |
|------------------------|---|--|--|
| | Server | | |
| Company | fusionOne Inc. | | |
| Contact Name | Steve Dakin, Matt Brown, and Brendan McCarthy | | |
| Contact Phone | 1 408 282 1262, 1 408 282 1282 and 1 408 282 1323 | | |
| Contact Email | sdakin@fusionone.com, matt@fusionone.com, | | |
| | brendan@fusionone.com | | |
| Transports supported | OBEX[] WSP[] HTTP[X] | | |
| Product is | Client [X] Server [X] | | |
| Datatypes product uses | vCard, vCalendar | | |
| | | | |
| | | | |

Draft

2001-02-23

3 Server Conformance Tables

NOTE: Server SHOULD be able to log the XML and WBXML documents sent between the server and a client.

3.1 Representation Common Use Elements


| Command | Required | l of Server | Implemen | ted in Server |
|-----------|----------|-------------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Archive | MAY | MUST | | YES |
| Chal | MUST | MUST | YES | YES |
| Cmd | MUST | MUST | YES | YES |
| CmdID | MUST | MUST | YES | YES |
| CmdRef | MUST | MUST | YES | YES |
| Cred | MUST | MUST | YES | YES |
| Final | MUST | MUST | YES | YES |
| Lang | MAY | MAY | | |
| LocName | MAY | MAY | | |
| LocURI | MUST | MUST | YES | YES |
| MsgID | MUST | MUST | YES | YES |
| MsgRef | MUST | MUST | YES | YES |
| NoResp | MUST | MUST | YES | YES |
| NoResults | MAY | MAY | | |
| RespURI | MUST | MAY | YES | YES |
| SessionID | MUST | MUST | YES | YES |
| SftDel | MAY | MAY | | |
| Source | MUST | MUST | YES | YES |
| SourceRef | MUST | MUST | YES | YES |
| Target | MUST | MUST | YES | YES |
| TargetRef | MUST | MUST | YES | YES |
| VerDTD | MUST | MUST | YES | YES |
| VerProto | MUST | MUST | YES | YES |

3.2 Representation Message container elements

| Command | Required of Server | | Implement | ted in Server |
|----------|--------------------|-----------|-----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| SyncML | MUST | MUST | YES | YES |
| SyncHdr | MUST | MUST | YES | YES |
| SyncBody | MUST | MUST | YES | YES |

3.3 Data description elements

| Command | Required of Server | | Implemen | ted in Server |
|---------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Data | MUST | MUST | | |



2001-02-23

| Item | MUST | MUST | YES | YES |
|------|------|------|-----|-----|
| Meta | MUST | MUST | YES | YES |

3.4 Representation Protocol command elements

| Command | ommand Required | | Implemen | ted in Server |
|----------|-----------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Add | MUST | MUST | YES | YES |
| Alert | MUST | MUST | YES | YES |
| Atomic | MAY | MAY | | |
| Сору | MAY | MUST | | YES |
| Delete | MUST | MUST | YES | YES |
| Exec | MAY | SHOULD | | |
| Get | MUST | MUST | YES | YES |
| Map | MAY | MUST | | YES |
| MapItem | MAY | MUST | | YES |
| Put | MUST | MUST | YES | YES |
| Replace | MUST | MUST | YES | YES |
| Result | MUST | MUST | YES | YES |
| Search | MAY | MAY | | |
| Sequence | MAY | MUST | | YES |
| Status | MUST | MUST | YES | YES |
| Sync | MUST | MUST | YES | YES |

3.5 Device Info

| Element Type | Required of Server | | Implemen | ted in Server |
|--------------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| CTCap | SHOULD | MUST | | YES |
| CTType | MUST | MUST | YES | YES |
| DataStore | MUST | MUST | YES | YES |
| DataType | MAY | MUST | | YES |
| DevId | MUST | MUST | YES | YES |
| DevInf | MUST | MUST | YES | YES |
| DevTyp | MUST | MUST | YES | YES |
| DisplayName | MAY | MAY | | |
| DSMem | MAY | MUST | | YES |
| Ext | MAY | MAY | | |
| FreeID | MAY | MUST | | YES |
| FreeMem | MAY | MUST | | YES |
| FwV | MAY | SHOULD | | |
| HwV | MAY | SHOULD | | |
| Man | MAY | SHOULD | | |
| MaxGUIDSize | MUST NOT | MUST | | YES |
| MaxID | MAY | SHOULD | | |
| MaxMem | MAY | SHOULD | | |
| Mod | MAY | MAY | | |
| OEM | MAY | MAY | | |

2001-02-23



Draft

| ParamName | SHOULD | MUST | | YES |
|-----------|--------|--------|-----|-----|
| PropName | SHOULD | MUST | | YES |
| Rx | MAY | MUST | | YES |
| Rx-Pref | MUST | MUST | YES | YES |
| SharedMem | SHOULD | MUST | | YES |
| Size | MAY | MUST | | YES |
| SourceRef | MUST | MUST | YES | YES |
| SwV | MAY | SHOULD | | |
| SyncCap | MUST | MUST | YES | YES |
| SyncType | MUST | MUST | YES | YES |
| Tx | MAY | MUST | | YES |
| Tx-Pref | MUST | MUST | YES | YES |
| ValEnum | SHOULD | MUST | | YES |
| VerCT | MUST | MUST | YES | YES |
| Xnam | MAY | MAY | | |
| Xval | MAY | MAY | | |

3.6 Meta Info

| Element Type | Required of Server | | Implemen | ted in Server |
|--------------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Anchor | MUST | MUST | YES | YES |
| Format | MUST | MUST | YES | YES |
| Last | MUST | MUST | YES | YES |
| Mark | MAY | MAY | | |
| MaxMsgSize | MAY | MUST | | YES |
| MetInf | MUST | MUST | YES | YES |
| Next | MUST | MUST | YES | YES |
| NextNonce | MUST | MUST | YES | YES |
| Size | MAY | MAY | | |
| Type | MUST | MUST | YES | YES |
| Version | MUST | MUST | YES | YES |

3.7 Protocol

| Element Type | Server Re | Server Requirements | |
|--|-----------|---------------------|--|
| | Required | Implemented | |
| Support of 'two-way sync' | MUST | YES | |
| Support of 'slow two-way sync' | MUST | YES | |
| Support of 'one-way sync from client only' | MAY | | |
| Support of 'refresh sync from client only' | MAY | | |
| Support of 'one-way sync from server only' | MAY | | |
| Support of 'refresh sync from server only' | MAY | | |
| Support of 'sync alert' | MAY | | |
| Support of multiple messages per package | MUST | YES | |
| Support of combined package 1 and 3 | MUST | YES | |



http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Draft 2001-02-23

3.8 Authentication

| Authentication Type | Server Requirements | |
|---------------------------|---------------------|-------------|
| | Required | Implemented |
| Basic (name and password) | MUST | YES |
| MD5 | MUST | YES |

3.9 MIME header types

| Authentication Type | Server Requirements | |
|--------------------------------|---------------------|-------------|
| | Required | Implemented |
| "application/vnd.syncml-xml" | MUST | YES |
| "application/vnd.syncml-wbxml" | MUST | YES |



Draft

Version 0.3 2001-02-23

4 Client Conformance Tables

4.1 Representation Common Use Elements

| Command | Required | of Client | Implement | ted in Client |
|-----------|----------|-----------|-----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Archive | MAY | MAY | | |
| Chal | MAY | MUST | | YES |
| Cmd | MUST | MUST | YES | YES |
| CmdID | MUST | MUST | YES | YES |
| CmdRef | MUST | MUST | YES | YES |
| Cred | MUST | MUST | YES | YES |
| Final | MUST | MUST | YES | YES |
| Lang | MAY | MAY | | |
| LocName | MAY | MAY | | |
| LocURI | MUST | MUST | YES | YES |
| MsgID | MUST | MUST | YES | YES |
| MsgRef | MUST | MUST | YES | YES |
| NoResp | SHOULD | MUST | | YES |
| NoResults | MAY | MAY | | |
| RespURI | MAY | MUST | | YES |
| SessionID | MUST | MUST | YES | YES |
| SftDel | MAY | MAY | | |
| Source | MUST | MUST | YES | YES |
| SourceRef | MUST | MUST | YES | YES |
| Target | MUST | MUST | YES | YES |
| TargetRef | MUST | MUST | YES | YES |
| VerDTD | MUST | MUST | YES | YES |
| VerProto | MUST | MUST | YES | YES |

4.2 Representation Message container elements

| Command | Required of Client | | Implemen | ted in Client |
|----------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| SyncML | MUST | MUST | YES | YES |
| SyncHdr | MUST | MUST | YES | YES |
| SyncBody | MUST | MUST | YES | YES |

4.3 Data description elements

| Command | Required of Client | | Implemen | ted in Client |
|---------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Data | MUST | MUST | YES | YES |
| Item | MUST | MUST | YES | YES |
| Meta | MUST | MUST | YES | YES |



Draft

Version 0.3 2001-02-23

4.4 Representation Protocol command elements

| Command | Required | l of Client | Implemen | ted in Client |
|----------|----------|-------------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Add | SHOULD | MUST | | YES |
| Alert | MUST | MUST | YES | YES |
| Atomic | MAY | MAY | | |
| Сору | MAY | MAY | | |
| Delete | MUST | MUST | YES | YES |
| Exec | MAY | MAY | | |
| Get | MUST | MUST | YES | YES |
| Map | MUST | MAY | YES | YES |
| MapItem | MUST | MAY | YES | |
| Put | MUST | MUST | YES | YES |
| Replace | MUST | MUST | YES | YES |
| Result | MUST | MUST | YES | YES |
| Search | MAY | MAY | | |
| Sequence | MAY | MAY | | |
| Status | MUST | MUST | YES | YES |
| Sync | MUST | MUST | YES | YES |

4.5 Device Info

| Element Type | Required | d of Client | Implemen | ted in Client |
|--------------|----------|-------------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| CTCap | MUST | SHOULD | YES | |
| CTType | MUST | MUST | YES | YES |
| DataStore | MUST | MUST | YES | YES |
| DataType | MAY | MAY | | |
| DevId | MUST | MUST | YES | YES |
| DevInf | MUST | MUST | YES | YES |
| DevTyp | MUST | MUST | YES | YES |
| DisplayName | MAY | MAY | | |
| DSMem | MUST | MAY | YES | |
| Ext | MAY | MAY | | |
| FreeID | MUST | MAY | YES | |
| FreeMem | MUST | MAY | YES | |
| FwV | SHOULD | MAY | | |
| HwV | SHOULD | MAY | | |
| Man | SHOULD | MAY | | |
| MaxGUIDSize | MUST | MUST NOT | YES | |
| MaxID | SHOULD | MAY | | |
| MaxMem | SHOULD | MAY | | |
| Mod | MAY | MAY | | |
| OEM | MAY | MAY | | |
| ParamName | MUST | SHOULD | YES | |
| PropName | MUST | SHOULD | YES | |
| Rx | MAY | MUST | | |
| Rx-Pref | MUST | MUST | YES | |



Draft 2001-02-23

| SharedMem | SHOULD | MUST | | YES |
|-----------|--------|--------|-----|-----|
| Size | MAY | MAY | | |
| SourceRef | MUST | MUST | YES | YES |
| SwV | SHOULD | MAY | | |
| SyncCap | MUST | MUST | YES | YES |
| SyncType | MUST | MUST | YES | YES |
| Tx | MAY | MUST | | YES |
| Tx-Pref | MUST | MUST | YES | YES |
| ValEnum | MUST | SHOULD | YES | |
| VerCT | MUST | MUST | YES | YES |
| Xnam | MAY | MAY | | |
| Xval | MAY | MAY | | |

4.6 Meta Info

| Element Type | Required of Client | | Implemen | ted in Client |
|--------------|--------------------|-----------|----------|---------------|
| | Sending | Receiving | Sending | Receiving |
| Anchor | MUST | MUST | YES | YES |
| Format | MUST | MUST | YES | YES |
| Last | MUST | MUST | YES | YES |
| Mark | MAY | MAY | | |
| MaxMsgSize | MAY | MUST | | YES |
| MetInf | MUST | MUST | YES | YES |
| Next | MUST | MUST | YES | YES |
| NextNonce | MUST | MUST | YES | YES |
| Size | MAY | MAY | | |
| Туре | MUST | MUST | YES | YES |
| Version | MAY | MAY | | |

4.7 Protocol

| Element Type | Client Re | Client Requirements | |
|--|-----------|---------------------|--|
| | Required | Implemented | |
| Support of 'two-way sync' | MUST | YES | |
| Support of 'slow two-way sync' | MUST | YES | |
| Support of 'one-way sync from client only' | MAY | | |
| Support of 'refresh sync from client only' | MAY | | |
| Support of 'one-way sync from server only' | MAY | | |
| Support of 'refresh sync from server only' | MAY | | |
| Support of 'sync alert' | MAY | | |
| Support of multiple messages per package | MUST | YES | |
| Support of combined package 1 and 3 | MAY | | |

2001-02-23

4.8 **Authentication**

Note that authentication is only required for SyncHdr, optional for datastore.

TODO: build this up to have separate levels (SyncHdr, datastore, etc).

| Authentication Type | Client Requirements | |
|---------------------------|---------------------|-----|
| | Required Implement | |
| Basic (name and password) | MUST | YES |
| MD5 | MUST | YES |

4.9 **MIME** header types

NOTE: the client MUST support one of the two MIME header types.

| Authentication Type | Client Requirements | |
|--------------------------------|---------------------|-------------|
| | Required | Implemented |
| "application/vnd.syncml+xml" | MUST if no wbxml | YES |
| "application/vnd.syncml+wbxml" | MUST if no xml | YES |

http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Version 0.3

Draft 2001-02-23

5 Transport Conformance

5.1 HTTP Transport

Vendors should fill this section out ONLY if their product uses the HTTP Transport. The specification for HTTP Transport is fully described in [4].

NOTE that the tables only indicate the required data.

| | Method | Requirements | |
|------|--------|--------------|-------------|
| | | Required | Implemented |
| POST | | MUST | YES |

| General Headers Requirements | | rements |
|------------------------------|----------|-------------|
| | Required | Implemented |
| Cache-Control | MUST | YES |
| Transfer-Encoding | MUST | YES |

| Request Headers Requirements | | rements |
|------------------------------|--------------|-------------|
| | Required | Implemented |
| Accept | MUST | YES |
| Accept-Charset | MUST | YES |
| Authorization | MUST | YES |
| Proxy-Authorization | MUST if a | YES |
| | proxy client | |
| User-Agent User-Agent | MUST | YES |

| Response Headers | Requirements | |
|---------------------|----------------------|-------------|
| | Required | Implemented |
| Authentication-Info | MUST | YES |
| Proxy-Authenticate | MUST if proxy client | |
| WWW-Authenticate | MUST | YES |

5.2 **OBEX Transport**

Vendors should fill this section out ONLY if their product uses the OBEX Transport. The specification for OBEX Transport is fully described in [6]. Note that these definitions of client and server are the OBEX definition, not the SyncML definition.

NOTE that the tables only indicate the required data.

| Method | OBEX Server Requirements | |
|--------|--------------------------|-------------|
| | Required | Implemented |
| GET | MUST | |



http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

16 of 17 Pages

Version 0.3

Draft 2001-02-23

| PUT | MUST | |
|------------|------|--|
| CONNECT | MUST | |
| DISCONNECT | MUST | |
| ABORT | MUST | |

| Method | OBEX Client Requirements | |
|------------|--------------------------|-------------|
| | Required | Implemented |
| GET | MUST | |
| PUT | MUST | |
| CONNECT | MUST | |
| DISCONNECT | MUST | |

5.3 **WSP Transport**

Vendors should fill this section out ONLY if their product uses the WSP Transport. The specification for WSP Transport is fully described in [7].

NOTE that the tables only indicate the required data.

TBD.



Cynomic Implementation Comornation Ctatement

http://www.syncml.org/supporters/docs/syncml ics v03 20010115.doc

Draft

17 of 17 Pages Version 0.3

2001-02-23

6 References

| [1] | SyncML | Representation | Protocol | Specification |
|-----|--------|----------------|----------|---------------|
| | , | | | |

- [2] SyncML Sync Protocol
- [3] Meta Information Specification and DTD
- [4] Device Information Specification and DTD
- [5] SyncML HTTP Binding
- [6] SyncML OBEX Binding
- [7] SyncML WSP Binding