

Registration Summary

Event	Number Registered	Number Checked-In
TF Implementations	15 - 6 Server - 9 Client	15 - 6 Server - 9 Client
TF Engineers	31	30
Workshop In-Person	21	11
Workshop Webinar	208	134 LiveStream views - 69 concurrent peak views - 232 video playbacks - 407 visits to event page

TestFest Summary

Session Number	Test Result Submissions
1	8
2	8
3	8
4	7
5	9
6	6
Total	46

TestFest Results

Test Case	Pass	Fail	Inconclusive	Not Applicable	Out of Time
LightweightM2M-1.0-int-101 - Initial Registration	45	0	1	0	0
LightweightM2M-1.0-int-102 - Registration Update	42	0	3	1	0
LightweightM2M-1.0-int-103 - Deregistration	38	0	0	8	0
LightweightM2M-1.0-int-104 - Registration Update Trigger	13	0	1	32	0
LightweightM2M-1.0-int-201 - Querying basic information from the client in Plain Text	41	0	4	1	0

format					
LightweightM2M-1.0-int-201 - Querying basic information from the client in TLV format	26	3	6	11	0
LightweightM2M-1.0-int-201 - Querying basic information from the client in JSON format	4	1	3	38	0
LightweightM2M-1.0-int-202 - Querying the firmware version from the client	41	0	3	2	0
LightweightM2M-1.0-int-203 - Rebooting the device	39	1	0	5	0
LightweightM2M-1.0-int-204 - Querying power status of the terminal	38	0	1	7	0
LightweightM2M-1.0-int-301 - Firmware update (via COAP)	5	2	0	38	1
LightweightM2M-1.0-int-302 - Firmware update (via alternative mechanism)	12	6	3	23	2
LightweightM2M-1.0-int-401 - Querying of connectivity parameters	27	4	2	12	1
LightweightM2M-1.0-int-501 - Observation and notification of parameter values	22	3	5	15	1
LightweightM2M-1.0-int-502 - Cancel observations using "Cancel Observation" operation	17	8	2	18	1
LightweightM2M-1.0-int-503 - Cancel observations using "Write Attributes" with Cancel parameter	9	7	2	27	1
LightweightM2M-1.0-int-601 - UDP Channel Security - Pre-shared Key Mode	10	7	2	26	1
LightweightM2M-CONMGMT-1.0-int-701 - APN configuration	0	1	1	37	6
LightweightM2M-CONMGMT-1.0-int-702 - Bearer Selection	0	1	1	37	6
LightweightM2M-1.0-	13	1	1	25	5

int-801- Location Object					
Totals	442	45	41	363	25