



Enabler Test Report IMPS SSP v1.2

OMA Test Fest (March 2004)

Version 26-Mar-2004

Open Mobile Alliance
OMA-Enabler_Test_Report-IMPS-SSPv1.2-2004-03-26

This document is considered confidential and may not be disclosed in any manner to any non-member of the Open Mobile Alliance™, unless there has been prior explicit Board approval.

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2004, Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is not an Open Mobile Alliance™ specification, is not endorsed by the Open Mobile Alliance and is informative only. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Open Mobile Alliance™ members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <http://www.openmobilealliance.org/ipr.html>. Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile Alliance™ or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "OMA IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>

Contents

- 1. SCOPE..... 4
- 2. REFERENCES 5
 - 2.1 NORMATIVE REFERENCES..... 5
 - 2.2 INFORMATIVE REFERENCES..... 5
- 3. TERMINOLOGY AND CONVENTIONS..... 6
 - 3.1 CONVENTIONS..... 6
 - 3.2 DEFINITIONS 6
 - 3.3 ABBREVIATIONS..... 6
- 4. SUMMARY..... 7
- 5. TEST DETAILS 8
 - 5.1 DOCUMENTATION 8
 - 5.2 TEST CASE STATISTICS 9
 - 5.2.1 Test Case Summary 9
 - 5.2.2 Test Case List 10
- 6. CONFIRMATION 15
- APPENDIX A. CHANGE HISTORY (INFORMATIVE)..... 16

1. Scope

This report describes the results from the testing carried out at OMA Test Fest (March 2004) concerning SSP v1.2 of the IMPS enabler.

2. References

2.1 Normative References

[OMAIOPPROC]	OMA Interoperability Policy and Process, http://www.openmobilealliance.org/
[IMPSEICS]	IMPS SSP version 1.2 Enabler Implementation Conformance Statement (EICS), http://www.openmobilealliance.org/
[ERELD]	OMA IMPS SSP version 1.2 Enabler Release Definition
[IMPS_SPEC]	OMA IMPS SSP 1.2 specifications
[EPTR]	Enabler Product Test Report
[ETP]	Enabler Test Plan
[ETS]	Enabler Test Specification for OMA IMPS SSP 1.1, OMA-ETS-SSP-1.1-20030522-D

2.2 Informative References

3. Terminology and Conventions

3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

3.2 Definitions

None.

3.3 Abbreviations

EICS	Enabler Implementation Conformance Statement
EPTR	Enabler Product Test Report
ETP	Enabler Test Plan
ETS	Enabler Test Specification
IMPS	Instant Messaging Presence Service
OMA	Open Mobile Alliance
PR	Problem Report
SSP	Server to Server Protocol

4. Summary

This report gives details of the testing carried out during the OMA Test Fest (March 2004) for IMPS SSP v1.2.

The report is compiled on behalf of OMA by NCC Group.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

5. Test Details

5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

Date:	March 2004
Location:	Bellvue, USA
Enabler:	IMPS SSP v1.2
Process:	OMA Interoperability Policy and Process [OMAIOPPROC]
Type of Testing	Interoperability Testing
Products tested:	Server to Server
Test Plan:	IMPS Enabler Test Plan [ETP]
Test Specification:	IMPS Enabler Test Specification [ETS]
Test Tool:	None
Test Code:	None
Type of Test event:	Test Fest
Participants:	Followap Nokia
Number of Client Products:	-
Participating Technology Providers for clients:	-
Number of Server Products:	2
Participating Technology Providers for servers:	Followap Nokia
Number of test sessions completed:	1

5.2 Test Case Statistics

5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- Total number of TCs: Used in the summary to indicate how many test cases there are in total.
- Number of passed: Used in the summary to indicate how many of the total test cases that successfully has been passed.
- Number of failed: Used in the summary to indicate how many of the total test cases that has failed.
- Number of N/A: Used in the summary to indicate how many of the total test cases that has not be run due to that the implementation(s) do not support the functionality required to run this test case.
- Number of OT: Used in the summary to indicate how many of the total test cases that has not be run due to no time to run the test case.
- Number of INC: Used in the summary to indicate how many of the total test cases that has not been run due to that the functionality could not be tested due to an error in the implementation in another functionality that is required to run this test case.

Test Section:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:
Server to Server Protocol TCs	70	11	0	59	0	0
Total	70	11	0	59	0	0

5.2.2 Test Case List

This chapter lists the statistics for all test cases included in [ETS].

The following status is used in the tables below:

- **No. of runs(R)**: Used to indicate how many times the test cases have been run in total.
- **No. of passed(P)**: Used to indicate how many times the specific test case has been successfully passed.
- **No. of failed(F)**: Used to indicate how many times the specific test case has failed.
- **No. of OT(O)**: Used in the summary to indicate how many of the total test cases that has not be run due to no time to run the test case.
- **No. of INC(I)**: Used in the summary to indicate how many of the total test cases that has not been run due to that the functionality could not be tested due to an error in the implementation in another functionality that is required to run this test case.
- **PR**: Used to indicate if any PRs (Problem Reports) have been issued during testing.

If the specific implementation due to e.g. no support for an optional feature has not run a specific test case the test case should be marked with N/A in the “No. of runs” column.

Test Case:	Test Case Description:	R	P	F	O	I	PR:	Note:
SSP-1.1-int-1	Verify the session establishment through Login functionality.	1	1	0	0	0		
SSP-1.1-int-1D	Verify the session establishment through Login functionality.	1	1	0	0	0		
SSP-1.1-int-2	Verify the Logout functionality.	1	1	0	0	0		
SSP-1.1-int-2D	Verify the Logout functionality	1	1	0	0	0		
SSP-1.1-int-3M	Verify the Subscribe functionality.	1	1	0	0	0		
SSP-1.1-int-3MD	Verify the Subscribe functionality.	1	1	0	0	0		
SSP-1.1-int-4M	Verify the Presence notification functionality.	1	1	0	0	0		
SSP-1.1-int-4MD	Verify the Presence notification functionality.	1	1	0	0	0		
SSP-1.1-int-5M	Verify the Unsubscribe functionality of server A and the response of server B.	1	1	0	0	0		
SSP-1.1-int-5MD	Verify the Unsubscribe functionality of server B and the response of server A.	1	1	0	0	0		

SSP-1.1-int-6M	Verify the GetPresence functionality.	1	1	0	0	0		
SSP-1.1-int-6MD	Verify the GetPresence functionality.	1	1	0	0	0		
SSP-1.1-int-7C	Verify the Subscribe functionality.	0	0	0	0	0		
SSP-1.1-int-7CD	Verify the Subscribe functionality.	0	0	0	0	0		
SSP-1.1-int-8C	Verify the Presence notification functionality.	0	0	0	0	0		
SSP-1.1-int-8CD	Verify the Presence notification functionality.	0	0	0	0	0		
SSP-1.1-int-9C	Verify the Unsubscribe functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-9CD	Verify the Unsubscribe functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-10C	Verify the Reactive authorization functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-10CD	Verify the Reactive authorization functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-11C	Verify the Cancel authorization functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-11CD	Verify the Cancel authorization functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-12C	Verify the Reactive authorization / deny functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-12CD	Verify the Reactive authorization / deny functionality of server Aand the response of server B.	0	0	0	0	0		
SSP-1.1-int-13C	Verify the GetWatcherList functionality.	0	0	0	0	0		
SSP-1.1-int-13CD	Verify the GetWatcherList functionality.	0	0	0	0	0		
SSP-1.1-int-14C	Verify the GetPresence functionality.	0	0	0	0	0		

SSP-1.1-int-14CD	Verify the GetPresence functionality.	0	0	0	0	0		
SSP-1.1-int-15C	Verify the UpdatePresence functionality.	0	0	0	0	0		
SSP-1.1-int-15CD	Verify the UpdatePresence functionality.	0	0	0	0	0		
SSP-1.1-int-16C	Verify the Create ContactList functionality.	0	0	0	0	0		
SSP-1.1-int-16CD	Verify the Create ContactList functionality.	0	0	0	0	0		
SSP-1.1-int-17C	Verify the AddListMember functionality.	0	0	0	0	0		
SSP-1.1-int-17CD	Verify the AddListMember functionality.	0	0	0	0	0		
SSP-1.1-int-18C	Verify the RemoveListMember functionality.	0	0	0	0	0		
SSP-1.1-int-18CD	Verify the RemoveListMember functionality.	0	0	0	0	0		
SSP-1.1-int-19C	Verify the SetListProperties functionality.	0	0	0	0	0		
SSP-1.1-int-19CD	Verify the SetListProperties functionality.	0	0	0	0	0		
SSP-1.1-int-20C	Verify the DeleteContactList functionality.	0	0	0	0	0		
SSP-1.1-int-20CD	Verify the DeleteContactList functionality.	0	0	0	0	0		
SSP-1.1-int-21M	Verify the SendMessage functionality.	0	0	0	0	0		
SSP-1.1-int-21MD	Verify the SendMessage functionality.	0	0	0	0	0		
SSP-1.1-int-22M	Verify the ForwardMessage functionality.	0	0	0	0	0		
SSP-1.1-int-22MD	Verify the ForwardMessage functionality.	0	0	0	0	0		
SSP-1.1-int-23M	Verify the DeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-23MD	Verify the DeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-24M	Verify the NotifyDeliveryStatusReport functionality.	0	0	0	0	0		

SSP-1.1-int-24MD	Verify the NotifyDeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-25C	Verify the SendMessage functionality.	0	0	0	0	0		
SSP-1.1-int-25CD	Verify the SendMessage functionality.	0	0	0	0	0		
SSP-1.1-int-26C	Verify the ForwardMessage functionality.	0	0	0	0	0		
SSP-1.1-int-26CD	Verify the ForwardMessage functionality.	0	0	0	0	0		
SSP-1.1-int-27C	Verify the SetMessageDelivery functionality.	0	0	0	0	0		
SSP-1.1-int-27CD	Verify the SetMessageDelivery functionality.	0	0	0	0	0		
SSP-1.1-int-28C	Verify the PushMessage functionality.	0	0	0	0	0		
SSP-1.1-int-28CD	Verify the PushMessage functionality.	0	0	0	0	0		
SSP-1.1-int-29C	Verify the MessageNotification functionality.	0	0	0	0	0		
SSP-1.1-int-29CD	Verify the MessageNotification functionality.	0	0	0	0	0		
SSP-1.1-int-30C	Verify the GetMessage functionality.	0	0	0	0	0		
SSP-1.1-int-30CD	Verify the GetMessage functionality.	0	0	0	0	0		
SSP-1.1-int-31C	Verify the RejectMessage functionality.	0	0	0	0	0		
SSP-1.1-int-31CD	Verify the RejectMessage functionality.	0	0	0	0	0		
SSP-1.1-int-32C	Verify the DeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-32CD	Verify the DeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-33C	Verify the NotifyDeliveryStatusReport functionality.	0	0	0	0	0		
SSP-1.1-int-33CD	Verify the NotifyDeliveryStatusReport functionality.	0	0	0	0	0		

SSP-1.1-in34C	Verify the BlockUserRequest functionality.	0	0	0	0	0		
SSP-1.1-int-34CD	Verify the BlockUserRequest functionality.	0	0	0	0	0		
SSP-1.1-int-35C	Verify the BlockUserRequest functionality.	0	0	0	0	0		
SSP-1.1-int-35CD	Verify the BlockUserRequest functionality.	0	0	0	0	0		

6. Confirmation

This signature states that the included information is true and valid.

Stephen Higgins - IMPS Trusted Zone

Appendix A. Change History (Informative)

Type of Change	Date	Section	Description