

# Enabler Test Report Software Component Management Object v1.0

OMA Virtual Test Event (Sep 2009) Version 17<sup>th</sup> September 2009

Open Mobile Alliance OMA-EnablerTestReport-VirtualTest-01-Sep2009-SCOMO-1\_0-20090917

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <a href="http://www.openmobilealliance.org/Use">http://www.openmobilealliance.org/Use</a> Agreement.aspx.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance<sup>TM</sup> specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <a href="http://www.openmobilealliance.org/AboutOMA/IPR.aspx">http://www.openmobilealliance.org/AboutOMA/IPR.aspx</a>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE "OMA IPR DECLARATIONS" LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved. Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

# Contents

1.	SCC	OPE	4
		FERENCES	
	2.1	NORMATIVE REFERENCES	
_	2.2	INFORMATIVE REFERENCES	5
3.	TEI	RMINOLOGY AND CONVENTIONS	6
	3.1	CONVENTIONS	
3	3.2	DEFINITIONS	
_	3.3	ABBREVIATIONS	
4.	SUN	MMARY	
5.	TES	ST DETAILS	8
5	5.1	DOCUMENTATION	8
5	5.2	TEST CASE STATISTICS	9
	5.2.	1 Test Case Summary	9
	5.2.2	2 Test Case List	.10
		LEM REPORTS	
6.	CO	NFIRMATION	.13
ΑP	PENI	DIX A. CHANGE HISTORY (INFORMATIVE)	.14

# 1. Scope

This report describes the results from the testing carried out at OMA Virtual Test-01 (Sep 2009) concerning the Software Component Device Management Version 1.0 Enabler.

#### 2. References

#### 2.1 Normative References

[IOPPROC] "OMA Interoperability Policy and Process", Version 1.9, Open Mobile Alliance<sup>TM</sup>,

OMA-ORG-IOP Process-V1 9, URL:http://www.openmobilealliance.org/

[RFC2119] "Key words for use in RFCs to Indicate Requirement Levels", S. Bradner, March 1997,

URL:http://www.ietf.org/rfc/rfc2119.txt

[ERELD] "Enabler Release Definition for Device Management", OMA-ERELD-SCOMO-V1\_0-

20090710-C, URL:http:www.openmobilealliance.org

[ERP] "Enabler Release Package OMA-ERP-SCOMO-V1\_0-20090710-C,

URL:http:www.openmobilealliance.org

[EVP] "Enabler Test Guidelines", OMA-EVP-SCOMO-V1 0-20090320-D,

URL:http:www.openmobilealliance.org

[ETS] "Enabler Test Specification", OMA-ETS-SCOMO-V1 0-20090626-C,

URL:http:www.openmobilealliance.org

[EICS] "Enabler Implementation Conformance Statement", OMA-EICS-SCOMO Client-V1 0-

20090402-A, http://www.openmobilealliance.org/

"Enabler Implementation Conformance Statement", OMA-EICS-SCOMO Server-V1 0-

20090402-A, http://www.openmobilealliance.org/

#### 2.2 Informative References

[OMADICT] Dictionary for OMA Specification, OMA-Dictionary

http://www.openmobilealliance.org/

## 3. Terminology and Conventions

#### 3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

#### 3.2 Definitions

**Test Case** A Test Case is an individual test used to verify the conformance of the Test Object to a particular

mandatory feature of the protocol. A 4-digit number identifies Test Cases where the first two digits

denote the Test Group ID.

**Test Group** A Test Group is a collection of Test Cases, which are executed, in a single SyncML session in

SCTS conformance test tool.

**Test Object** The implementation under test is referred to as the Test Object. In this document, the Client.

**TestFest** Multi-lateral interoperability testing event

**Trusted Zone** An OMA staff function to provide a neutral confidential information and results collection service

to OMA Members. The Trusted Zone is responsible for all reports resulting from an OMA Test Event and to ensure that all general reports cannot attributed to any one individual participating

company

< Node> Path from the root to the interior node that is configured to the SCTS before the testing is done

(e.g.. './SyncML/DMAcc' or './DevDetail'). Test case is driven to this configured interior node.

The <Node> can be different between different Test Cases.

#### 3.3 Abbreviations

DDF Device Description Framework

DL Download

DLOTA Download Over-The-Air
DM Device Management

EICS Enabler Implementation Conformance Statement

ERELD Enabler Release Definition
ERP Enabler Release Package
ETG Enabler Test Guidelines
ETS Enabler Test Specification

INC Inconclusive

MO Management Object

N/A Not Applicable

OMA Open Mobile Alliance

OT Out of Time
PR Problem Report

SCOMO Software Component Management Object

SCR Static Conformance Requirement

TC Test Case

# 4. Summary

This report gives details of the testing carried out during the OMA Virtual Test-01 (Sept 2009) for Software Component Management Object (SCOMO) v1.0.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

### 5. Test Details

#### 5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

Date:	7 <sup>th</sup> September 2009
Location:	N/A
Enabler:	SCOMO v1.0
Process:	OMA Interoperability Policy and Process [OMAIOPPROC]
Type of Testing	Interoperability Testing
Products tested:	Client-to-Server
Test Guidelines:	SCOMO 1.0 Enabler Validation Plan [EVP] OMA-EVP-SCOMO-V1_0-20090320-D
Test Specification:	SCOMO 1.0 Enabler Test Specification [ETS]: OMA-ETS-SCOMO-V1_0-200900626-C
Test Tool:	None
Test Code:	None
Type of Test event:	Virtual Test
Participant Companies:	ITRI and Nokia Siemens Networks
Number of Client Implementations:	1
Participating Technology Providers for clients:	ITRI
Implementation IDs for each client:	ITRI OMA SCOMO Module v1.0
Number of Server Implementations:	1
Participating Technology Providers for servers:	Nokia Siemens Networks
Implementation IDs for each server:	NTMS 6.0
Number of test sessions completed:	1

#### 5.2 Test Case Statistics

#### 5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- Total number of TCs: Used in the summary to indicate how many test cases there are in total.
- Number of passed: Used in the summary to indicate how many of the total testcases that successfully has been passed.
- Number of failed: Used in the summary to indicate how many of the total testcases that has failed.
- Number of N/A: Used in the summary to indicate how many of the total testcases that has not be run due to that the implementation(s) do not support the functionality required to run this test case.
- Number of OT: Used in the summary to indicate how many of the total testcases that has not be run due to no time to run the test case.
- Number of INC: Used in the summary to indicate how many of the total testcases that has not been run due to that the functionality could not be tested due to an error in the implementation in another functionality that is required to run this test case.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client to Server TCs	1	7	5	0	0	2	0	7
Total	1	7	5	0	0	2	0	7

**Table 1. Test Summary Table** 

#### 5.2.2 Test Case List

This chapter lists the statistics for all all interoperability test cases included in [ETS].

The following status is used in the tables below:

- Runs (R): Used to indicate the total number of times the test case have been run (R = P + F + I).
- Pass (P): Used to indicate how many times the test case have been run and successfully passed.
- Fail (F): Used to indicate how many times the test cases have been run and failed (used when the failure reason is known).
- Inconclusive (I): Used to indicate how many times the test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Not Applicable (N/A):** Used to indicate how many times the test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- Out of Time (O): Used to indicate how many times the test cases have not been run due to lack of time.
- **Problem Report (PR):** Used to indicate how many PRs have been issued for the test case.
- **Note:** Used to indicate the cause of the Inconclusive or Failed results.

# Tests for SCOMO v1.0 Enabler TestFest taken from OMA-ETS-SCOMO-V1\_0-20090626-C

Test Case id:	Description:		7	Γest C	PR:	Note:			
Test Case Iu.	Description.	R	P	F	O	I	N/A	I K.	riote.
SCOMO-1.0-INT-001	The purpose of this test is to verify that the SCOMO Client supports the required SCOMO elements and the required nodes in the DM tree		1	0	0	0	0		
The purpose is to test client and server interoperability when delivering a Delivery Package using Large Object, using synchronous reporting		1	1	0	0	0	0		
SCOMO-1.0-INT-003  The purpose is to test client and server interoperability when delivering a Delivery Package using Large Object and asynchronous reporting		0	0	0	1	0	0	001 002	Note 003
SCOMO-1.0-INT-004	The purpose is to test client and server interoperability when delivering a Delivery Package using Alternate Download	1	1	0	0	0	0	003	Note 001

Test Case id:	Description:		Test Counts						Note:
rest Case Iu.	Description.	R	P	F	О	I	N/A	PR:	Tiote.
SCOMO-1.0-INT-005	The purpose is to test client and server interoperability when delivering a Delivery Package using Alternate Download		1	0	0	0	0	004 005 006	Note 002
SCOMO-1.0-INT-006  The purpose is to test client and server interoperability when updating an existing software component.		1	1	0	0	0	0		
SCOMO-1.0-INT-007  The purpose is to test client and server interoperability when updating an existing software component.		0	0	0	1	0	0	007	Note 004

**Table 2. Test Case Counts** 

#### Notes: -

001	In Pass-Criteria 6, it should be /Inventory/Delivered/ instead of /Inventory/Deployed
	InPass-Criteria 4.1, Exec command should return 202 instead of 1202.
002	In Pass-Criteria 5.2, /Download/x/Status instead of /Delivered/x/Status
	In Pass-Criteria 7.4, create node under Delivered instead of Deployed
003	In Pass-Criteria 5, It should return 202 instead of 1200 according to OMA-TS-DM-SCOMO-v1_0-20090710-C, Section 8, page 30. In Pass-Criteria 6, It should return 1200 instead of 200
	Problem Report 001
004	In Pass-Criteria 2.1, It should return 202 instead of 1202 according to OMA-TS-DM-SCOMO-v1_0-20090710-C, Section 8, page 30
	Problem Report 004

## **Problem Reports**

During the activities for Virtual Test-01, the following problem reports were generated relating to the test materials and test process:

PR Number	Affecting	Description	Test Case reference / Specification reference
001	OMA-ETS-SCOMO- V1_0-200900626-C	It should return 202 instead of 1200 according to OMA-TS-DM-SCOMO-v1_0-20090710-C, Section 8, page 30	SCOMO-1.0-INT-003, pass criteria bullet 5
002	OMA-ETS-SCOMO- V1_0-200900626-C	It should return 1200 instead of 200	SCOMO-1.0-INT-003, pass criteria bullet 6
003	OMA-ETS-SCOMO- V1_0-200900626-C	It should be /Inventory/Delivered/ instead of /Inventory/Deployed for Get Command to Query.	SCOMO-1.0-INT-004, pass criteria bullet 6
004	OMA-ETS-SCOMO- V1_0-200900626-C	It should return 202 instead of 1202 according to OMA-TS-DM-SCOMO-v1_0-20090710-C, Section 8, page 30	SCOMO-1.0-INT-005, pass criteria 4.1
005	OMA-ETS-SCOMO- V1_0-200900626-C	/Download/x/Status is queried instead of /Delivered/x/Status	SCOMO-1.0-INT-005, pass criteria 5.2
006	OMA-ETS-SCOMO- V1_0-200900626-C	The newly created dynamic node should be Delivered tree (/Inventory/Delivered/X/) which located in <target><locuri> instead of Deployed tree</locuri></target>	SCOMO-1.0-INT-005, pass criteria 7.4
007	OMA-ETS-SCOMO- V1_0-200900626-C	It should return 202 instead of 1202 according to OMA-TS-DM-SCOMO-v1_0-20090710-C	SCOMO-1.0-INT-007, pass criteria 2.1

Full details of all Problem Reports can be found at:

 $\underline{http://www.openmobilealliance.org/TestFests/Problem\_Reporting.aspx}$ 

# 6. Confirmation

Miljo bellen.

This signature states that the included information is true and valid.

# Appendix A. Change History

# (Informative)

Type of Change	Date	Section	Description		
New Version	17 <sup>th</sup> September 2009	All	First Version for Virtual Test-01		