



OMA Management Object for Presence SIMPLE

Candidate Version 2.0 – 17 Sep 2009

Open Mobile Alliance
OMA-TS-Presence_SIMPLE_MO-V2_0-20090917-C

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2009 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

- 1. SCOPE4
- 2. REFERENCES5
 - 2.1 NORMATIVE REFERENCES5
 - 2.2 INFORMATIVE REFERENCES5
- 3. TERMINOLOGY AND CONVENTIONS6
 - 3.1 CONVENTIONS6
 - 3.2 DEFINITIONS6
 - 3.3 ABBREVIATIONS6
- 4. INTRODUCTION7
 - 4.1 VERSION 1.17
 - 4.1.1 Version 1.1.17
 - 4.2 VERSION 2.07
- 5. OMA PRESENCE SIMPLE MANAGEMENT OBJECT8
 - 5.1 MANAGEMENT OBJECT TREE8
 - 5.2 MANAGEMENT OBJECT PARAMETERS8
 - 5.2.1 Node: /<x>8
 - 5.2.2 Node: /<x>/NAME9
 - 5.2.3 Node: /<x>/ProviderID9
 - 5.2.4 Node: /<x>/ToConRef9
 - 5.2.5 Node: /<x>/ToConRef/<X>9
 - 5.2.6 Node: /<x>/ToConRef/<X>/ConRef9
 - 5.2.7 Node: /<x>/CLIENT-OBJ-DATA-LIMIT10
 - 5.2.8 Node: /<x>/CONTENT-SERVER-URI10
 - 5.2.9 Node: /<x>/SOURCE-THROTTLE-PUBLISH10
 - 5.2.10 Node: /<x>/MAX-NUMBER-OF-SUBSCRIPTIONS-IN-PRESENCE-LIST10
 - 5.2.11 Node: /<x>/SERVICE-URI-TEMPLATE10
 - 5.2.12 Node: /<x>/RLS-URI11
 - 5.2.13 Node: /<x>/Ext11
- APPENDIX A. CHANGE HISTORY (INFORMATIVE)12
 - A.1 APPROVED VERSION HISTORY12
 - A.2 DRAFT/CANDIDATE VERSION 2.0 HISTORY12

Figures

- Figure 1: The OMA Presence SIMPLE Management Object tree8

1. Scope

This document defines the OMA Presence SIMPLE Management Object (MO). The MO is defined using the OMA DM Device Description Framework.

2. References

2.1 Normative References

OMA

- [DM_ERELD] “Enabler Release Definition for OMA Device Management”, Version 1.2, Open Mobile Alliance™, OMA-ERELD-DM-V1_2,
URL: <http://www.openmobilealliance.org/>
- [DM_StdObj] “OMA Device Management Standardized Objects”, Version 1.2, Open Mobile Alliance™, OMA-TS-DM_StdObj-V1_2,
URL: <http://www.openmobilealliance.org/>
- [DM_TND] “OMA Device Management Tree and Description”, Version 1.2, Open Mobile Alliance™, OMA-TS-DM_TND-V1_2,
URL: <http://www.openmobilealliance.org/>

IETF

- [RFC2119] IETF RFC 2119 “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, Mar 1997,
URL: <http://www.ietf.org/rfc/rfc2119.txt>

2.2 Informative References

- [PRS_RD] “Presence SIMPLE Requirements”, Version 2.0, Open Mobile Alliance™, OMA-RD-Presence_SIMPLE-V2_0,
URL: <http://www.openmobilealliance.org/>
- [XDM_Core] “XML Document Management Specification”, Version 2.0, Open Mobile Alliance™, OMA-TS-XDM_Core-V2_0,
URL: <http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

See [DM_TND] for definitions of terms related to the management tree.

3.3 Abbreviations

DM	Device Management
GAA	Generic Authentication Architecture
HTTP	Hyper Text Transfer Protocol
IETF	Internet Engineering Task Force
MIME	Multipurpose Internet Mail Extensions
MO	Management Object
OMA	Open Mobile Alliance
PS	Presence Server
SIMPLE	SIP for Messaging and Presence Leveraging Extensions
SIP	Session Initiation Protocol
UE	User Equipment
URI	Uniform Resource Identifier
XML	eXtensible Markup Language

4. Introduction

This document describes the management object syntax for OMA Presence SIMPLE that allows configuration deployment to OMA presence clients.

4.1 Version 1.1

4.1.1 Version 1.1.1

The OMA PRS 1.1.1 enabler defines the following parameters for the OMA Presence SIMPLE Management Object: CLIENT-OBJ-DATA-LIMIT, CONTENT-SERVER-URI, SOURCE-THROTTLE-PUBLISH, MAX-NUMBER-OF-SUBSCRIPTIONS-IN-PRESENCE-LIST and SERVICE-URI-TEMPLATE.

4.2 Version 2.0

The OMA PRS 2.0 enabler extends the list of parameters for the OMA Presence SIMPLE Management Object with the following: RLS-URI.

5. OMA Presence SIMPLE Management Object

This subclause defines the mobile device Management Object (MO) for OMA Presence SIMPLE. The MO MAY be used for initial provisioning of parameters when the DM Profile is to be used, and the MO SHOULD be used for continuous provisioning, which allows the service provider to update any parameter defined in the MO tree for service configurations during service deployment (see [DM_ERELD]).

The OMA Presence SIMPLE Management Object consists of relevant parameters required by [PRS_RD]. It is defined using the OMA DM Device Description Framework as described in [DM_TND] and [DM_StdObj].

The Management Object Identifier is: urn:oma:mo:oma-pres:2.0

Protocol compatibility: This MO is compatible with OMA DM 1.2 (see [DM_ERELD]).

Management object name: OMA_PRESENCE

5.1 Management Object Tree

Figure 1 shows the interior nodes and leaf nodes for Presence SIMPLE continuous provisioning:




Figure 1: The OMA Presence SIMPLE Management Object tree

5.2 Management Object Parameters

This section describes the parameters for the OMA Presence SIMPLE Management Object.

5.2.1 Node: /<x>

<x>

Status	Tree Occurrence	Format	Min. Access Types
Required	OneOrMore	node	Get

This interior node groups together the parameters of a Presence SIMPLE 2.0 Management Object. The ancestor elements of this node define the position in the Management Tree of this Management Object. But the structure of the DM tree and hence positions in the tree of Management Objects are out of scope of this specification. The interior node is mandatory if the UE supports OMA Presence SIMPLE.

The type of this node MUST be PRS Management Object ID “urn:oma:mo:oma-pres:2.0”.

5.2.2 Node: /<x>/NAME

NAME

Status	Tree Occurrence	Format	Min. Access Types
Required	One	chr	Get

.The Name leaf node is the application name, which is to be displayed in the user's equipment. It is specific for each service provider. Possible value is any user displayable name.

5.2.3 Node: /<x>/ProviderID

ProviderID

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	chr	Get

.The ProviderID leaf node provides an identifier for the provider of this service

5.2.4 Node: /<x>/ToConRef

ToConRef

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	node	Get

The ToConRef interior node is used to allow an application to refer to a collection of connectivity definitions. Several connectivity parameters may be listed for a given application under this interior node.

5.2.5 Node: /<x>/ToConRef/<X>

ToConRef/<X>

Status	Tree Occurrence	Format	Min. Access Types
Optional	OneOrMore	node	Get

This run-time node acts as a placeholder for one or more connectivity parameters.

5.2.6 Node: /<x>/ToConRef/<X>/ConRef

ToConRef/<X>/ConRef

Status	Tree Occurrence	Format	Min. Access Types
Optional	One	chr	Get

The ConRef leaf node indicates the linkage to connectivity parameters. This parameter provides an identifier for the application service access point described by an APPLICATION characteristic, in this case the NAP ID and the SIP/IP core. Possible value is a relative URI.

5.2.7 Node: /<x>/CLIENT-OBJ-DATA-LIMIT

CLIENT-OBJ-DATA-LIMIT

Status	Tree Occurrence	Format	Min. Access Types
Required	One	int	Get

This parameter defines the maximum size of the MIME object in SIP PUBLISH requests. When the PS does not support the MIME objects as direct content of SIP PUBLISH requests, this parameter is set to zero

5.2.8 Node: /<x>/CONTENT-SERVER-URI

CONTENT-SERVER-URI

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	chr	Get

This parameter defines the HTTP URI of the Content Server to be used for content indirection. Possible value is an HTTP URI.

5.2.9 Node: /<x>/SOURCE-THROTTLE-PUBLISH

SOURCE-THROTTLE-PUBLISH

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	int	Get

This parameter defines the minimum time interval (in seconds) between two consecutive publications from a Presence Source.

5.2.10 Node: /<x>/MAX-NUMBER-OF-SUBSCRIPTIONS-IN-PRESENCE-LIST

MAX-NUMBER-OF-SUBSCRIPTIONS-IN-PRESENCE-LIST

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	int	Get

This parameter limits the number of back-end subscriptions allowed for a Presence List.

5.2.11 Node: /<x>/SERVICE-URI-TEMPLATE

SERVICE-URI-TEMPLATE

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	chr	Get

The Service URI Template specifies the syntax of the service URI. The Service URI Template SHALL be a URI Template as specified in [XDM_Core]. Possible value is a SIP URI.

5.2.12 Node: /<x>/RLS-URI

RLS-URI

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	chr	Get

This parameter defines the SIP URI of the RLS to be used by the Watcher when subscribing to a Request-contained Presence List. Possible value is a SIP URI.

5.2.13 Node: /<x>/Ext

Ext

Status	Tree Occurrence	Format	Min. Access Types
Optional	ZeroOrOne	node	Get

The Ext is an interior node where the vendor-specific information about the OMA Presence SIMPLE MO is placed (vendor means application vendor, device vendor etc.). Usually the vendor extension is identified by a vendor-specific name under the ext node. The tree structure under the vendor identified is not defined and can therefore include a non-standardized sub-tree.

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
n/a	n/a	No prior version

A.2 Draft/Candidate Version 2.0 History

Document Identifier	Date	Sections	Description
Draft Versions OMA-TS-Presence_SIMPLE_MO-V2_0	5 Mar 2008	n/a	Created based on OMA-PAG-2008-0071R01 Incorporated CR: OMA-PAG-2008-124R01
	12 Mar 2008		Editorial cleanup based on OMA-PAG-2008-0155
	28 May 2008		Incorporated CR: OMA-PAG-2008-0349
	26 Aug 2008	All	Incorporated CR: OMA-PAG-2008-0543
	27 Oct 2008	5.2.2, 5.2.13 (del)	Incorporated CRs: OMA-PAG-2008-0669R01 OMA-PAG-2008-0670
Candidate Version OMA-TS-Presence_SIMPLE_MO-V2_0	23 Dec 2008	N/A	Status changed to Candidate by TP TP ref # OMA-TP-2008-0490- INP_Presence_SIMPLE_V2_0_ERP_for_Candidate_Approval
Draft Version OMA-TS-Presence_SIMPLE_MO-V2_0	26 Jun 2009	2, 4, 5.1	Incorporated CRs: OMA-PAG-2009-0095R01 OMA-PAG-2009-0141R02 Editorial clean-up.
	29 Jun 2009	5.1	Deleted omitted figure according to OMA-PAG-2009-0141R02
Candidate Version OMA-TS-Presence_SIMPLE_MO-V2_0	17 Sep 2009	N/A	Status changed to Candidate by TP TP ref # OMA-TP-2009-0438-INP_PRS_V2_0_ERP_for_Notification